



## NORTH AMERICA AND LATIN AMERICA Zebra ZipShip Supplies Catalog

Effective February 20, 2026.



## Why Choose Zebra Certified Supplies?

Meet end-user needs and requirements with Zebra Certified Supplies. With access to over 1,000 combinations of high-quality labels, tags, receipt paper, wristbands and ribbons, in addition to over 1,000 stock ZipShip SM products, you will be able to meet the requirements of most applications.

In addition, Zebra has:

### Five U.S. Locations

These locations ensure quick delivery.

### Inventory Management Programs

These programs improve cost and delivery time.

### Printhead Protection and ZeroLiner Platen Roller Program

This program awards end-users who purchase Zebra Certified Supplies with free printheads and platen rollers.

### Extensive Manufacturing Capabilities

Zebra manufacturing capabilities include RFID inlay insertion, Print&Encode RFID Service, laminating, perforations, face and back slits, custom sizes and color pre-printing.

### An Experienced Supplies R&D Team

The team pre-tests all materials on Zebra printers and conducts additional testing to ensure it will meet the needs of the application.

### ISO 9001:2015 Registered

Ensures you'll always receive consistent, quality products.

With more than 1,000 combinations of high-quality and reliable labels, tags, receipt paper, wristbands, RFID media, and ribbons, Zebra has a media solution for virtually any application. Whether you're facing shipping, electronic component manufacturing, prescription labeling, or even electronic citation applications, Zebra and our certified partners can provide an in-stock or custom-made solution for you.

### ZEBRA HAS 5 U.S. LOCATIONS ENSURING QUICK DELIVERY



# Table of Contents

---

|  |    |
|--|----|
| 2024 Bestsellers Spotlight .....       | 9  |
| New ZipShip Items.....                 | 10 |
| Printer Media Specifications.....      | 11 |
| Industrial Printers.....               | 12 |
| Z-Essentials.....                      | 12 |
| Z-Perform 1000D .....                  | 12 |
| Z-Perform 2000D .....                  | 12 |
| Z-Perform 1500T .....                  | 13 |
| Z-Perform 2000T .....                  | 13 |
| Z-Perform 2000T All-Temp .....         | 14 |
| Z-Perform 2000T Floodcoated.....       | 14 |
| Z-Perform 1000T 7.5 mil Tag.....       | 14 |
| Z-Select 4000D.....                    | 15 |
| 8000D Lab .....                        | 16 |
| Z-Slip.....                            | 16 |
| Z-Select 4000T .....                   | 16 |
| Z-Select 4000T Removable.....          | 17 |
| Z-Select 4000T 7.0 mil Tag .....       | 17 |
| Z-Ultimate 2000T White .....           | 18 |
| Z-Ultimate 3000T White .....           | 19 |
| Z-Ultimate 4100T White .....           | 20 |
| Z-Ultimate 4000T Silver .....          | 20 |
| Z-Ultimate 4000T Clear .....           | 20 |
| Z-Ultimate 4000T Removable.....        | 21 |
| Z-Ultimate 4000T High-Tack White.....  | 21 |
| Z-Ultimate 4000T High-Tack Silver..... | 22 |
| Z-Xtreme 4000T White .....             | 22 |
| Z-Xtreme 4000T High-Tack White .....   | 23 |
| Z-Xtreme 4000T High-Tack Silver .....  | 23 |
| Z-Xtreme 5000T .....                   | 24 |
| Z-Supreme 2100T White.....             | 24 |
| Z-Supreme 3000T White.....             | 25 |
| Z-Supreme 4000T.....                   | 25 |
| PolyPro 4000D .....                    | 26 |
| PolyPro 3000T .....                    | 26 |

|  |    |
|--|----|
| <b>PolyPro 4000T</b> .....                   | 27 |
| <b>PolyPro 4000T Removable</b> .....         | 27 |
| <b>8000T Void Gloss</b> .....                | 27 |
| <b>8000T Void Matte Silver</b> .....         | 28 |
| <b>8000T Z-Destruct</b> .....                | 28 |
| <b>8000T Vinyl Clear</b> .....               | 28 |
| <b>8000T Primary Blood Bag</b> .....         | 29 |
| <b>8000T Tuff 7.0 mil Tag</b> .....          | 29 |
| <b>8000T CryoCool</b> .....                  | 30 |
| <b>ZeroLiner Linerless Media</b> .....       | 30 |
| <b>Desktop Printers</b> .....                | 31 |
| <b>Z-Essentials</b> .....                    | 31 |
| <b>Z-Perform 1000D</b> .....                 | 31 |
| <b>Z-Perform 2000D</b> .....                 | 31 |
| <b>Z-Perform 2000D Floodcoated</b> .....     | 31 |
| <b>Z-Perform 2000T</b> .....                 | 31 |
| <b>Z-Select 4000D</b> .....                  | 32 |
| <b>Z-Select 4000D Removable</b> .....        | 33 |
| <b>Z-Select 4000T</b> .....                  | 34 |
| <b>Z-Select 4000T Removable</b> .....        | 34 |
| <b>8000D Near-IR</b> .....                   | 35 |
| <b>8000D Lab</b> .....                       | 35 |
| <b>Z-Select 4000D 7.0 mil Tag</b> .....      | 35 |
| <b>Z-Perform 1000D 2.4 mil Receipt</b> ..... | 36 |
| <b>Z-Ultimate 2000T White</b> .....          | 36 |
| <b>Z-Ultimate 3000T White</b> .....          | 36 |
| <b>Z-Ultimate 4100T White</b> .....          | 37 |
| <b>Z-Ultimate 4000T Clear</b> .....          | 37 |
| <b>Z-Ultimate 4000T Removable</b> .....      | 37 |
| <b>Z-Xtreme 4000T White</b> .....            | 38 |
| <b>Z-Xtreme 4000T High-Tack Silver</b> ..... | 38 |
| <b>Z-Xtreme 5000T</b> .....                  | 38 |
| <b>8000T Slide</b> .....                     | 39 |
| <b>PolyPro 3000T</b> .....                   | 39 |
| <b>PolyPro 4000T</b> .....                   | 39 |
| <b>PolyPro 4000T Removable</b> .....         | 40 |
| <b>PolyPro 4000D</b> .....                   | 40 |

|   |    |
|---|----|
| PolyPro 4000D Jewelry .....                                   | 40 |
| 8000D Jewelry .....   | 40 |
| PolyPro 3000T Gloss Removable .....                           | 41 |
| ZeroLiner Linerless Media .....                               | 41 |
| <b>Kiosk Printers</b> .....                                   | 42 |
| Z-Perform 1000D 3.5 mil Receipt (10-year archivability) ..... | 42 |
| <b>Mobile Media Reference Guide</b> .....                     | 43 |
| <b>Mobile Printers</b> .....                                  | 47 |
| Z-Essentials.....   | 47 |
| Z-Perform 1000D .....   | 47 |
| Z-Perform 2000D .....   | 47 |
| IQ Color 2000D .....  | 47 |
| Z-Select 4000D.....   | 47 |
| 8000D Lab .....   | 47 |
| Z-Select 4000T .....  | 47 |
| PolyPro 4000D .....   | 48 |
| Z-Ultimate 4100T White .....                                  | 48 |
| PolyPro 4000T .....   | 49 |
| Z-Perform 1000D 2.4 mil Receipt (10-year achivability).....   | 49 |
| Z-Select 4000D 3.2 mil Receipt (25-year archivability).....   | 51 |
| 8000D 3.2 mil High-Temp Receipt (20-year archivability) ..... | 52 |
| ZeroLiner Linerless Media.....                                | 53 |
| EnduraGuard 4000D.....  | 53 |
| <b>Wristband Media – Industrial Printers</b> .....            | 54 |
| Z-Band Direct.....  | 54 |
| Z-Band Fusion .....   | 55 |
| Z-Band Fusion Infant ID Tags.....                             | 55 |
| Z-Band 4000 Wristband Kit .....                               | 55 |
| Z-Band QuickClip Kit.....                                     | 56 |
| Color Clips for use with QuickClip Wristbands .....           | 56 |
| Z-Band Fun.....   | 56 |
| Z-Band Splash .....   | 56 |
| <b>Wristband Media – Desktop Printers</b> .....               | 57 |
| Z-Band UltraSoft .....  | 57 |
| Z-Band Direct.....  | 58 |
| Z-Band Direct Lite (White) .....                              | 58 |
| Soft Infant Z-Band Wristband.....                             | 58 |

|  |    |
|--|----|
| Z-Band Fusion .....                                  | 56 |
| Z-Band Fusion Infant Tags.....                       | 56 |
| Z-Band 4000 .....                                    | 56 |
| Z-Band QuickClip Kit .....                           | 56 |
| Color Clips for use with QuickClip Wristbands.....   | 57 |
| Z-Band Fun.....                                      | 57 |
| Z-Band Splash .....                                  | 57 |
| Z-Band Direct Lite.....                              | 58 |
| Wristband Cartridges .....                           | 58 |
| Z-Band UltraSoft Kit.....                            | 58 |
| Z-Band UltraSoft Kit - Bracelet Design .....         | 58 |
| Z-Band Direct Wristband Cartridges .....             | 59 |
| Z-Band Comfort Wristband Cartridges .....            | 59 |
| Z-Band Newborn Soft Kit.....                         | 60 |
| Z-Band Newborn Kit.....                              | 60 |
| Z-Band UltraSoft Maternity ID Solution .....         | 60 |
| Z-Band Quickclip Kit.....                            | 60 |
| Z-Band Fun Wristband Cartridges .....                | 61 |
| Z-Band Splash Wristband Cartridges.....              | 62 |
| Wristband Media – Non-Printable.....                 | 62 |
| Spot Alert Labels .....                              | 62 |
| Slim Alert Wristbands.....                           | 63 |
| Tyvek® Alert Wristbands.....                         | 63 |
| Triage Band.....                                     | 64 |
| EMS Band .....                                       | 64 |
| OmniBand – Follow the link for more information..... | 65 |
| Vinyl Infant Wristband Solutions.....                | 65 |
| ComfyCuff.....                                       | 65 |
| ComfyCuff Infant Swaddle Band .....                  | 65 |
| ComfyCuff Security Seal .....                        | 66 |
| Zebra ZipShip Ribbons .....                          | 67 |
| Industrial Wax Ribbons.....                          | 69 |
| 1600 .....   | 69 |
| 6000 .....   | 69 |
| 2000 .....   | 70 |

|   |           |
|---|-----------|
| 2100 .....                                | 71        |
| 5319 .....                                | 71        |
| <b>Industrial Wax/Resin Ribbons .....</b> | <b>72</b> |
| 6100 .....                                | 72        |
| 5555 .....                                | 72        |
| 3200 .....                                | 73        |
| 5586 .....                                | 73        |
| <b>Industrial Resin Ribbons .....</b>     | <b>74</b> |
| 6200 .....                                | 74        |
| 5095 .....                                | 74        |
| 5100 .....                                | 75        |
| Image Lock Resin Ribbon .....             | 75        |
| ChemResist .....                          | 75        |
| <b>Industrial Color Wax Ribbons .....</b> | <b>76</b> |
| 5319 .....                                | 76        |
| Red Resin .....                           | 76        |
| <b>Desktop Ribbons .....</b>              | <b>77</b> |
| 6000 Wax Ribbons .....                    | 77        |
| 5319 Wax Ribbons .....                    | 77        |
| 6100 Wax/Resin Ribbons .....              | 77        |
| 5555 Wax/Resin Ribbons .....              | 78        |
| 3200 Wax/Resin Ribbons .....              | 78        |
| 5586 Wax/Resin Ribbons .....              | 78        |
| 6200 Resin Ribbons .....                  | 78        |
| 5095 Resin Ribbons .....                  | 79        |
| 5100 Resin Ribbons .....                  | 79        |
| Image Lock Resin Ribbon .....             | 79        |
| ChemResist .....                          | 80        |
| 1600 .....                                | 80        |
| 5319 Wax Ribbons .....                    | 80        |
| 6100 Wax/Resin Ribbons .....              | 80        |
| 3200 Wax/Resin Ribbons .....              | 81        |
| 5095 Resin Ribbons .....                  | 81        |
| 2000 Wax Ribbon .....                     | 81        |
| 5555 Wax/Resin Ribbon .....               | 81        |
| 5095 Resin Ribbon .....                   | 82        |

|  |    |
|--|----|
| <b>Image Lock Resin Ribbon</b> .....   | 82 |
| <b>5319 Wax Ribbon</b> .....           | 82 |
| <b>3200 Wax/Resin Ribbons</b> .....    | 82 |
| <b>5095 Resin Ribbons</b> .....        | 83 |
| <b>5100 Resin Ribbons</b> .....        | 83 |
| <b>1600 Wax Ribbons</b> .....          | 83 |
| <b>2000 Wax Ribbons</b> .....          | 83 |
| <b>5555 Wax/Resin Ribbons</b> .....    | 84 |
| <b>5095 Resin Ribbons</b> .....        | 84 |
| <b>1600 Wax Ribbons</b> .....          | 84 |
| <b>Mobile Ribbons</b> .....            | 85 |
| <b>5555 Wax/Resin Ribbon</b> .....     | 85 |
| <b>5095 Resin Ribbon</b> .....         | 85 |
| <b>Specialty Printer Ribbons</b> ..... | 86 |
| <b>6000 Wax Ribbon</b> .....           | 86 |
| <b>2100 Wax Ribbon</b> .....           | 86 |
| <b>Industrial Ribbon Cores</b> .....   | 86 |
| <b>Replacement Core Kit</b> .....      | 86 |
| <b>Zebra ZipShip Samples</b> .....     | 89 |

## 2024 Bestsellers Spotlight

---

| Rank | Part Number | Product Name    | Printer    |
|------|-------------|-----------------|------------|
| 1    | 10018340    | Z-Perform 1500T | Industrial |
| 2    | 10023377    | Z-Perform 1000D | Mobile     |
| 3    | 10000301    | Z-Perform 1000D | Industrial |
| 4    | 10001962    | Z-Select 4000D  | Mobile     |
| 5    | LD-R4KN5B   | Z-Select 4000D  | Mobile     |
| 6    | 10026382    | Z-Perform 1000D | Desktop    |
| 7    | 10015341    | Z-Select 4000D  | Desktop    |
| 8    | 10010028    | Z-Perform 2000D | Desktop    |
| 9    | 10000281    | Z-Perform 2000T | Industrial |
| 10   | 10026373    | Z-Select 4000D  | Mobile     |

Zebra wants to help you select the supplies you need. Zebra Supplies ZipShip provides over 1000 different stock items. Our catalog lists our stock part numbers and provides the spec sheets associated with the product name. Please take a moment to view our [Zebra Certified Supplies Selector Guide](#) to aid your browsing process.

# New ZipShip Items

| Product Type | Printer Type | Paper / Synthetic | Material Name      | Part #         |
|--------------|--------------|-------------------|--------------------|----------------|
| Label        | Industrial   | Paper             | Z-Essentials 540T  | 10043481       |
| Label        | Desktop      | Paper             | Z-Essentials 540T  | 10043289       |
| Label        | Industrial   | Paper             | Z-Essentials 540T  | 10043488       |
| Label        | Industrial   | Paper             | Z-Essentials 540T  | 10043286       |
| Label        | Desktop      | Paper             | Z-Essentials 540T  | 10043288       |
| Label        | Industrial   | Paper             | Z-Essentials 540T  | 10044248       |
| Label        | Desktop      | Paper             | Z-Essentials 540T  | 10044249       |
| Label        | Industrial   | Paper             | Z-Essentials 500D  | 10041910       |
| Label        | Desktop      | Paper             | Z-Essentials 500D  | 10041911       |
| Label        | Mobil        | Paper             | Z-Essentials 500D  | 10041912       |
| Label        | Industrial   | Paper             | Z-Essentials 500D  | 10043287       |
| Label        | Desktop      | Paper             | Z-Essentials 500D  | 10043290       |
| Label        | Industrial   | Paper             | Z-Essentials 500D  | 10044369       |
| Label        | Desktop      | Paper             | Z-Essentials 500D  | 10044370       |
| Label        | Industrial   | Paper             | Z-Essentials 500D  | 10044371       |
| Label        | Desktop      | Paper             | Z-Essentials 500D  | 10044372       |
| Label        | Desktop      | Paper             | Z-Essentials 1500D | 10041924       |
| Label        | Desktop      | Paper             | Z-Essentials 1500D | 10041925       |
| Label        | Industrial   | Paper             | Z-Essentials 1500D | 10041926       |
| Label        | Mobile       | Paper             | ZeroLiner 2000D    | ZIPZLM3013255  |
| Label        | Mobile       | Paper             | ZeroLiner 2000D    | ZIPZLM3013254  |
| Label        | Desktop      | Paper             | ZeroLiner 1100D    | ZIPZLD3019198  |
| Label        | Mobil        | Synthetic         | EnduraGuard 4000D  | ZIPEGM10045248 |
| Label        | Mobil        | Synthetic         | EnduraGuard 4000D  | ZIPEGM10045247 |

Zebra wants to help you select the supplies you need. Zebra Supplies ZipShip provides over 1000 different stock items. Our catalog lists our stock part numbers and provides the spec sheets associated with the product name.

Please take a moment to view our [Zebra Certified Supplies Selector Guide](#) to aid your browsing process.

# Printer Media Specifications

|                              |                                | Core Size    | Max OD       | Min Media Width | Max Media Width | Min Media Length | Min Media Caliper | Max Media Caliper |
|------------------------------|--------------------------------|--------------|--------------|-----------------|-----------------|------------------|-------------------|-------------------|
|                              | Printer                        | In.          | In.          | In.             | In.             | In.              | mil               | mil               |
| <b>Tabletop / Industrial</b> | ZT220 / ZT230                  | 1 & 3        | 5 & 8        | 0.75            | 4.5             | 0.5              | 3                 | 10                |
|                              | ZT410 / ZT410R                 | 3            | 8            | 1               | 4.5             | 0.5              | 2.3               | 10                |
|                              | ZT411 / ZT411R                 | 3            | 8            | 1               | 4.5             | 0.5              | 2.3               | 10                |
|                              | ZT420 / ZT420R                 | 3            | 8            | 2               | 7               | 0.5              | 2.3               | 10                |
|                              | ZT421 / ZT421R                 | 3            | 8            | 2               | 7               | 0.5              | 2.3               | 10                |
|                              | ZT510                          | 3            | 8            | 0.79            | 4.5             | 0.25             | 3                 | 12                |
|                              | ZT610 / ZT610R                 | 3            | 8            | 1               | 4.5             | 0.5              | 2.3               | 10                |
|                              | ZT620 / ZT620R                 | 3            | 8            | 2               | 7               | 0.5              | 2.3               | 10                |
|                              | 110XiiiPlus / 110Xi4 / R110Xi4 | 3            | 8            | 0.79            | 4.5             | 0.25             | 3                 | 12                |
|                              | 140XiiiPlus / 140Xi4           | 3            | 8            | 1.57            | 5.5             | 0.25             | 3                 | 12                |
|                              | 170XiiiPlus / 170Xi4 / R170Xi4 | 3            | 8            | 2               | 7.1             | 0.25             | 3                 | 12                |
|                              | 220XiiiPlus / 220Xi4           | 3            | 8            | 4.25            | 8.8             | 0.25             | 3                 | 12                |
|                              | 105SL / 105SLPlus              | 3            | 8            | 0.79            | 4.5             | 0.25             | 3                 | 12                |
|                              | S4M                            | 1 & 3        | 5 & 8        | 0.75            | 4.5             | 0.5              | 3                 | 10                |
|                              | ZM400                          | 3            | 8            | 1               | 4.5             | 0.5              | 2.3               | 10                |
|                              | ZM600                          | 3            | 8            | 2               | 7               | 0.5              | 2.3               | 10                |
| <b>Desktop</b>               | ZD410                          | 0.5 & 1.0    | 5            | 0.59            | 2.36            | 0.25             | 3                 | 7.5               |
|                              | ZD220 / ZD230                  | 0.5 & 1.0    | 5            | 1               | 4.4             | 1                | 3                 | 7.5               |
|                              | ZD420 / ZD421                  | 0.5 & 1.0    | 5            | 0.59            | 4.65            | 0.25             | 3                 | 7.5               |
|                              | ZD620 / ZD621                  | 0.5 & 1.0    | 5            | 0.59            | 4.65            | 0.25             | 3                 | 7.5               |
|                              | ZD500 / ZD500R                 | 1            | 5            | 0.75            | 4.25            | 0.25             | 3                 | 12                |
|                              | GK & GX Series                 | 1            | 5            | 0.75            | 4.25            | 0.38             | 3                 | 7.5               |
|                              | GC Series                      | 1            | 5            | 1               | 4.25            | 0.38             | 3                 | 7                 |
|                              | GT800                          | 1            | 5            | 0.75            | 4.49            | 0.25             | 3                 | 7                 |
|                              | LP / TLP 2824 Plus             | 1            | 5            | 1               | 2.36            | 0.38             | 3                 | 7                 |
|                              | LP / TLP 2844 Series           | 1            | 5            | 1               | 4.25            | 0.38             | 3                 | 7                 |
|                              | TLP 3842                       | 1            | 5            | 1               | 4.25            | 0.38             | 3                 | 7                 |
|                              | TLP 3844-Z                     | 1            | 5            | 1               | 4.25            | 0.38             | 3                 | 7                 |
|                              | <b>Mobile</b>                  | QLn220       | 0.75 / 1.375 | 2.2             | 0.63            | 2.18             | 0.5               | 2.3               |
| QLn320                       |                                | 0.75 / 1.375 | 2.6          | 1               | 3.13            | 0.5              | 2.3               | 6.5               |
| QLn420                       |                                | 0.75 / 1.375 | 2.6          | 2               | 4.4             | 0.5              | 3.2               | 7.5               |
| ZQ110                        |                                | 0.5 / 0.75   | 1.18         | -               | 2.28            | -                | 2.3               | 4                 |
| ZQ310                        |                                | 0.5 / 0.75   | 1.57         | -               | 2.28            | 0.5              | 2.3               | 6.3               |
| ZQ320                        |                                | 0.5 / 0.75   | 1.57         | -               | 3.15            | 0.5              | 2.3               | 6.3               |
| ZQ510                        |                                | 0.75         | 2            | 1.38            | 3.15            | 0.5              | 2.3               | 6.3               |
| ZQ511                        |                                | 0.75         | 2            | 1.38            | 3.15            | 0.5              | 2.3               | 6.3               |
| ZQ520 / ZQ520R               |                                | 0.75         | 2.25         | -               | 4.45            | 0.5              | 2.3               | 6.3               |
| ZQ521 / ZQ521R               |                                | 0.75         | 2.25         | -               | 4.45            | 0.5              | 2.3               | 6.3               |
| ZQ610                        |                                | 0.75 / 1.375 | 2.2          | 1               | 2.18            | 0.5              | 2.3               | 6.5               |
| ZQ620                        |                                | 0.75 / 1.375 | 2.6          | 1               | 3.125           | 0.5              | 2.3               | 6.5               |
| ZQ630 / ZQ630R               |                                | 0.75 / 1.375 | 2.6          | 2               | 4.4             | 0.5              | 2                 | 6.5               |
| iMZ220 / MZ 220              |                                | 0.5 / 0.75   | 1.88         | 2               | 2               | -                | 2                 | 4                 |
| iMZ320 / MZ 320              |                                | 0.5 / 0.75   | 1.88         | 3               | 3               | -                | 3.2               | 4                 |
| P4T                          |                                | 0.75         | 2.6          | 2               | 4.12            | 1.25             | -                 | 8.2               |
| RW 220                       | 0.75 / 1.375                   | 2.25         | 1            | 2.38            | 0.5             | 2                | 6.3               |                   |
| RW420 / RW420 Print Station  | 0.75 / 1.375                   | 2.25         | 2            | 4.13            | 0.5             | 2                | 6.3               |                   |
| <b>Print Engine</b>          | ZE511                          | Varies       | Varies       | 0.63            | 4.5             | 0.25             | 5.3               | 10                |
|                              | ZE521                          | Varies       | Varies       | 3               | 7.1             | 1                | 3                 | 12                |
|                              | ZE500 / ZE500R - 4             | Varies       | Varies       | 0.63            | 4.5             | 0.25             | 5.3               | 10                |
|                              | ZE500 / ZE500R - 6             | Varies       | Varies       | 3               | 7.1             | 1                | 3                 | 12                |
|                              | 110PAX4 / R110PAX4             | 3            | Varies       | 0.63            | 4.5             | 0.25             | 5.8               | 10                |
|                              | 170PAX4                        | 3            | Varies       | 3               | 7.1             | 1                | 3                 | 12                |

## Industrial Printers

---

### Z-Essentials 500D

Direct thermal, Uncoated paper label with permanent acrylic adhesive. Cost-effective paper barcode labels tailored for high-volume mass-market applications

3" ID, 8" OD

| W | Size |   | Part #   | Perf. | Labels/roll | Rolls/carton | Carton Weight |
|---|------|---|----------|-------|-------------|--------------|---------------|
|   | x    | L |          |       |             |              |               |
| 4 | x    | 6 | 10041910 | X     | 1,000       | 4            | 24 lbs.       |
| 4 | x    | 2 | 10043287 |       | 2,854       | 4            | 24 lbs.       |
| 4 | x    | 3 | 10044369 | X     | 1,941       | 4            | 32 lbs.       |
| 2 | x    | 1 | 10044371 | X     | 5,393       | 6            | 11 lbs.       |

### Z-Essentials 1500D

Direct thermal, Topcoated paper label with permanent acrylic adhesive. Cost-effective paper barcode labels tailored for high-volume mass-market applications

3" ID, 8" OD

| W | Size |   | Part #   | Perf. | Labels/roll | Rolls/carton | Carton Weight |
|---|------|---|----------|-------|-------------|--------------|---------------|
|   | x    | L |          |       |             |              |               |
| 4 | x    | 6 | 10041926 | X     | 1,000       | 4            | 15 lbs.       |

### Z-Essentials 540T

Thermal Transfer, Topcoated paper label with permanent acrylic adhesive. Cost-effective paper barcode labels tailored for high-volume mass-market applications

3" ID, 8" OD

| W | Size |   | Part #   | Perf. | Labels/roll | Rolls/carton | Carton Weight |
|---|------|---|----------|-------|-------------|--------------|---------------|
|   | x    | L |          |       |             |              |               |
| 4 | x    | 6 | 10043481 |       | 1,350       | 4            | 20 lbs.       |
| 4 | x    | 3 | 10043488 |       | 2,532       | 4            | 20 lbs.       |
| 4 | x    | 2 | 10043286 |       | 3,723       | 4            | 23 lbs.       |
| 2 | x    | 1 | 10044248 | X     | 7,035       | 4            | 15 lbs.       |

## Z-Perform 1000D

A standard, direct thermal, bright white, uncoated paper label with a permanent acrylic adhesive. Ideal for direct thermal applications that require limited durability.

3" ID, 8" OD

| W | Size |     | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|-----|----------|-------|-----------------|------------------|------------------|
|   | x    | L   |          |       |                 |                  |                  |
| 2 | x    | 2   | 10028310 | X     | 2,765           | 6                | 24 lbs.          |
| 3 | x    | 1   | 10000303 | X     | 5,500           | 6                | 26 lbs.          |
| 3 | x    | 3   | 10028312 | X     | 1,880           | 4                | 25 lbs.          |
| 4 | x    | 2   | 10003051 | X     | 2,760           | 4                | 26 lbs.          |
| 4 | x    | 3   | 10000302 | X     | 2,000           | 4                | 26 lbs.          |
| 4 | x    | 4   | 10028311 | X     | 1,425           | 4                | 26 lbs.          |
| 4 | x    | 6   | 10000301 | X     | 1,000           | 4                | 26 lbs.          |
| 4 | x    | 6   | 10015366 | FF    | 2,000           | 2                | 30 lbs.          |
| 4 | x    | 6.5 | 10000300 | X     | 900             | 4                | 26 lbs.          |
| 4 | x    | 8   | 10023701 | X     | 750             | 4                | 26 lbs.          |

\*FF = Fanfold w/ perf

3" ID, 12" OD

| W | Size |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|---|----------|-------|-----------------|------------------|------------------|
|   | x    | L |          |       |                 |                  |                  |
| 4 | x    | 6 | 10026037 |       | 2,500           | 2                | 26 lbs.          |

## Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -40°F.

3" ID, 8" OD

| W    | Size |      | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|------|------|----------|-------|-----------------|------------------|------------------|
|      | x    | L    |          |       |                 |                  |                  |
| 2    | x    | 1    | 10000298 | X     | 5,500           | 8                | 26 lbs.          |
| 2.25 | x    | 1.25 | 10000297 | X     | 4,350           | 8                | 27 lbs.          |
| 3    | x    | 1    | 10000296 | X     | 5,500           | 6                | 26 lbs.          |
| 3    | x    | 2    | 10000295 | X     | 2,750           | 6                | 26 lbs.          |
| 4    | x    | 2    | 10012164 |       | 2,720           | 4                | 26 lbs.          |
| 4    | x    | 2    | 10015365 | X     | 2,719           | 4                | 26 lbs.          |
| 4    | x    | 2.5  | 10000294 | X     | 2,280           | 4                | 26 lbs.          |
| 4    | x    | 3    | 10000293 | X     | 2,000           | 4                | 26 lbs.          |
| 4    | x    | 4    | 10000292 | X     | 1,500           | 4                | 26 lbs.          |
| 4    | x    | 6    | 10000290 | X     | 1,000           | 4                | 26 lbs.          |
| 4    | x    | 6.5  | 10000289 | X     | 900             | 4                | 26 lbs.          |

## Z-Perform 1500T

A standard, thermal transfer, smooth paper label with a permanent acrylic adhesive. Provides the optimal balance between performance and price. Recommended for printing applications up to 12 inches per second.

3" ID, 8" OD

| Size |   |     | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|-----|----------|-------|-----------------|------------------|------------------|
| W    | x | L   |          |       |                 |                  |                  |
| 4    | x | 2   | 10018351 | X     | 3,000           | 4                | 26 lbs.          |
| 4    | x | 3   | 10018349 | X     | 2,000           | 4                | 26 lbs.          |
| 4    | x | 4   | 10021230 | X     | 1,500           | 4                | 26 lbs.          |
| 4    | x | 6   | 10018340 | X     | 1,000           | 4                | 26 lbs.          |
| 4    | x | 6   | 10021198 | FF    | 2,000           | 2                | 26 lbs.          |
| 4    | x | 6.5 | 10021229 | X     | 900             | 4                | 26 lbs.          |
| 4    | x | 8   | 10021228 | X     | 750             | 4                | 26 lbs.          |

\*FF = Fanfold w/ perf.

3" ID, 12" OD

| Size |   |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|---|----------|-------|-----------------|------------------|------------------|
| W    | x | L |          |       |                 |                  |                  |
| 4    | x | 6 | 10026038 |       | 2,750           | 2                | 26 lbs.          |

## Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

3" ID, 8" OD

| Size |   |      | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|----------|-------|-----------------|------------------|------------------|
| W    | x | L    |          |       |                 |                  |                  |
| 2    | x | 0.5  | 10022942 | X     | 3,000           | 4                | 8 lbs.           |
| 2    | x | 1    | 10000288 | X     | 5,500           | 10               | 31 lbs.          |
| 2.5  | x | 1.25 | 10022943 | X     | 2,000           | 4                | 12 lbs.          |
| 3    | x | 1    | 10000287 | X     | 5,500           | 6                | 27 lbs.          |
| 3    | x | 2    | 10000286 | X     | 2,750           | 6                | 27 lbs.          |
| 3    | x | 5    | 10010242 | X     | 1,200           | 6                | 27 lbs.          |
| 3.5  | x | 1    | 10010243 | X     | 5,470           | 4                | 27 lbs.          |
| 4    | x | 1    | 10010244 | X     | 5,470           | 4                | 27 lbs.          |
| 4    | x | 2    | 10000285 | X     | 2,750           | 4                | 23 lbs.          |
| 4    | x | 3    | 10000284 | X     | 2,000           | 4                | 27 lbs.          |
| 4    | x | 4    | 10000283 | X     | 1,500           | 4                | 24 lbs.          |
| 4    | x | 6    | 10000281 | X     | 1,000           | 4                | 27 lbs.          |
| 4    | x | 6    | 10000299 | FF    | 2,000           | 2                | 26 lbs.          |
| 4    | x | 6.5  | 10000280 | X     | 900             | 4                | 27 lbs.          |
| 4    | x | 8    | 10014013 | X     | 750             | 4                | 27 lbs.          |

## Z-Perform 2000T All-Temp

A standard, thermal transfer, bright white, coated, smooth, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20°F.

3" ID, 8" OD

| W    | Size<br>x | L     | Part # | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|-----------|-------|--------|-------|-----------------|------------------|------------------|
| 2    | x         | 5.5   | 72305  |       | 1,050           | 10               | 31 lbs.          |
| 2.75 | x         | 1.25  | 72369  |       | 4,240           | 8                | 32 lbs.          |
| 3    | x         | 5     | 97477  | X     | 1,100           | 6                | 26 lbs.          |
| 3.25 | x         | 5.5   | 72371  |       | 1,040           | 6                | 32 lbs.          |
| 3.25 | x         | cont. | 72372  |       | 486'            | 6                | 35 lbs.          |
| 3.5  | x         | 1     | 72373  |       | 5,180           | 6                | 30 lbs.          |
| 4    | x         | 2.5   | 72374  |       | 2,220           | 4                | 25 lbs.          |
| 4    | x         | 6     | 72377  |       | 950             | 4                | 25 lbs.          |
| 4    | x         | 6     | 72376  | X     | 950             | 4                | 25 lbs.          |

## Z-Perform 2000T Floodcoated

A standard, thermal transfer, coated, smooth paper label with a permanent acrylic adhesive.

Offers excellent print quality for printing up to 8 inches per second.

3" ID, 8" OD

| W | Size<br>x | L   | Part #       | Color   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|-----------|-----|--------------|---------|-------|-----------------|------------------|------------------|
| 4 | x         | 3   | 10006209-1   | Yel.    | X     | 1840            | 4                | 27 lbs.          |
| 4 | x         | 3   | 10006209-3 * | Pink    | X     | 1840            | 4                | 27 lbs.          |
| 4 | x         | 6   | 10006208     | Blue    | X     | 1000            | 4                | 27 lbs.          |
| 4 | x         | 6   | 10006208-1   | Yel.    | X     | 1000            | 4                | 27 lbs.          |
| 4 | x         | 6   | 10006208-2   | Grn.    | X     | 1000            | 4                | 27 lbs.          |
| 4 | x         | 6   | 10006208-4   | Org.    | X     | 1000            | 4                | 27 lbs.          |
| 4 | x         | 6   | 10006208-5   | Red     | X     | 1000            | 4                | 27 lbs.          |
| 4 | x         | 6   | 10006208-7   | Fl.Org. | X     | 1000            | 4                | 27 lbs.          |
| 4 | x         | 6.5 | 10005725-1   | Yel.    | X     | 900             | 4                | 27 lbs.          |

MTO

## Z-Perform 1000T 7.5 mil Tag

A standard, thermal transfer, bright white, uncoated 7.5 mil paper tag.

3" ID, 8" OD

| W | Size<br>x | L    | Part # | Perf. | Tags/roll | Carton<br>Weight |
|---|-----------|------|--------|-------|-----------|------------------|
| 3 | x         | 1.25 | 67251  | FF    | 3.75      | 6                |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20°F.

3" ID, 8" OD

| Size |   |      | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|------------|-------|-----------------|------------------|------------------|
| W    | x | L    |            |       |                 |                  |                  |
| 1.5  | x | 1    | 88686      |       | 5,120           | 14               | 29 lbs.          |
| 2    | x | 1    | 72275      |       | 4,620           | 8                | 22 lbs.          |
| 2.25 | x | 1.25 | 72276      |       | 3,770           | 8                | 24 lbs.          |
| 2.25 | x | 1.25 | 10002635   | X     | 3,770           | 8                | 16 lbs.          |
| 2.25 | x | 2.5  | 72277      |       | 1,980           | 8                | 24 lbs.          |
| 2.25 | x | 4    | 72278      |       | 1,260           | 8                | 25 lbs.          |
| 3    | x | 1    | 74569      |       | 5,120           | 6                | 24 lbs.          |
| 3    | x | 2    | 98958      | X     | 2,710           | 6                | 26 lbs.          |
| 3    | x | 3    | 84086      |       | 1,840           | 6                | 27 lbs.          |
| 3.5  | x | 1    | 75856      |       | 5,120           | 6                | 29 lbs.          |
| 4    | x | 1.5  | 10015348   | X     | 4,225           | 4                | 25 lbs.          |
| 4    | x | 2.5  | 72344      |       | 2,220           | 4                | 25 lbs.          |
| 4    | x | 3    | 800740-305 | X     | 2,238           | 4                | 25 lbs.          |
| 4    | x | 4    | 82801      |       | 1,400           | 4                | 25 lbs.          |
| 4    | x | 6    | 72345      |       | 950             | 4                | 25 lbs.          |
| 4    | x | 6    | 98959      | X     | 940             | 4                | 25 lbs.          |
| 4    | x | 6    | 83398      | FF    | 720             | 6                | 28 lbs.          |
| 4    | x | 6.5  | 117945     |       | 870             | 4                | 25 lbs.          |

\*FF=Fanfold w/perf

| Size |   |   | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|---|------------|-------|-----------------|------------------|------------------|
| W    | x | L |            |       |                 |                  |                  |
| 3.5  | x | 1 | HC10000684 | X     | 5,760           | 6                | 30 lbs.          |

Label has square edges and sensing notches. Printable area is 3.5" x 0.875".

| Size |   |       | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|-------|----------|-------|-----------------|------------------|------------------|
| W    | x | L     |          |       |                 |                  |                  |
| 3.5  | x | 1.125 | 10013639 | X     | 5,219           | 6                | 29 lbs.          |

Label has square edges and black mark sensing.

## 8000D Lab

A premium, direct thermal, bright white, coated, paper label with a high-tack permanent acrylic-based adhesive specifically designed to adhere to small, curved surfaces. Survives at temperatures as low as -75°F.

3" ID, 8" OD

| Size |   |       | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-------|----------|-------|-----------------|------------------|------------------|-----|
| W    | x | L     |          |       |                 |                  |                  |     |
| 2    | x | 1.187 | 10025476 | X     | 1,000           | 4                | 20 lbs.          | MTO |
| 2    | x | 1.25  | 10025472 | X     | 3,000           | 6                | 20 lbs.          | MTO |
| 2    | x | 1.937 | 10025479 | X     | 2,700           | 6                | 20 lbs.          |     |
| 2    | x | 1     | 10028317 | X     | 5,200           | 6                | 20 lbs.          | MTO |
| 4    | x | 4.5   | 10025353 | X     | 1,000           | 2                | 16 lbs.          | MTO |
| 4    | x | 4.187 | 10025474 | X     | 2,600           | 2                | 16 lbs.          | MTO |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Slip

A direct thermal, coated, ultra-smooth paper and polypropylene combination label with a permanent acrylic adhesive. Offers excellent adhesion to corrugated packaging. Recommended for a wide variety of applications, for example, enclosing packing slips, invoices, material safety data sheets, and certificates of conformance.

3" ID, 8" OD

| W     | Size<br>x | L     | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|-------|-----------|-------|----------|-------|-----------------|------------------|------------------|
| 6.625 | x         | 6     | 10004425 | X     | 660             | 2                | 20 lbs.          |
| 4.375 | x         | 6.875 | 10006703 | X     | 580             | 4                | 32 lbs.          |

## Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive.

3" ID, 8" OD

| W     | Size<br>x | L     | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|-------|-----------|-------|------------|-------|-----------------|------------------|------------------|
| 1.125 | x         | 1.125 | 10036351   | X     | 5,000           | 6                | 11 lbs.          |
| 1.375 | x         | 1.375 | 10036354   | X     | 4,400           | 14               | 32 lbs.          |
| 1.5   | x         | 1     | 72280      |       | 5,180           | 14               | 30 lbs.          |
| 1.75  | x         | 0.75  | 10036352   | X     | 7,750           | 4                | 11 lbs.          |
| 2     | x         | 1     | 72281      |       | 5,180           | 10               | 29 lbs.          |
| 2.25  | x         | 0.75  | 800622-075 | X     | 7,995           | 4                | 14 lbs.          |
| 2.25  | x         | 1.25  | 800622-125 | X     | 5,087           | 4                | 16 lbs.          |
| 2.25  | x         | 1.25  | 72283      |       | 4,240           | 8                | 26 lbs.          |
| 2.25  | x         | 2     | 800622-205 | X     | 3,292           | 4                | 16 lbs.          |
| 2.75  | x         | 1.25  | 72282      |       | 4,240           | 8                | 31 lbs.          |
| 3     | x         | 1     | 72284      |       | 5,180           | 6                | 25 lbs.          |
| 3     | x         | 2     | 72285      |       | 2,740           | 6                | 27 lbs.          |
| 3     | x         | 5     | 72993      |       | 1,100           | 6                | 28 lbs.          |
| 3     | x         | 6     | 81397      | X     | 910             | 6                | 26 lbs.          |
| 3.25  | x         | 2     | 72974      |       | 2,700           | 6                | 30 lbs.          |
| 3.25  | x         | 5.5   | 72286      |       | 1,040           | 6                | 30 lbs.          |
| 3.25  | x         | cont. | 72287      |       | 486'            | 6                | 35 lbs.          |
| 3.5   | x         | 1     | 72288      |       | 5,180           | 6                | 28 lbs.          |
| 4     | x         | 1     | 92071      | X     | 4,970           | 4                | 23 lbs.          |
| 4     | x         | 1.375 | 10036355   | X     | 4,400           | 4                | 25 lbs.          |
| 4     | x         | 1.5   | 800640-155 | X     | 4,225           | 4                | 23 lbs.          |
| 4     | x         | 2     | 72289      |       | 2,740           | 4                | 23 lbs.          |
| 4     | x         | 2.5   | 94681      | X     | 2,130           | 4                | 23 lbs.          |
| 4     | x         | 2.5   | 72290      |       | 2,220           | 4                | 25 lbs.          |

| W   | Size<br>x | L     | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|-----|-----------|-------|------------|-------|-----------------|------------------|------------------|-----|
| 4   | x         | 3     | 72291      |       | 1,870           | 4                | 25 lbs.          |     |
| 4   | x         | 3     | 800640-305 | X     | 2,238           | 4                | 25 lbs.          |     |
| 4   | x         | 4     | 800640-405 | X     | 1,696           | 4                | 26 lbs.          |     |
| 4   | x         | 4     | 72292 *    |       | 1,410           | 4                | 26 lbs.          | MTO |
| 4   | x         | 5     | 800640-505 | X     | 1,365           | 4                | 26 lbs.          |     |
| 4   | x         | 6     | 72295      | FF    | 900             | 6                | 35 lbs.          |     |
| 4   | x         | 6     | 72353      |       | 950             | 4                | 26 lbs.          |     |
| 4   | x         | 6     | 72294      | X     | 950             | 4                | 26 lbs.          |     |
| 4   | x         | 6.5   | 73298      | X     | 840             | 4                | 26 lbs.          |     |
| 4   | x         | 6.5   | 72296      |       | 880             | 4                | 26 lbs.          |     |
| 4   | x         | 8     | 98963      | X     | 690             | 4                | 26 lbs.          |     |
| 4   | x         | 10    | 94682      | X     | 550             | 4                | 26 lbs.          |     |
| 4   | x         | 13    | 72297      |       | 440             | 4                | 26 lbs.          |     |
| 4   | x         | cont. | 98962      |       | 466'            | 4                | 26 lbs.          |     |
| 5   | x         | 2.5   | 72298      |       | 2,220           | 4                | 32 lbs.          |     |
| 5   | x         | 6     | 72301      |       | 960             | 4                | 32 lbs.          |     |
| 5   | x         | cont. | 72300      |       | 486'            | 4                | 32 lbs.          |     |
| 6   | x         | 4     | 72354 *    |       | 1,410           | 2                | 18 lbs.          | MTO |
| 6   | x         | 4     | 73909      | X     | 1,360           | 2                | 18 lbs.          |     |
| 6   | x         | 8     | 94683      | X     | 690             | 2                | 18 lbs.          |     |
| 6.5 | x         | 4     | 72302      |       | 1,410           | 2                | 18 lbs.          |     |

### Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.  
3" ID, 8" OD

| W | Size<br>x | L | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|---|-----------|---|------------|-------|-----------------|------------------|------------------|-----|
| 2 | x         | 1 | 10022944 * | X     | 3,000           | 4                | 12 lbs.          | MTO |
| 3 | x         | 1 | 10022945   | X     | 3,000           | 4                | 20 lbs.          |     |
| 3 | x         | 2 | 10022946   | X     | 1,000           | 4                | 12 lbs.          |     |
| 4 | x         | 2 | 10022948   | X     | 1,000           | 4                | 16 lbs.          |     |
| 4 | x         | 6 | 10005486   | X     | 1,000           | 4                | 27 lbs.          |     |

### Z-Select 4000T 7.0 mil Tag

A premium, thermal transfer, bright white, coated, 7.0 mil  
3" ID, 8" OD

| W | Size<br>x | L | Part # | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|-----------|---|--------|-------|-----------------|------------------|------------------|
| 4 | x         | 6 | 72352  | X     | 860             | 4                | 22 lbs.          |

Contains side sensing notch.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

3" ID, 8" OD

| W     | Size |       | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|-------|------|-------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
|       | x    | L     |            |       |                   |                 |                  |                  |     |
| 0.25  | x    | 0.25  | 10011966 * | X     | 3                 | 10,002          | 4                | 9 lbs.           | MTO |
| 0.27  | x    | 0.27  | 10022952 * | X     | 5                 | 10,000          | 1                | 5 lbs.           | MTO |
| 0.375 | x    | 0.375 | 10011968 * | X     | 6                 | 11,964          | 4                | 16 lbs.          | MTO |
| 0.5   | x    | 0.25  | 10011969 * | X     | 6                 | 9,996           | 4                | 16 lbs.          | MTO |
| 0.5   | x    | 0.5   | 10011971 * | X     | 4                 | 10,000          | 4                | 12 lbs.          | MTO |
| 0.7   | x    | 0.375 | 10023007 * | X     | 4                 | 10,000          | 1                | 2 lbs.           | MTO |
| 0.75  | x    | 0.25  | 10011972*  | X     | 4                 | 10,000          | 4                | 20 lbs.          | MTO |
| 0.75  | x    | 0.25  | 10022973 * | X     | 1                 | 10,000          | 1                | 5 lbs.           | MTO |
| 0.75  | x    | 0.75  | 10011973 * | X     | 4                 | 10,000          | 4                | 20 lbs.          | MTO |
| 1     | x    | 0.25  | 10011974 * | X     | 3                 | 10,002          | 4                | 20 lbs.          | MTO |
| 1     | x    | 0.25  | 10011975 * | X     | 1                 | 16,456          | 4                | 9 lbs.           | MTO |
| 1     | x    | 0.375 | 10011976 * | X     | 3                 | 10,002          | 4                | 20 lbs.          | MTO |
| 1     | x    | 0.375 | 10023011   | X     | 1                 | 10,000          | 1                | 2 lbs.           |     |
| 1     | x    | 0.5   | 10023012 * | X     | 3                 | 10,002          | 1                | 3 lbs.           | MTO |
| 1     | x    | 0.5   | 10008510   | X     | 1                 | 9.42            | 4                | 9 lbs.           |     |
| 1     | x    | 1     | 10011977 * | X     | 3                 | 16,455          | 4                | 20 lbs.          | MTO |
| 1.25  | x    | 0.25  | 10022985 * | X     | 1                 | 10,000          | 1                | 2 lbs.           | MTO |
| 1.25  | x    | 0.375 | 10011978 * | X     | 1                 | 12,342          | 4                | 20 lbs.          | MTO |
| 1.25  | x    | 1     | 10023017 * | X     | 2                 | 10,000          | 1                | 6 lbs.           | MTO |
| 1.5   | x    | 0.25  | 10022990 * | X     | 1                 | 10,000          | 1                | 2 lbs.           | MTO |
| 1.5   | x    | 0.375 | 10022956 * | X     | 2                 | 10,000          | 1                | 3 lbs.           | MTO |
| 1.5   | x    | 0.375 | 10022955 * | X     | 1                 | 10,000          | 1                | 3 lbs.           | MTO |
| 1.5   | x    | 0.5   | 10022957 * | X     | 2                 | 10,000          | 1                | 4 lbs.           | MTO |
| 1.5   | x    | 0.5   | 10008511   | X     | 1                 | 9,420           | 4                | 9 lbs.           |     |
| 1.5   | x    | 0.75  | 10023032   | X     | 2                 | 10,000          | 1                | 6 lbs.           |     |
| 1.5   | x    | 1     | 10011981*  | X     | 1                 | 5,486           | 4                | 9 lbs.           | MTO |
| 1.75  | x    | 0.25  | 10011982*  | X     | 1                 | 16,456          | 4                | 9 lbs.           | MTO |
| 2     | x    | 0.25  | 10011983*  | X     | 1                 | 16,456          | 4                | 12 lbs.          | MTO |
| 2     | x    | 0.375 | 10022959*  | X     | 1                 | 10,000          | 1                | 4 lbs.           | MTO |
| 2     | x    | 0.4   | 10023035*  | X     | 1                 | 10,000          | 1                | 4 lbs.           | MTO |
| 2     | x    | 0.5   | 10011985*  | X     | 1                 | 9,874           | 4                | 12 lbs.          | MTO |
| 2     | x    | 1     | 10008512   | X     | 1                 | 5,570           | 4                | 12 lbs.          |     |
| 2     | x    | 1.25  | 10022960*  | X     | 1                 | 2,500           | 1                | 4 lbs.           | MTO |
| 2.75  | x    | 1     | 10022961*  | X     | 1                 | 5,000           | 1                | 6 lbs.           | MTO |
| 2.75  | x    | 1.25  | 10008513   | X     | 1                 | 4,270           | 4                | 16 lbs.          |     |
| 2.75  | x    | 1.375 | 10022962*  | X     | 1                 | 4000            | 1                | 6 lbs.           | MTO |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

| W | Size |      | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight | MTO |
|---|------|------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
|   | x    | L    |            |       |                   |                 |                  |                  |     |
| 3 | x    | 0.25 | 10023038 * | X     | 1                 | 2,500           | 1                | 3 lbs.           |     |
| 3 | x    | 1    | 10011691   | X     | 1                 | 5,240           | 4                | 20 lbs.          |     |
| 3 | x    | 1.5  | 10022964   | X     | 1                 | 2,500           | 1                | 6 lbs.           |     |
| 3 | x    | 2    | 10008514   | X     | 1                 | 2,950           | 4                | 20 lbs.          |     |
| 3 | x    | 3    | 10008515   | X     | 1                 | 1,880           | 4                | 20 lbs.          |     |
| 4 | x    | 1    | 10017522   | X     | 1                 | 5,500           | 4                | 32 lbs.          |     |
| 4 | x    | 1.5  | 10018339   | X     | 1                 | 3,800           | 4                | 32 lbs.          |     |
| 4 | x    | 2    | 10002634   | X     | 1                 | 2,950           | 4                | 32 lbs.          |     |
| 4 | x    | 2.5  | 10008516   | X     | 1                 | 2,240           | 4                | 32 lbs.          |     |
| 4 | x    | 3    | 10017521   | X     | 1                 | 2,000           | 4                | 32 lbs.          |     |
| 4 | x    | 4    | 10008517   | X     | 1                 | 1,520           | 4                | 32 lbs.          |     |
| 4 | x    | 6    | 10008518   | X     | 1                 | 960             | 4                | 32 lbs.          |     |

### Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID, 8" OD

| W    | Size |       | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|------|-------|----------|-------|-----------------|------------------|------------------|
|      | x    | L     |          |       |                 |                  |                  |
| 1.25 | x    | 0.25  | 10011692 |       | 15,710          | 4                | 8 lbs.           |
| 1.5  | x    | 0.5   | 10011693 |       | 9,420           | 4                | 8 lbs.           |
| 1.75 | x    | 0.75  | 10011694 | X     | 7,160           | 4                | 8 lbs.           |
| 2    | x    | 0.375 | 10011695 |       | 10,000          | 4                | 10 lbs.          |
| 2    | x    | 0.5   | 10011696 |       | 10,000          | 4                | 10 lbs.          |
| 2    | x    | 1     | 10011697 | X     | 5,570           | 4                | 10 lbs.          |
| 2    | x    | 1.25  | 10011698 |       | 4,270           | 4                | 10 lbs.          |
| 2    | x    | 4     | 10011699 |       | 1,570           | 4                | 10 lbs.          |
| 2.5  | x    | 0.5   | 10011700 | X     | 10,000          | 4                | 16 lbs.          |
| 2.75 | x    | 1.25  | 10011701 |       | 4,270           | 4                | 16 lbs.          |
| 3    | x    | 1     | 10011702 |       | 5,240           | 4                | 20 lbs.          |
| 3    | x    | 2     | 10011703 | X     | 2,950           | 4                | 20 lbs.          |
| 3    | x    | 3     | 10011704 |       | 1,880           | 4                | 20 lbs.          |
| 3.5  | x    | 1     | 10011705 | X     | 5,570           | 4                | 20 lbs.          |
| 4    | x    | 2     | 18951    | X     | 2,950           | 4                | 32 lbs.          |
| 4    | x    | 2.5   | 65816    |       | 2,240           | 4                | 32 lbs.          |
| 4    | x    | 4     | 94688    | X     | 1,520           | 4                | 32 lbs.          |
| 4    | x    | 6     | 66458    |       | 960             | 4                | 32 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Ultimate 4100T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID, 8" OD

| W   | Size |     | Part #         | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|-----|------|-----|----------------|-------|-----------------|------------------|------------------|
|     | x    | L   |                |       |                 |                  |                  |
| 4   | x    | 2.5 | ZIPZUT10044025 | X     | 2,240           | 4                | 32 lbs.          |
| 4   | x    | 6   | ZIPZUT10044026 | X     | 960             | 4                | 32 lbs.          |
| 1.5 | x    | 0.5 | ZIPZUT10044032 | X     | 9,420           | 4                | 8 lbs.           |
| 2   | x    | 0.5 | ZIPZUT10044033 | X     | 10,000          | 4                | 10 lbs.          |
| 2   | x    | 1   | ZIPZUT10044034 | X     | 5,570           | 4                | 10 lbs.          |
| 3   | x    | 1   | ZIPZUT10044035 | X     | 5,240           | 4                | 20 lbs.          |
| 3   | x    | 3   | ZIPZUT10044036 | X     | 1,880           | 4                | 20 lbs.          |

## Z-Ultimate 4000T Silver

A silver gloss thermal transfer polyester label with a high-performance permanent acrylic adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra resin ribbon.

3" ID, 8" OD

| W    | Size |      | Part #      | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|------|------|-------------|-------|-------------------|-----------------|------------------|------------------|-----|
|      | x    | L    |             |       |                   |                 |                  |                  |     |
| 0.75 | x    | 0.25 | 10023152 *  | X     | 4                 | 10,000          | 1                | 5 lbs.           | MTO |
| 1.5  | x    | 0.5  | 10023154 *  | X     | 2                 | 10,000          | 1                | 4 lbs.           | MTO |
| 1.5  | x    | 0.75 | 10023155 *  | X     | 2                 | 10,000          | 1                | 6 lbs.           | MTO |
| 2    | x    | 1    | 10023156 *  | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 3    | x    | 1    | 10023157    | X     | 1                 | 3,000           | 1                | 5 lbs.           |     |
| 3    | x    | 2    | 10023158 ** | X     | 1                 | 1,000           | 1                | 3 lbs.           | MTO |
| 3    | x    | 3    | 10023159 *  | X     | 1                 | 1,000           | 1                | 5 lbs.           | MTO |
| 3    | x    | 5    | 10023166 *  | X     | 1                 | 1,000           | 1                | 6 lbs.           | MTO |
| 4    | x    | 2    | 10023161 *  | X     | 1                 | 1,000           | 1                | 4 lbs.           | MTO |

\*\* 10023158: OD: 5.3" / MTO

## Z-Ultimate 4000T Clear

A clear gloss thermal transfer polyester label with a high-performance permanent acrylic adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F.

3" ID, 8" OD

| W   | Size |     | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|-----|------|-----|------------|-------|-------------------|-----------------|------------------|------------------|-----|
|     | x    | L   |            |       |                   |                 |                  |                  |     |
| 0.5 | x    | 0.5 | 10023042 * | X     | 4                 | 10,000          | 1                | 1 lb.            | MTO |
| 1   | x    | 0.5 | 10023043 * | X     | 3                 | 10,002          | 1                | 3 lbs.           | MTO |
| 2   | x    | 1   | 10023045 * | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 3   | x    | 1   | 10023047 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3   | x    | 2   | 10023048 * | X     | 1                 | 1,000           | 1                | 3 lbs.           | MTO |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Ultimate 4000T Removable

A white gloss thermal transfer polyester label with a removable adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor recognition when paired with compatible Zebra resin ribbons.

3" ID, 8" OD

| Size |   |     | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-----|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L   |            |       |                   |                 |                  |                  |     |
| 1    | x | 0.5 | 10023069 * | X     | 3                 | 10,002          | 1                | 3 lbs.           | MTO |
| 1    | x | 0.5 | 10023362 * | X     | 1                 | 10,000          | 1                | 3 lbs.           | MTO |
| 1    | x | 2   | 10023149 * | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 3    | x | 1   | 10023150 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 2   | 10023151 * | X     | 1                 | 1,000           | 1                | 3 lbs.           | MTO |

## Z-Ultimate 4000T High-Tack White

A white gloss thermal transfer polyester label with a high-tack permanent acrylic adhesive. Ideal for applications that require up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra resin ribbon.

3" ID, 8" OD

| Size |   |       | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L     |            |       |                   |                 |                  |                  |     |
| 1    | x | 0.5   | 10023050 * | X     | 1                 | 7,770           | 1                | 2 lbs.           | MTO |
| 1.5  | x | 0.5   | 10023053 * | X     | 2                 | 10,000          | 1                | 4 lbs.           | MTO |
| 2    | x | 1     | 10008521   | X     | 1                 | 4,300           | 4                | 12 lbs.          |     |
| 2    | x | cont. | 10023055   |       | 1                 | 300'            | 1                | 3 lbs.           |     |
| 2.75 | x | 1.25  | 10023056 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 1     | 10014014   | X     | 1                 | 4,300           | 4                | 20 lbs.          |     |
| 3    | x | 2     | 10008520   | X     | 1                 | 2.28            | 4                | 20 lbs.          |     |
| 3    | x | 3     | 10023058 * | X     | 1                 | 1000            | 1                | 5 lbs.           | MTO |
| 3    | x | cont. | 10023059 * |       | 1                 | 300'            | 1                | 3 lbs.           | MTO |
| 4    | x | 2     | 10023060   | X     | 1                 | 1,000           | 1                | 4 lbs.           |     |
| 4    | x | 3     | 10023061   | X     | 1                 | 1,000           | 1                | 6 lbs.           |     |
| 4    | x | 4     | 10023062 * | X     | 1                 | 1,000           | 1                | 6 lbs.           | MTO |
| 4    | x | 6     | 10008519   | X     | 1                 | 790             | 4                | 32 lbs.          |     |
| 4    | x | cont. | 10023063 * |       | 1                 | 300'            | 1                | 3 lbs.           | MTO |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Ultimate 4000T High-Tack Silver

A silver gloss thermal transfer polyester label with a high-tack permanent acrylic adhesive. Ideal for applications that require up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra resin ribbon.

3" ID, 8" OD

| Size |   |       | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L     |            |       |                   |                 |                  |                  |     |
| 1    | x | 0.375 | 10021222 * | X     | 3                 | 10,002          | 1                | 2 lbs.           | MTO |
| 1.5  | x | 0.75  | 10023350 * | X     | 2                 | 10,000          | 1                | 6 lbs.           | MTO |
| 2    | x | 1     | 10023352   | X     | 1                 | 3,000           | 1                | 3 lbs.           |     |
| 2    | x | cont. | 10023353 * |       | 1                 | 300'            | 1                | 3 lbs.           | MTO |
| 2.75 | x | 1.25  | 10023354 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 1     | 10023355   | X     | 1                 | 3,000           | 1                | 5 lbs.           |     |
| 3    | x | 2     | 10023356   | X     | 1                 | 1,000           | 1                | 3 lbs.           |     |
| 4    | x | 2     | 10023357 * | X     | 1                 | 1,000           | 1                | 4 lbs.           | MTO |
| 4    | x | cont. | 10023358 * |       | 1                 | 300'            | 1                | 3 lbs.           | MTO |

## Z-Xtreme 4000T White

A thermal transfer white matte polyester label with a high-performance permanent acrylic adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 2 years outdoors and temperature exposure of up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra ribbons.

3" ID, 8" OD

| Size |   |      | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L    |            |       |                   |                 |                  |                  |     |
| 1.05 | x | 0.25 | 10023342   | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 2    | x | 1    | 10023244   | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 3    | x | 1    | 10023245 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 2    | 10023165 * | X     | 1                 | 1,000           | 1                | 3 lbs.           | MTO |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Xtreme 4000T High-Tack White

A thermal transfer white matte polyester label with a permanent high-tack adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 2 years outdoors and temperature exposure of up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra ribbons.

3" ID, 8" OD

| Size |   |      | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L    |            |       |                   |                 |                  |                  |     |
| 1.5  | x | 0.5  | 10023226 * | X     | 2                 | 10,000          | 1                | 4 lbs.           | MTO |
| 2    | x | 1    | 10023227 * | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 2.75 | x | 1.25 | 10023228 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 1    | 10023229 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 2    | 10023230 * | X     | 1                 | 1,000           | 1                | 3 lbs.           | MTO |
| 4    | x | 2    | 10023232 * | X     | 1                 | 1,000           | 1                | 4 lbs.           | MTO |
| 4    | x | 3    | 10023233 * | X     | 1                 | 1,000           | 1                | 6 lbs.           | MTO |

## Z-Xtreme 4000T High-Tack Silver

A thermal transfer silver matte polyester label with a permanent high-tack adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 2 years outdoors and temperature exposure of up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra ribbons.

3" ID, 8" OD

| Size |   |       | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L     |            |       |                   |                 |                  |                  |     |
| 2    | x | 0.5   | 10023173 * | X     | 1                 | 3,000           | 1                | 2 lbs.           | MTO |
| 2    | x | 1     | 10023175 * | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 2    | x | cont. | 10023176   |       | 1                 | 300'            | 1                | 3 lbs.           |     |
| 3    | x | 1     | 10023179 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 2     | 10023180   | X     | 1                 | 1,000           | 1                | 3 lbs.           |     |
| 3    | x | 3     | 10023181 * | X     | 1                 | 1,000           | 1                | 5 lbs.           | MTO |
| 3    | x | cont. | 10023182 * |       | 1                 | 300'            | 1                | 3 lbs.           | MTO |
| 4    | x | 4     | 10023183   | X     | 1                 | 1,000           | 1                | 6 lbs.           |     |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Xtreme 5000T

White matte polyester label with a permanent acrylic adhesive. Provides outstanding chemical resistance for harsh chemicals such as xylene. Recommended for applications requiring up to 3 years outdoors and temperature exposure up to 300°F.

3" ID, 8" OD

| Size   |   |        | Part #           | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|--------|---|--------|------------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W      | x | L      |                  |       |                   |                 |                  |                  |     |
| 0.9062 | x | 0.375  | ZIPZXT10043594 * | X     | 1                 | 3,090           | 1                | 1lb.             | MTO |
| 0.9062 | x | 0.75   | ZIPZXT10043595 * | X     | 1                 | 3,000           | 1                | 1lb.             | MTO |
| 0.9062 | x | 0.9062 | ZIPZXT10043596   | X     | 1                 | 3,200           | 1                | 1lb.             |     |
| 2.5    | x | 2.5    | ZIPZXT10043599 * | X     | 1                 | 2,100           | 1                | 1lb.             | MTO |

## Z-Supreme 2100T White

A thermal transfer white gloss polyimide label with a high-temp permanent acrylic adhesive that provides temperature resistance. Recommended for printed circuit board (PCB) labeling. UL/cUL indoor recognition when paired with compatible Zebra

3" ID, 8" OD

| Size  |   |        | Part #         | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|-------|---|--------|----------------|-------|-------------------|-----------------|------------------|------------------|
| W     | x | L      |                |       |                   |                 |                  |                  |
| 0.75  | x | 0.25   | ZIPZST10044154 | X     | 1                 | 14,070          | 1                | 2 lbs.           |
| 1     | x | 0.25   | ZIPZST10044155 | X     | 1                 | 14,070          | 1                | 2 lbs.           |
| 1.5   | x | 0.25   | ZIPZST10044156 | X     | 1                 | 14,070          | 1                | 2 lbs.           |
| 0.25  | x | 0.25   | ZIPZST10044157 | X     | 7                 | 10,402          | 1                | 2 lbs.           |
| 0.375 | x | 0.375  | ZIPZST10044158 | X     | 4                 | 10,220          | 1                | 5 lbs.           |
| 0.5   | x | 0.2031 | ZIPZST10044159 | X     | 4                 | 11,000          | 1                | 5 lbs.           |
| 0.656 | x | 0.203  | ZIPZST10044160 | X     | 2                 | 10,200          | 1                | 3 lbs.           |
| 0.75  | x | 0.25   | ZIPZST10044161 | X     | 4                 | 10,500          | 1                | 5 lbs.           |
| 0.75  | x | 0.75   | ZIPZST10044162 | X     | 4                 | 10,260          | 1                | 3 lbs.           |
| 1     | x | 0.5    | ZIPZST10044163 | X     | 1                 | 8,500           | 1                | 3 lbs.           |
| 1.25  | x | 0.25   | ZIPZST10044164 | X     | 1                 | 14,000          | 1                | 2 lbs.           |
| 1.25  | x | 0.25   | ZIPZST10044165 | X     | 2                 | 10,160          | 1                | 2 lbs.           |
| 1.5   | x | 0.5    | ZIPZST10044166 | X     | 2                 | 10,380          | 1                | 4 lbs.           |
| 2     | x | 0.5    | ZIPZST10044167 | X     | 1                 | 8,500           | 1                | 5 lbs.           |
| 0.5   | x | 0.4375 | ZIPZST10044168 | X     | 5                 | 10,490          | 1                | 2 lbs.           |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Supreme 3000T White

A thermal transfer white gloss polyimide label with a high-temp permanent acrylic adhesive that provides temperature resistance up to 480°F. Recommended for printed circuit board (PCB) labeling.

3" ID, 8" OD

| Size |   |      | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L    |            |       |                   |                 |                  |                  |     |
| 0.25 |   | 0.25 | 10023217 * | X     | 7                 | 20,006          | 1                | 5 lbs.           | MTO |
| 0.5  | x | 0.28 | 10023219 * | X     | 4                 | 10,000          | 1                | 5 lbs.           | MTO |
| 1    | x | 0.25 | 10023304 * | X     | 1                 | 10,000          | 1                | 2 lbs.           | MTO |
| 1    | x | 0.5  | 10023305 * | X     | 1                 | 9,300           | 1                | 3 lbs.           | MTO |
| 1.25 | x | 0.25 | 10023306 * | X     | 1                 | 10,000          | 1                | 2 lbs.           | MTO |
| 2    | x | 0.25 | 10023308 * | X     | 1                 | 2,500           | 1                | 3 lbs.           | MTO |

## Z-Supreme 4000T Green

A thermal transfer green gloss polyimide label with a high-temp permanent acrylic adhesive that provides temperature resistance up to 500°F. Recommended for printed circuit board (PCB) labeling.

3" ID, 8" OD

| Size |   |      | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L    |            |       |                   |                 |                  |                  |     |
| 1    | x | 0.5  | 10023317 * | X     | 1                 | 8,000           | 1                | 2 lbs.           | MTO |
| 2    | x | 0.25 | 10023322 * | X     | 1                 | 10,000          | 1                | 3 lbs.           | MTO |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## PolyPro 4000D

A white matte direct thermal polypropylene label with a high-performance acrylic adhesive. Offers some flexibility for labeling curved surfaces. Resistant to scratching and smearing and temperatures up to 131°F.

3" ID, 8" OD

| W | Size |      | Part #     | Perf. | Labels/ roll | Rolls/ carton | Carton Weight | MTO |
|---|------|------|------------|-------|--------------|---------------|---------------|-----|
|   | x    | L    |            |       |              |               |               |     |
| 2 | x    | 1    | 10028316 * | X     | 6,000        | 6             | 20 lbs.       | MTO |
| 2 | x    | 1.25 | 10026377   | X     | 5,000        | 6             | 20 lbs.       |     |

## PolyPro 3000T

A thermal transfer white matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

3" ID, 8" OD

| W    | Size |      | Part #     | Perf. | Labels/ across | Labels/ roll | Rolls/ carton | Carton Weight | MTO |
|------|------|------|------------|-------|----------------|--------------|---------------|---------------|-----|
|      | x    | L    |            |       |                |              |               |               |     |
| 0.5  | x    | 1.5  | 10023264   | X     | 2              | 2,000        | 1             | 3 lbs.        |     |
| 0.75 | x    | 1.5  | 10023325   | X     | 1              | 2,000        | 1             | 3 lbs.        |     |
| 1    | x    | 0.5  | 10011987   | X     | 3              | 10,002       | 4             | 20 lbs.       |     |
| 1    | x    | 1    | 10023327   | X     | 1              | 2,000        | 1             | 3 lbs.        |     |
| 1    | x    | 1.5  | 10023330   | X     | 1              | 2,000        | 1             | 2 lbs.        |     |
| 1    | x    | 2    | 10023331   | X     | 1              | 2,000        | 1             | 2 lbs.        |     |
| 1.75 | x    | 0.75 | 10011988   | X     | 2              | 11,888       | 4             | 10 lbs.       |     |
| 1.75 | x    | 1.5  | 10023334   | X     | 1              | 2,000        | 1             | 3 lbs.        |     |
| 2    | x    | 1    | 10023335 * | X     | 1              | 2,000        | 1             | 2 lbs.        | MTO |
| 2.75 | x    | 1.25 | 10011989 * | X     | 1              | 3,923        | 4             | 16 lbs.       | MTO |
| 3    | x    | 1    | 10011990   | X     | 1              | 4,610        | 4             | 30 lbs.       |     |
| 3    | x    | 2    | 10011991   | X     | 1              | 2,440        | 4             | 30 lbs.       |     |
| 3    | x    | 5    | 10011992   | X     | 1              | 1,015        | 4             | 30 lbs.       |     |
| 3.25 | x    | 2    | 10011993 * | X     | 1              | 2,448        | 4             | 20 lbs.       | MTO |
| 4    | x    | 2    | 10011994   | X     | 1              | 2,441        | 4             | 32 lbs.       |     |
| 4    | x    | 3    | 10023336 * | X     | 1              | 1,000        | 1             | 6 lbs.        | MTO |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## PolyPro 4000T

A white thermal transfer Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.  
3" ID, 8" OD

| Size |   |      | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|----------|-------|-----------------|------------------|------------------|
| W    | x | L    |          |       |                 |                  |                  |
| 2    | x | 1    | 10014716 | X     | 3,940           | 4                | 10 lbs.          |
| 2.75 | x | 1.25 | 10014717 | X     | 3,210           | 4                | 28 lbs.          |
| 3    | x | 1    | 10011688 |       | 4,350           | 4                | 20 lbs.          |
| 3    | x | 2    | 10011689 |       | 2,230           | 4                | 20 lbs.          |
| 3.25 | x | 5.5  | 10011690 |       | 870             | 4                | 20 lbs.          |
| 4    | x | 3    | 10008531 | X     | 1,420           | 4                | 32 lbs.          |
| 4    | x | 6    | 10008530 | X     | 720             | 4                | 32 lbs.          |
| 5    | x | 8    | 10014715 | X     | 560             | 4                | 24 lbs.          |

## PolyPro 4000T Removable

A thermal transfer matte Kimdura polypropylene label with a removable adhesive.  
3" ID, 8" OD

| Size |   |     | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-----|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L   |            |       |                   |                 |                  |                  |     |
| 1    | x | 0.5 | 10022930 * | X     | 3                 | 10,002          | 1                | 3 lbs.           | MTO |
| 2    | x | 1   | 10022935 * | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 3    | x | 1   | 10022936 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 2   | 10022937 * | X     | 1                 | 1,000           | 1                | 3 lbs.           | MTO |
| 4    | x | 2   | 10022938   | X     | 1                 | 1,000           | 1                | 4 lbs.           |     |
| 4    | x | 3   | 10022939   | X     | 1                 | 1,000           | 1                | 6 lbs.           |     |

## 8000T Void Gloss

A thermal transfer white gloss polyester label with a tamper-evident adhesive that leaves a "void" pattern when removed.  
3" ID, 8" OD

| Size |   |      | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L    |            |       |                   |                 |                  |                  |     |
| 1    | x | 0.5  | 10023255 * | X     | 3                 | 10,002          | 1                | 3 lbs.           | MTO |
| 1.5  | x | 0.5  | 10023256 * | X     | 2                 | 10,000          | 1                | 4 lbs.           | MTO |
| 2    | x | 0.5  | 10023258 * | X     | 1                 | 3,000           | 1                | 2 lbs.           | MTO |
| 2    | x | 1    | 10023259 * | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 2.75 | x | 1.25 | 10023260 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 2    | 10023261 * | X     | 1                 | 1,000           | 1                | 3 lbs.           | MTO |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 8000T Void Matte Silver

A thermal transfer silver matte polyester label with a tamper-evident adhesive that leaves a "void" pattern when removed. UL/cUL indoor/outdoor when paired with compatible Zebra ribbon.

3" ID, 8" OD

| Size |   |     | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-----|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L   |            |       |                   |                 |                  |                  |     |
| 1    | x | 0.5 | 10022916 * | X     | 1                 | 9,000           | 1                | 3 lbs.           | MTO |
| 1.5  | x | 0.5 | 10022918 * | X     | 2                 | 10,000          | 1                | 4 lbs.           | MTO |
| 2    | x | 0.5 | 10022920 * | X     | 1                 | 3,000           | 1                | 2 lbs.           | MTO |
| 2    | x | 1   | 10022921   | X     | 1                 | 3,000           | 1                | 3 lbs.           |     |
| 3    | x | 1   | 10022915 * | X     | 1                 | 3,000           | 1                | 5 lbs.           | MTO |
| 3    | x | 2   | 10022923 * | X     | 1                 | 1,000           | 1                | 3 lbs.           | MTO |

## 8000T Z-Destruct

A thermal transfer white vinyl label with a tamper-evident adhesive that destructs when removed.

3" ID, 8" OD

| Size |   |     | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-----|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L   |            |       |                   |                 |                  |                  |     |
| 2    | x | 0.5 | 10022926 * | X     | 1                 | 2,989           | 1                | 2 lbs.           | MTO |
| 2    | x | 1   | 10022927 * | X     | 1                 | 3,000           | 1                | 3 lbs.           | MTO |
| 3    | x | 2   | 10022929 * | X     | 1                 | 1,000           | 1                | 3 lbs.           | MTO |

## 8000T Vinyl Clear

Self-Laminating Wire Wrap Label

A thermal transfer, clear vinyl label with a white printable area and a permanent acrylic adhesive that provides excellent durability and chemical resistance. The conformable vinyl material utilizes a self-laminating design that provides additional image durability.

3" ID, 8" OD

| Size |   |        | Part #   | Perf. | Print<br>Area<br>Height<br>(in.) | Labels/<br>roll | Rolls/carton | Carton<br>Weight |
|------|---|--------|----------|-------|----------------------------------|-----------------|--------------|------------------|
| W    | x | L      |          |       |                                  |                 |              |                  |
| 0.5  | x | 1      | 10015768 | X     | 0.375                            | 5,000           | 1            | 4 lbs.           |
| 1    | x | 1.4337 | 10015769 | X     | 0.5                              | 7,500           | 1            | 4 lbs.           |
| 1    | x | 2.25   | 10015770 | X     | 0.75                             | 3,000           | 1            | 4 lbs.           |

Labels equipped with black mark sensing.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 8000T Primary Blood Bag

ISBT 128 Format

A thermal transfer polypropylene label with an all-temp permanent acrylic adhesive. Compliant with FDA 175.105 indirect food contact requirements.

3" ID, 8" OD

| W | Size |   | Part #     | Perf. | Labels/roll | Rolls/carton | Carton Weight |
|---|------|---|------------|-------|-------------|--------------|---------------|
|   | x    | L |            |       |             |              |               |
| 4 | x    | 4 | HC10000688 | X     | 1,110       | 4            | 24 lbs.       |

ISBT 128 format creates 2" x 0.75" die cut in upper left-hand corner of label.

## 8000T Tuff 7.0 mil Tag

Nursery Tags

A thermal transfer, white, V-Max polyolefin 7.0 mil tag that provides tear strength and outdoor use up to 1-2 years. Offers good durability and chemical resistance.

3" ID, 8" OD

| W | Size |    | Part # | Perf. | Tags/roll | Rolls/carton | Carton Weight |
|---|------|----|--------|-------|-----------|--------------|---------------|
|   | x    | L  |        |       |           |              |               |
| 1 | x    | 10 | 69531  | X     | 1,920     | 4            | 21 lbs.       |

\*4 tags across

## 8000T CryoCool

3" ID, 8" OD

| W    | Size |      | Part #         | Perf. | Tags/roll | Rolls/carton | Carton Weight |
|------|------|------|----------------|-------|-----------|--------------|---------------|
|      | x    | L    |                |       |           |              |               |
| 2    | x    | 1.25 | ZIPCCT10043962 | X     | 5,000     | 6            | 3 lbs.        |
| 1.5  | x    | 0.75 | ZIPCCT10043964 | X     | 7,700     | 4            | 5 lbs.        |
| 1.25 | x    | 0.5  | ZIPCCT10043965 | X     | 11,000    | 6            | 6 lbs.        |

## ZeroLiner Linerless Media

Requires Linerless roller

A linerless direct thermal paper label. Features a specially formulated silicone coating for easy release.

| W  | Size |       | Part #        | Perf. | Labels/roll | Rolls/carton | Carton Weight |
|----|------|-------|---------------|-------|-------------|--------------|---------------|
|    | x    | L     |               |       |             |              |               |
| 4" | x    | cont. | ZIPZLT3017582 |       | 918'        | 4            | 10 lbs.       |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Desktop Printers

### Z-Essentials 500D

Direct thermal, Uncoated paper label with permanent acrylic adhesive. Cost-effective paper barcode labels tailored for high-volume mass-market applications

1" ID, 5" OD

| W | Size |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|---|----------|-------|-----------------|------------------|------------------|
|   | x    | L |          |       |                 |                  |                  |
| 4 | x    | 6 | 10041911 | X     | 450             | 12               | 32 lbs.          |
| 4 | x    | 2 | 10043290 | X     | 1,298           | 4                | 12 lbs.          |
| 4 | x    | 3 | 10044370 | X     | 882             | 6                | 14 lbs.          |
| 2 | x    | 1 | 10044372 | X     | 2,454           | 6                | 7.5 lbs.         |

### Z-Essentials 1500D

Direct thermal, Topcoated paper label with permanent acrylic adhesive. Cost-effective paper barcode labels tailored for high-volume mass-market applications

1" ID, 5" OD

| W | Size |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|---|----------|-------|-----------------|------------------|------------------|
|   | x    | L |          |       |                 |                  |                  |
| 4 | x    | 6 | 10041924 | X     | 440             | 12               | 31 lbs.          |
| 2 | x    | 1 | 10041925 | X     | 2,400           | 12               | 16 lbs.          |

### Z-Essentials 540T

Thermal Transfer, Topcoated paper label with permanent acrylic adhesive. Cost-effective paper barcode labels tailored for high-volume mass-market applications

1" ID, 5" OD

| W | Size |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|---|----------|-------|-----------------|------------------|------------------|
|   | x    | L |          |       |                 |                  |                  |
| 4 | x    | 6 | 10043289 | X     | 612             | 4                | 10 lbs.          |
| 4 | x    | 2 | 10043288 | X     | 1,770           | 4                | 10 lbs.          |
| 2 | x    | 1 | 10044249 | X     | 3,201           | 4                | 10 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Perform 1000D

A standard, direct thermal, bright white, uncoated paper label with a permanent acrylic adhesive. Ideal for direct thermal applications that require limited durability.

1" ID, 5" OD

| W | Size |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|---|----------|-------|-----------------|------------------|------------------|
|   | x    | L |          |       |                 |                  |                  |
| 2 | x    | 1 | 10026381 | X     | 2,340           | 6                | 24 lbs.          |
| 3 | x    | 2 | 10026378 | X     | 1,240           | 6                | 10 lbs.          |
| 4 | x    | 2 | 10026379 | X     | 1,240           | 6                | 15 lbs.          |
| 4 | x    | 3 | 10026380 | X     | 840             | 6                | 15 lbs.          |
| 4 | x    | 6 | 10026382 | X     | 430             | 6                | 15 lbs.          |

## Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -40°F.

1" ID, 5" OD

| W    | Size |      | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|------|------|----------|-------|-----------------|------------------|------------------|
|      | x    | L    |          |       |                 |                  |                  |
| 1.25 | x    | 1    | 10015784 | X     | 2,340           | 6                | 6 lbs.           |
| 2    | x    | 1    | 10010028 | X     | 2,340           | 6                | 10 lbs.          |
| 2.25 | x    | 0.75 | 10015785 | X     | 3,315           | 12               | 20 lbs.          |
| 2.25 | x    | 1.25 | 10015781 | X     | 2,100           | 12               | 20 lbs.          |
| 3    | x    | 1    | 10015782 | X     | 2,340           | 6                | 11 lbs.          |
| 3    | x    | 2    | 10010029 | X     | 1,240           | 6                | 11 lbs.          |
| 3    | x    | 3    | 10010030 | X     | 840             | 6                | 11 lbs.          |
| 4    | x    | 1    | 10015783 | X     | 2,340           | 6                | 12 lbs.          |
| 4    | x    | 1.5  | 10015786 | X     | 1,620           | 6                | 12 lbs.          |
| 4    | x    | 2    | 10010031 | X     | 1,240           | 6                | 14 lbs.          |
| 4    | x    | 2    | 10012163 |       | 1,240           | 6                | 12 lbs.          |
| 4    | x    | 3    | 10010032 | X     | 840             | 6                | 15 lbs.          |
| 4    | x    | 4    | 10010033 | X     | 640             | 6                | 15 lbs.          |
| 4    | x    | 6    | 10010034 | X     | 430             | 6                | 16 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Perform 2000D Floodcoated

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -40°F.

1" ID, 5" OD

| W | Size<br>x | L | Part #     | Color | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|-----------|---|------------|-------|-------|-----------------|------------------|------------------|
| 4 | x         | 6 | 10010035   | Yel.  | X     | 430             | 6                | 16 lbs.          |
| 4 | x         | 6 | 10010035-1 | Grn.  | X     | 430             | 6                | 12 lbs.          |
| 4 | x         | 6 | 10010035-2 | Org.  | X     | 430             | 6                | 12 lbs.          |
| 4 | x         | 6 | 10010035-3 | Red   | X     | 430             | 6                | 12 lbs.          |

Colors/PMS: Yellow/Pantone Yellow, Green/365, Red/185, Orange/021

## Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive.

1" ID, 5" OD

| W | Size<br>x | L | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|-----------|---|----------|-------|-----------------|------------------|------------------|
| 2 | x         | 1 | 10005850 | X     | 2,490           | 6                | 6 lbs.           |
| 4 | x         | 2 | 10005851 | X     | 1,320           | 6                | 15 lbs.          |
| 4 | x         | 3 | 10005852 | X     | 890             | 6                | 9 lbs.           |
| 4 | x         | 6 | 10005853 | X     | 460             | 6                | 15 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Select 4000D

Premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20°F.

1" ID, 5" OD

| W    | Size<br>x | L    | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|-----------|------|----------|-------|-----------------|------------------|------------------|
| 1    | x         | 3    | 10010036 | X     | 840             | 6                | 6 lbs.           |
| 1.2  | x         | 0.85 | 10010037 | X     | 2,710           | 6                | 6 lbs.           |
| 1.25 | x         | 1    | 10010038 | X     | 2,340           | 6                | 6 lbs.           |
| 2    | x         | 1    | 10010039 | X     | 2,340           | 4                | 6 lbs.           |
| 2.25 | x         | 0.5  | 10010040 | X     | 4,200           | 4                | 6 lbs.           |
| 2.25 | x         | 0.75 | 10015340 | X     | 3,315           | 12               | 20 lbs.          |
| 2.25 | x         | 1.25 | 10015341 | X     | 2,100           | 12               | 20 lbs.          |
| 2.25 | x         | 2    | 10015342 | X     | 1,370           | 12               | 20 lbs.          |
| 2.25 | x         | 2.5  | 10010041 | X     | 1,000           | 4                | 6 lbs.           |
| 2.25 | x         | 3    | 10010042 | X     | 840             | 6                | 10 lbs.          |
| 2.25 | x         | 4    | 10015343 | X     | 700             | 12               | 20 lbs.          |
| 3    | x         | 1    | 10010043 | X     | 2,340           | 6                | 11 lbs.          |
| 3    | x         | 2    | 10010044 | X     | 1,240           | 6                | 11 lbs.          |
| 4    | x         | 1    | 10010045 | X     | 2,340           | 6                | 12 lbs.          |
| 4    | x         | 1.25 | 10015349 | X     | 2,100           | 12               | 28 lbs.          |
| 4    | x         | 1.5  | 10010046 | X     | 1,620           | 6                | 12 lbs.          |
| 4    | x         | 2    | 10010047 | X     | 1,240           | 6                | 12 lbs.          |
| 4    | x         | 2.5  | 10010048 | X     | 1,000           | 6                | 12 lbs.          |
| 4    | x         | 3    | 10015344 | X     | 930             | 12               | 30 lbs.          |
| 4    | x         | 4    | 10015345 | X     | 700             | 12               | 30 lbs.          |
| 4    | x         | 5    | 10015346 | X     | 565             | 12               | 30 lbs.          |
| 4    | x         | 6    | 10010049 |       | 475             | 6                | 15 lbs.          |
| 4    | x         | 6    | 10015347 | X     | 475             | 12               | 30 lbs.          |

| W     | Size<br>x | L | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|-------|-----------|---|----------|-------|-----------------|------------------|------------------|
| 2.375 | x         | 1 | 10010050 | X     | 2,340           | 6                | 10 lbs.          |

Center vertical slit creating two 1.1875" x 1" labels.

| W    | Size<br>x | L    | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|-----------|------|----------|-------|-----------------|------------------|------------------|
| 2.75 | x         | 1.25 | 10010051 | X     | 1,910           | 6                | 10 lbs.          |

Center vertical slit creating two 1.125" x 1.25" labels.

| W   | Size<br>x | L    | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|-----|-----------|------|------------|-------|-----------------|------------------|------------------|
| 3.5 | x         | 1.25 | 10013885 * | X     | 2,374           | 4                | 10 lbs.          |

Label has square edges and black mark sensing.

MTO

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Select 4000D Removable

A premium, direct thermal, bright white, coated, paper label with a removable acrylic adhesive.

1" ID, 5" OD

| W     | Size |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|-------|------|---|----------|-------|-----------------|------------------|------------------|
|       | x    | L |          |       |                 |                  |                  |
| 2.375 | x    | 1 | 10010052 | X     | 2,260           | 6                | 6 lbs.           |

Center vertical slit creating two 1.1875" x 1" labels.

## 8000T CryoCool

1" ID, 5" OD

| W    | Size |      | Part #         | Perf. | Tags/roll | Rolls/<br>carton | Carton<br>Weight |
|------|------|------|----------------|-------|-----------|------------------|------------------|
|      | x    | L    |                |       |           |                  |                  |
| 2    | x    | 1.25 | ZIPCCD10043966 | X     | 2,200     | 16               | 20 lbs.          |
| 1.5  | x    | 0.75 | ZIPCCD10043967 | X     | 3,500     | 4                | 5 lbs.           |
| 1.25 | x    | 0.5  | ZIPCCD10043968 | X     | 4,900     | 12               | 11 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID, 5" OD

| W    | Size<br>x | L     | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|-----------|-------|------------|-------|-----------------|------------------|------------------|
| 1.2  | x         | 0.85  | 10009522   | X     | 3,000           | 6                | 6 lbs.           |
| 1.25 | x         | 1     | 10009523   | X     | 2,580           | 6                | 6 lbs.           |
| 1.5  | x         | 1     | 83258      | X     | 2,260           | 8                | 8 lbs.           |
| 1.75 | x         | 0.75  | 10037156   | X     | 3,300           |                  | 5 lbs.           |
| 2    | x         | 1     | 83259      | X     | 2,260           | 8                | 6 lbs.           |
| 2.25 | x         | 0.75  | 10009524   | X     | 3,320           | 6                | 10 lbs.          |
| 2.25 | x         | 1.25  | 800272-125 | X     | 2,100           | 12               | 20 lbs.          |
| 2.25 | x         | 2     | 10009525   | X     | 1,370           | 6                | 10 lbs.          |
| 2.25 | x         | 3     | 10009526   | X     | 930             | 6                | 10 lbs.          |
| 2.25 | x         | 4     | 10009527   | X     | 700             | 6                | 10 lbs.          |
| 2.75 | x         | 1.25  | 83260      | X     | 1,850           | 4                | 7 lbs.           |
| 3    | x         | 1     | 10009528   | X     | 2,580           | 6                | 10.5 lbs.        |
| 3    | x         | 2     | 10009529   | X     | 1,370           | 6                | 10.5 lbs.        |
| 4    | x         | 1     | 83340      | X     | 2,260           | 4                | 15 lbs.          |
| 4    | x         | 1.375 | 10037158   | X     | 1,900           | 4                | 11 lbs.          |
| 4    | x         | 1.5   | 800274-155 | X     | 1,790           | 12               | 30 lbs.          |
| 4    | x         | 2     | 10009530   | X     | 1,370           | 6                | 15 lbs.          |
| 4    | x         | 3     | 800274-305 | X     | 930             | 12               | 30 lbs.          |
| 4    | x         | 3     | 83262      |       | 810             | 4                | 9 lbs.           |
| 4    | x         | 4     | 800274-405 | X     | 700             | 12               | 30 lbs.          |
| 4    | x         | 5     | 10009531   | X     | 570             | 6                | 15 lbs.          |
| 4    | x         | 6     | 82868      |       | 420             | 4                | 15 lbs.          |
| 4    | x         | 6     | 800274-605 | X     | 475             | 12               | 30 lbs.          |
| 4    | x         | 6.5   | 83257      | X     | 380             | 4                | 10.5 lbs.        |
| 2.38 | x         | 1     | 10005848   | X     | 2,580           | 6                | 10 lbs.          |

Labels have center vertical slit creating two 1.1875" x 1" labels.

| W   | Size<br>x | L   | Color | Part #      | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|-----|-----------|-----|-------|-------------|-----------------|------------------|------------------|
| 3.5 | x         | 1.5 | White | HC10000665K | 1,570           | 3                | 15 lbs.          |

Kit contains 3 rolls of labels and 3 rolls of ribbon part number 05319GS11007.

## Z-Select 4000T Removable

Premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

1" ID, 5" OD

| W | Size<br>x | L | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|-----------|---|----------|-------|-----------------|------------------|------------------|
| 4 | x         | 6 | 10005849 | X     | 430             | 6                | 15 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 8000D Near-IR

### Parcel Shipping Label

A premium, direct thermal, white, coated paper label featuring a permanent acrylic adhesive scannable in both visible and near infrared, and infrared ranges.

1" ID, 5" OD

| W | Size |      | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|------|----------|-------|-----------------|------------------|------------------|
|   | x    | L    |          |       |                 |                  |                  |
| 4 | x    | 2.25 | 10010059 | X     | 1,060           | 4                | 10 lbs.          |
| 4 | x    | 6    | 10010060 | X     | 410             | 4                | 10 lbs.          |
| 4 | x    | 8    | 10010061 | X     | 310             | 4                | 10 lbs.          |

## 8000D Lab

A premium, direct thermal, bright white, coated, paper label with a high-tack permanent acrylic-based adhesive specifically designed to adhere to small, curved surfaces. Survives at temperatures as low as -75°F.

1" ID, 5" OD

| W     | Size |       | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|-------|------|-------|----------|-------|-----------------|------------------|------------------|
|       | x    | L     |          |       |                 |                  |                  |
| 2     | x    | 1.25  | 10025358 | X     | 1,000           | 6                | 10 lbs.          |
| 2     | x    | 1.937 | 10025482 | X     | 1,000           | 6                | 10 lbs.          |
| 2     | x    | 1     | 10028318 | X     | 2,330           | 8                | 10 lbs.          |
| 4     | x    | 1.25  | 10018357 | X     | 1,911           | 6                | 26 lbs.          |
| 4.125 | x    | 1.187 | 10012148 | X     | 2,000           | 4                | 20 lbs.          |
| 4     | x    | 4.5   | 10025367 | X     | 500             | 4                | 12 lbs.          |

Die-cuts within label face stock create MISYS/Sunquest Laboratory Aliquot format.

## Z-Select 4000D 7.0 mil Tag

A premium, direct thermal, bright white, coated, 7 mil, paper tag.

1" ID, 5" OD

| W    | Size |       | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|------|-------|----------|-------|-----------------|------------------|------------------|
|      | x    | L     |          |       |                 |                  |                  |
| 1.25 | x    | 2.25  | 10010053 | X     | 980             | 6                | 4 lbs.           |
| 2.25 | x    | 1.37  | 10010054 | X     | 1,600           | 6                | 6 lbs.           |
| 3.25 | x    | 1.875 | 10010055 | X     | 1,170           | 6                | 8 lbs.           |
| 4    | x    | 3     | 10010056 | X     | 730             | 4                | 10 lbs.          |
| 4    | x    | 6     | 10015364 | X     | 365             | 4                | 14 lbs.          |

Contains sensing notch.

PN's 10010053 & 10010054 have string hole in tag

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Perform 1000D 2.4 mil Receipt

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

1" ID, 5" OD

| W | Size<br>x | L     | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton |
|---|-----------|-------|----------|-------|-----------------|------------------|
| 2 | x         | cont. | 10010057 |       | 574'            | 6                |
| 4 | x         | cont. | 10010058 |       | 574'            | 6                |

Last 3 feet of media marked with a pink stripe to indicate end of roll.

## Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

1" ID, 5" OD

| W | Size<br>x | L    | Part #    | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|-----------|------|-----------|-------|-------------------|-----------------|------------------|------------------|
| 1 | x         | 0.5  | 10022982  | X     | 3                 | 5,001           | 1                | 2 lbs.           |
| 2 | x         | 0.25 | 100230033 | X     | 1                 | 2,500           | 1                | 1 lb.            |

## Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID, 5" OD

| W | Size<br>x | L    | Part # | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|-----------|------|--------|-------|-----------------|------------------|------------------|
| 2 | x         | 0.5  | 18943  | X     | 4,550           | 8                | 20 lbs.          |
| 2 | x         | 1    | 17157  | X     | 2,530           | 12               | 18 lbs.          |
| 2 | x         | 1.25 | 18940  | X     | 2,070           | 8                | 12 lbs.          |
| 3 | x         | 1    | 18939  | X     | 2,530           | 8                | 12 lbs.          |
| 3 | x         | 3    | 18942  | X     | 910             | 8                | 13 lbs.          |
| 4 | x         | 2    | 18950  | X     | 1,340           | 4                | 15 lbs.          |
| 4 | x         | 6    | 18941  | X     | 460             | 4                | 15 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Ultimate 4100T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID, 5" OD

| W | Size |   | Part #         | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|---|----------------|-------|-----------------|------------------|------------------|
|   | x    | L |                |       |                 |                  |                  |
| 2 | x    | 1 | ZIPZUD10044027 | X     | 2,530           | 8                | 12 lbs.          |
| 3 | x    | 1 | ZIPZUD10044028 | X     | 2,530           | 6                | 12 lbs.          |
| 4 | x    | 2 | ZIPZUD10044029 | X     | 1,340           | 4                | 15 lbs.          |

## Z-Ultimate 4000T Clear

A clear gloss thermal transfer polyester label with a high-performance permanent acrylic adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F.

1" ID, 5" OD

| W | Size |   | Part #   | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|---|------|---|----------|-------|-------------------|-----------------|------------------|------------------|-----|
|   | x    | L |          |       |                   |                 |                  |                  |     |
| 2 | x    | 1 | 10023044 | X     | 1                 | 1,500           | 1                | 2 lbs.           | MTO |
| 3 | x    | 1 | 10023046 | X     | 1                 | 1,500           | 1                | 3 lbs.           | MTO |

## Z-Ultimate 4000T Removable

A white gloss thermal transfer polyester label with a removable adhesive. Ideal for applications requiring up to 3 years outdoors, resistance to moderate chemicals and temperature exposure up to 300°F. UL/cUL indoor recognition when paired with compatible Zebra resin ribbons.

1" ID, 5" OD

| W | Size |     | Part #      | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|---|------|-----|-------------|-------|-------------------|-----------------|------------------|------------------|-----|
|   | x    | L   |             |       |                   |                 |                  |                  |     |
| 1 | x    | 0.5 | 10023067 ** | X     | 2                 | 2,500           | 1                | 1 lb.            | MTO |
| 1 | x    | 2   | 10023148 *  | X     | 2                 | 1,500           | 1                | 2 lbs.           | MTO |

\*\*10023067: OD = 3.8\*

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Xtreme 4000T White

A thermal transfer white matte polyester label with a high-performance permanent acrylic adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 2 years outdoors and temperature exposure of up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra ribbons.

1" ID, 5" OD

| Size |   |     | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-----|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L   |            |       |                   |                 |                  |                  |     |
| 0.75 | x | 0.9 | 10023236 * | X     | 2                 | 1,500           | 1                | 1 lb.            | MTO |
| 0.9  | x | 0.9 | 10023239   | X     | 1                 | 1,000           | 1                | 1 lb.            |     |
| 1    | x | 0.5 | 10023341 * | X     | 1                 | 3,000           | 1                | 1 lb.            | MTO |

## Z-Xtreme 4000T High-Tack Silver

A thermal transfer silver matte polyester label with a permanent high-tack adhesive. Provides excellent resistance to chemicals. Can withstand applications requiring up to 3 years outdoors and temperature exposure of up to 300°F. UL/cUL indoor/outdoor recognition when paired with compatible Zebra ribbons.

1" ID, 5" OD

| Size |   |     | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|-----|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L   |            |       |                   |                 |                  |                  |     |
| 1    | x | 0.5 | 10023169 * | X     | 3                 | 5,001           | 1                | 2 lbs.           | MTO |
| 2    | x | 1   | 10023174   | X     | 1                 | 1,500           | 1                | 2 lbs.           |     |
| 3    | x | 1   | 10023178   | X     | 1                 | 1,500           | 1                | 3 lbs.           |     |

## Z-Xtreme 5000T

A white matte thermal transfer polyester label with a permanent acrylic adhesive. Provides outstanding chemical resistance for harsh chemicals such as xylene. Withstands temperature exposure up to 300°F.

1" ID, 5" OD

| Size   |   |        | Part #          | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |  |
|--------|---|--------|-----------------|-------|-------------------|-----------------|------------------|------------------|--|
| W      | x | L      |                 |       |                   |                 |                  |                  |  |
| 3.9375 | x | 0.9375 | ZIPZXD10043591  | X     | 4                 | 2,300           | 4                | 4 lbs.           |  |
| 0.9375 | x | 0.9375 | ZIPZXD10043592  | X     | 1                 | 2,300           | 4                | 1 lb.            |  |
| 0.9375 | x | 0.9375 | ZIPZXD10043593  | X     | 4                 | 2,300           | 4                | 4 lbs.           |  |
| 0.9062 | x | 0.9062 | ZIPZXD10043597* | X     | 2                 | 1,500           | 1                | 1 lbs.           |  |
| 2.5    | x | 2.5    | ZIPZXD10043598  | X     | 1                 | 950             | 1                | 1 lbs.           |  |

\* ZIPZXD10043597: Outer Core is 3"

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 8000T Slide

Thermal transfer, premium, white gloss polyester label with a permanent acrylic adhesive. Withstands immersion in harsh chemicals when paired with Image Lock ribbon.

1" ID, 5" OD

| Size   |   |        | Part #   | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|--------|---|--------|----------|-------|-------------------|-----------------|------------------|------------------|
| W      | x | L      |          |       |                   |                 |                  |                  |
| 0.9375 | x | 0.9375 | 10034219 | X     | 1                 | 2,512           | 4                | 4 lbs.           |
| 0.9375 | x | 0.9375 | 10034220 | X     | 4                 | 10,048          | 4                | 8 lbs.           |
| 0.9375 | x | 0.9375 | 10034298 | X     | 4                 | 8,760           | 4                | 8 lbs.           |

No gap between labels across

## PolyPro 3000T

A thermal transfer white matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

1" ID, 5" OD

| Size |   |      | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |     |
|------|---|------|------------|-------|-------------------|-----------------|------------------|------------------|-----|
| W    | x | L    |            |       |                   |                 |                  |                  |     |
| 0.5  | x | 1.5  | 10023263 * | X     | 2                 | 2,000           | 1                | 1 lb.            | MTO |
| 0.75 | x | 1    | 10023324 * | X     | 2                 | 2,000           | 1                | 1 lb.            | MTO |
| 0.75 | x | 1.5  | 10023326 * | X     | 1                 | 1,450           | 1                | 1 lb.            | MTO |
| 1    | x | 1    | 10023328   | X     | 1                 | 2,000           | 1                | 1 lb.            |     |
| 1    | x | 1.5  | 10023329   | X     | 1                 | 1,450           | 1                | 2 lbs.           |     |
| 1    | x | 2    | 10023332   | X     | 1                 | 1,110           | 1                | 2 lbs.           |     |
| 1.5  | x | 0.5  | 18930      | X     | 1                 | 3,780           | 8                | 12 lbs.          |     |
| 1.75 | x | 1.5  | 10023333 * | X     | 1                 | 1,450           | 1                | 2 lbs.           | MTO |
| 2    | x | 0.5  | 18928      | X     | 1                 | 3,780           | 8                | 12 lbs.          |     |
| 2    | x | 1    | 17154      | X     | 1                 | 2,100           | 8                | 12 lbs.          |     |
| 2    | x | 1.25 | 18925      | X     | 1                 | 1,720           | 8                | 12 lbs.          |     |
| 3    | x | 1    | 18924      | X     | 1                 | 2,100           | 8                | 12 lbs.          |     |
| 3    | x | 3    | 18927      | X     | 1                 | 760             | 8                | 13 lbs.          |     |
| 4    | x | 2    | 18932      | X     | 1                 | 1,110           | 4                | 13 lbs.          |     |
| 4    | x | 2.5  | 18929      | X     | 1                 | 900             | 4                | 13 lbs.          |     |
| 4    | x | 6    | 18926      | X     | 1                 | 390             | 4                | 13 lbs.          |     |

## PolyPro 4000T

A white thermal transfer Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

1" ID, 5" OD

| Size   |   |        | Part #   | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|--------|---|--------|----------|-------|-------------------|-----------------|------------------|------------------|
| W      | x | L      |          |       |                   |                 |                  |                  |
| 0.9375 | x | 0.9375 | 10007446 | X     | 4                 | 1,900           | 6                | 10 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## PolyPro 4000T Removable

A thermal transfer matte Kimdura® polypropylene label with a removable adhesive. 1" ID, 5" OD

| Size |   |      | Part #     | Perf. | Labels/<br>across | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|------------|-------|-------------------|-----------------|------------------|------------------|
| W    | x | L    |            |       |                   |                 |                  |                  |
| 1    | x | 2    | 10022931 * | X     | 1                 | 1,025           | 1                | 1 lb.            |
| 1.5  | x | 0.75 | 10022933   | X     | 2                 | 1,500           | 1                | 1 lb.            |

MTO

## PolyPro 4000D

A white matte direct thermal polypropylene label with a high-performance acrylic adhesive. Offers some flexibility for labeling curved surfaces. Resistant to scratching and smearing and temperatures up to 131°F.

1" ID, 5" OD

| Size |   |      | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|----------|-------|-----------------|------------------|------------------|
| W    | x | L    |          |       |                 |                  |                  |
| 2    | x | 1.25 | 10028821 | X     | 2,189           | 8                | 14 lb.           |
| 2.25 | x | 1.25 | 10010063 | X     | 2,000           | 6                | 12 lb.           |

PN 10028821: labels equipped with protective over varnish

## PolyPro 4000D Jewelry

Jewelry Butterfly Label

A white matte direct thermal polypropylene label with a high-performance acrylic adhesive. Offers some flexibility for labeling curved surfaces. Resistant to scratching and smearing and temperatures up to 131°F.

1" ID, 5" OD

| Size |   |     | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|-----|----------|-------|-----------------|------------------|------------------|
| W    | x | L   |          |       |                 |                  |                  |
| 2.2  | x | 0.5 | 10010062 |       | 4,400           | 6                | 12 lbs.          |

\*Label with flaps and equipped with black mark sensing.

## 8000D Jewelry

Jewelry Butterfly Label

A direct thermal, white, polypropylene label with a permanent acrylic adhesive. Provides excellent resistance to ultraviolet light.

1" ID, 5" OD

| Size |   |     | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|-----|----------|-------|-----------------|------------------|------------------|
| W    | x | L   |          |       |                 |                  |                  |
| 2.2  | x | 0.5 | 10010064 |       | 3,510           | 6                | 12 lbs.          |
| 2.2  | x | 0.5 | 10010065 |       | 3,510           | 6                | 12 lbs.          |

Labels are equipped with black mark sensing.

PN 10010067: label with flaps

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## PolyPro 3000T Gloss Removable

Thermal transfer white gloss polypropylene label with a removable adhesive. Offers excellent adhesion to glass and plastics.

1" ID, 5" OD

| Size |   |      | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|----------|-------|-----------------|------------------|------------------|
| W    | x | L    |          |       |                 |                  |                  |
| 2    | x | 1.25 | 10032211 | X     | 1,410           | 8                | 10 lbs.          |

## ZeroLiner Linerless Media

Requires Linerless roller

A linerless direct thermal paper label. Features a specially formulated silicone coating for easy release.

| Size |   |       | Part #        | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|-------|---------------|-------|-----------------|------------------|------------------|
| W    | x | L     |               |       |                 |                  |                  |
| 4"   | x | cont. | ZIPZLD3019198 |       | 328'            | 8                | 10               |
| 2"   | x | cont. | ZIPZLD3016796 |       | 328'            | 8                | 8                |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Kiosk Printers

### Z-Perform 1000D 3.5 mil Receipt (10-year archivability)

To be used with TTP 2000, 5250, & 7000 Series and KR203 and KR403

| Size  |   |       | Part #   | Length | Rolls/<br>carton | Carton<br>Weight | Stocking Locations |    |    |    |
|-------|---|-------|----------|--------|------------------|------------------|--------------------|----|----|----|
| W     | x | L     |          |        |                  |                  | WI                 | GA | TX | CA |
| 3.125 | x | cont. | 10007008 | 645'   | 8                | 23 lbs.          | X                  | X  |    |    |

To be used with TTP 5250 & 7000 Series

| Size  |   |       | Part #   | Length | Rolls/<br>carton | Carton<br>Weight | Stocking Locations |    |    |    |
|-------|---|-------|----------|--------|------------------|------------------|--------------------|----|----|----|
| W     | x | L     |          |        |                  |                  | WI                 | GA | TX | CA |
| 4.375 | x | cont. | 10007009 | 645'   | 8                | 32 lbs.          | X                  | X  |    |    |

To be used with TTP 8000 Series

| Size |   |       | Part #   | Length | Rolls/<br>carton | Carton<br>Weight | Stocking Locations |    |    |    |
|------|---|-------|----------|--------|------------------|------------------|--------------------|----|----|----|
| W    | x | L     |          |        |                  |                  | WI                 | GA | TX | CA |
| 8.5  | x | cont. | 10007010 | 565'   | 4                | 28 lbs.          | X                  | X  |    |    |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

# Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

|                               |                 |            |         |        | Mobile Printers |       |       |       |       |       |       |     |        |        |        |       |                       |   |
|-------------------------------|-----------------|------------|---------|--------|-----------------|-------|-------|-------|-------|-------|-------|-----|--------|--------|--------|-------|-----------------------|---|
|                               | Description     | Part #     | Width   | Length | ZQ610           | ZQ620 | ZQ630 | ZQ510 | ZQ520 | ZQ310 | ZQ320 | P4T | QLn220 | QLn320 | QLn420 | RW220 | RW420 / Print Station |   |
| Direct Thermal Labels - Paper | Z-Perform 1000D | 10034526   | 2.09"   | 1.00"  | o               | o     | o     | o     | o     | x     |       |     | o      | o      |        | o     | o                     |   |
|                               | Z-Perform 1000D | 10034527   | 2.09"   | 1.25"  | o               | o     | o     | o     | o     | x     |       | o   | o      | o      |        | o     | o                     |   |
|                               | Z-Perform 1000D | 10034528   | 2.09"   | 3.00"  | o               | o     | o     | o     | o     | x     |       | o   | o      | o      |        | o     | o                     |   |
|                               | Z-Perform 1000D | 10034815   | 2.95"   | 1.00"  |                 | o     | o     | o     | o     |       |       | x   |        | o      |        |       | o                     |   |
|                               | Z-Perform 1000D | 10034816   | 2.95"   | 1.75"  |                 | o     | o     | o     | o     |       |       | x   | o      |        | o      |       | o                     |   |
|                               | Z-Perform 1000D | LD-R7MU5P  | 2.00"   | 1.00"  | o               | o     | o     | x     |       |       |       |     | o      | o      | o      | o     | o                     |   |
|                               | Z-Perform 1000D | LD-R7A05B  | 2.00"   | 2.00"  | o               | o     | o     | x     |       |       |       |     | o      | o      | o      | o     | o                     |   |
|                               | Z-Perform 1000D | LD-R7AM5R  | 2.00"   | 3.00"  | o               | o     | o     | x     |       |       |       |     | o      | o      | o      | o     | o                     |   |
|                               | Z-Perform 1000D | 10026369   | 3.00"   | 1.00"  |                 | o     | o     |       | x     |       |       |     | o      |        | o      | o     |                       |   |
|                               | Z-Perform 1000D | 10026371   | 3.00"   | 1.75"  |                 | o     | o     |       | x     |       |       |     | o      |        | o      | o     |                       |   |
|                               | Z-Perform 1000D | 10026370   | 3.00"   | 5.00"  |                 | o     | o     |       | x     |       |       |     | o      |        | o      | o     |                       |   |
|                               | Z-Perform 1000D | 10026372   | 4.00"   | 2.00"  |                 |       | o     |       | x     |       |       |     | o      |        | o      | o     |                       |   |
|                               | Z-Perform 1000D | 10026373   | 4.00"   | 3.00"  |                 |       | o     |       | x     |       |       |     | o      |        | o      | o     |                       |   |
|                               | Z-Perform 1000D | 10026374   | 4.00"   | 4.00"  |                 |       | o     |       | x     |       |       |     | o      |        | o      | o     |                       |   |
|                               | Z-Perform 1000D | 10023377   | 4.00"   | 6.00"  |                 |       | o     |       | x     |       |       |     | o      |        | o      | o     |                       |   |
|                               | Z-Perform 1000D | LD-R3TU5B  | 2.90"   | 1.00"  |                 | o     | o     |       |       |       |       |     |        | x      | x      |       | x                     |   |
|                               | Z-Perform 1000D | LD-R2AQ5J  | 4.00"   | 2.00"  |                 |       | o     |       |       |       |       | x   |        |        | x      |       |                       |   |
|                               | Z-Perform 1000D | LD-R6A05B  | 4.00"   | 3.00"  |                 |       |       |       |       |       |       | x   |        |        |        | x     |                       |   |
|                               | Z-Perform 1000D | LD-R3AK5B  | 4.00"   | 4.00"  |                 |       | o     |       |       |       |       | x   |        |        |        | x     |                       |   |
|                               | Z-Perform 1000D | LD-R4AW5B  | 4.00"   | 6.00"  |                 |       |       | o     |       |       |       | x   |        |        |        | x     |                       |   |
|                               | Z-Perform 2000D | LD-R6AD5W  | 2.94"   | 4.94"  |                 |       | o     | o     |       |       |       | x   |        |        | x      | x     |                       |   |
|                               | Z-Perform 2000D | LD-R3AT5F  | 3.00"   | 1.75"  |                 |       | o     | o     |       |       |       | x   |        |        | x      | x     |                       |   |
|                               | IQ Color 2000D  | 10020397   | 2.00"   | 1.00"  | x               |       | o     | o     |       |       |       |     |        | x      | o      | o     | x                     | x |
|                               | Z-Select 4000D  | 10015767   | 2.00"   | 1.5"   | x               |       | o     | o     |       |       |       |     | o      | x      | o      | o     | x                     | x |
|                               | Z-Select 4000D  | 10001962   | 3.00"   | 2.00"  |                 |       | o     | o     |       | x     |       |     | o      |        | o      | o     |                       | x |
|                               | Z-Select 4000D  | 800322-125 | 2.25"   | 1.25"  |                 |       | o     | o     |       |       |       |     | o      |        | o      | o     |                       |   |
|                               | Z-Select 4000D  | 800340-305 | 4.00"   | 3.00"  |                 |       |       |       | o     |       |       |     | o      |        | o      | o     |                       |   |
|                               | 8000D Lab       | 10025486   | 2.00"   | 1.00"  | x               | o     | o     | o     |       |       |       |     |        | x      | o      | o     | x                     | x |
|                               | 8000D Lab       | 10015772   | 2.00"   | 1.25"  | x               | o     | o     | o     |       |       |       |     | o      | x      | o      | o     | x                     | x |
|                               | 8000D Lab       | 10015773   | 2.00"   | 1.5"   | x               | o     | o     | o     |       |       |       |     | o      | x      | o      | o     | x                     | x |
| 8000D Lab                     | 10015774        | 2.00"      | 2.00"   | x      | o               | o     | o     |       |       |       |       | o   | x      | o      | o      | x     | x                     |   |
| 8000D Lab                     | 10017573        | 2.00"      | 1.25"   | x      | o               | o     | o     |       |       |       |       | o   | x      | o      | o      | x     | x                     |   |
| 8000D Lab                     | 10015780        | 2.00"      | 2.1875" | x      | o               | o     | o     |       |       |       |       | o   | x      | o      | o      | x     | x                     |   |
| 8000D Lab                     | 10015775        | 2.00"      | 2.1875" | x      | o               | o     | o     |       |       |       |       | o   | x      | o      | o      | x     | x                     |   |
| 8000D Lab                     | 10024049        | 2.00"      | 2.1875" | x      | o               | o     | o     |       |       |       |       | o   | x      | o      | o      | x     | x                     |   |

x Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.

o Media compatible with your mobile printer, but the printer can support a larger outer diameter.

|                                   |               |            |       |        | Mobile Printers |       |       |       |       |       |       |     |        |        |        |       |                       |
|-----------------------------------|---------------|------------|-------|--------|-----------------|-------|-------|-------|-------|-------|-------|-----|--------|--------|--------|-------|-----------------------|
|                                   | Description   | Part #     | Width | Length | ZQ610           | ZQ620 | ZQ630 | ZQ510 | ZQ520 | ZQ310 | ZQ320 | P4T | QLn220 | QLn320 | QLn420 | RW220 | RW420 / Print Station |
| Direct Thermal Labels - Synthetic | PolyPro 4000D | LD-R7BL58  | 2.00" | 1.00"  | o               | o     | o     | x     |       |       |       |     | o      | o      | o      | o     | o                     |
|                                   | PolyPro 4000D | LD-R2BF58W | 2.00" | 1.25"  | o               | o     | o     | x     |       |       |       | o   | o      | o      | o      | o     | o                     |
|                                   | PolyPro 4000D | 10015778   | 2.00" | 1.25"  | x               | o     | o     |       |       |       |       | o   | x      | o      | o      | x     | x                     |
|                                   | PolyPro 4000D | 10017577   | 2.00" | 1.25"  | x               | o     | o     |       |       |       |       | o   | x      | o      | o      | x     | x                     |
|                                   | PolyPro 4000D | 10015779   | 2.00" | 2.00"  | x               | o     | o     |       |       |       |       | o   | x      | o      | o      | x     | x                     |
|                                   | PolyPro 4000D | 10017578   | 2.00" | 2.00"  | x               | o     | o     |       |       |       |       | o   | x      | o      | o      | x     | x                     |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

|                         | Description      | Part #   | Width | Length | P4T |
|-------------------------|------------------|----------|-------|--------|-----|
| Thermal Transfer Labels | Z-Select 4000T   | 10008549 | 2.00" | 1.00"  | x   |
|                         | Z-Ultimate 4000T | 10010073 | 2.00" | 1.25"  | x   |
|                         | Z-Ultimate 4000T | 10008551 | 2.00" | 1.25"  | x   |
|                         | PolyPro 4000T    | 10008424 | 2.00" | 1.25"  | x   |
|                         | PolyPro 4000T    | 82414    | 2.00" | 2.00"  |     |
|                         | PolyPro 4000T    | 82413    | 2.00" | 2.00"  | o   |

x Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.

o Media compatible with your mobile printer, but the printer can support a larger outer diameter.

|                         | Description                     | Part #        | Width  | Length     | ZQ110 | ZQ310 | ZQ320 | ZQ510/<br>ZQ511 | ZQ520/<br>ZQ521 | ZQ610 | ZQ620 | ZQ630 | MZ220/<br>iMZ220 | MZ320/<br>iMZ320 | P4T | QLn220 | QLn320 | QLn420 | RW220 | RW420/<br>Print<br>Station |   |
|-------------------------|---------------------------------|---------------|--------|------------|-------|-------|-------|-----------------|-----------------|-------|-------|-------|------------------|------------------|-----|--------|--------|--------|-------|----------------------------|---|
| Direct Thermal Receipts | Z-Perform 1000D 2.4 mil Receipt | 10021203      | 2.25"  | Cont.      | X     |       |       | O               |                 |       | O     |       |                  |                  |     |        |        |        |       |                            |   |
|                         | Z-Perform 1000D 2.4 mil Receipt | 10021232      | 3.14"  | Cont.      |       |       | X     |                 |                 |       |       |       |                  |                  |     |        |        |        |       |                            |   |
|                         | Z-Perform 1000D 2.4 mil Receipt | 10011041      | 2"     | Cont.      |       |       |       | O               |                 | O     | O     |       | X                |                  |     |        |        |        |       |                            |   |
|                         | Z-Perform 1000D 2.4 mil Receipt | 10021233      | 2.28"  | Cont.      |       | X     |       |                 |                 |       | O     |       |                  |                  |     |        |        |        |       |                            |   |
|                         | Z-Perform 1000D 2.4 mil Receipt | 10011042      | 3"     | Cont.      |       |       |       | O               | O               |       | O     |       |                  | X                |     |        |        |        |       |                            |   |
|                         | Z-Perform 1000D 2.4 mil Receipt | 10023348      | 3"     | Cont.      |       |       |       | X               | O               |       | O     | O     |                  |                  | O   |        |        | O      | O     |                            | O |
|                         | Z-Perform 1000D 2.4 mil Receipt | 10006224      | 4"     | Cont.      |       |       |       |                 | X               |       |       | O     |                  |                  | O   |        |        |        | O     |                            | X |
|                         | Z-Perform 1000D 2.4 mil Receipt | 800398-004    | 4"     | Cont.      |       |       |       |                 |                 |       |       |       |                  |                  | O   |        |        |        | O     |                            |   |
|                         | Z-Perform 1000D 2.4 mil Receipt | 10031411      | 4.375" | Cont.      |       |       |       |                 | X               |       |       |       |                  |                  |     |        |        |        |       |                            |   |
|                         | Z-Select 3.2 mil Receipt        | 10008899      | 2.25"  | Cont.      |       |       |       | O               |                 |       | O     |       |                  |                  |     |        |        |        |       |                            |   |
|                         | Z-Select 3.2 mil Receipt        | 10021236      | 3.14"  | Cont.      |       |       | X     |                 |                 |       |       |       |                  |                  |     |        |        |        |       |                            |   |
|                         | Z-Select 3.2 mil Receipt        | 10011043      | 2"     | Cont.      |       |       |       | O               |                 | O     | O     |       | X                |                  |     |        |        |        |       |                            |   |
|                         | Z-Select 3.2 mil Receipt        | 10011044      | 3"     | Cont.      |       |       |       | O               | O               |       | O     |       |                  | X                |     |        |        |        |       |                            |   |
|                         | Z-Select 3.2 mil Receipt        | 10023347      | 3"     | Cont.      |       |       |       | X               | O               |       | O     | O     |                  |                  |     | O      |        | O      | O     |                            | X |
|                         | Z-Select 3.2 mil Receipt        | LD-R2KH5B     | 2"     | Cont.      |       |       |       |                 |                 |       | O     | O     |                  |                  |     | O      |        | O      | O     | X                          | X |
|                         | Z-Select 3.2 mil Receipt        | LD-R3KX5B     | 3"     | Cont.      |       |       |       |                 | X               |       | O     | O     |                  |                  |     | O      |        | O      | O     |                            | X |
|                         | Z-Select 3.2 mil Receipt        | LD-R4KN5B     | 4"     | Cont.      |       |       |       |                 | X               |       |       | O     |                  |                  |     | O      |        |        | O     |                            | X |
|                         | 8000D 3.2 High-Temp Receipt     | 10001965      | 4"     | Cont.      |       |       |       |                 | X               |       |       | O     |                  |                  |     | O      |        |        | O     |                            | X |
|                         | ZeroLiner 2000D*                | ZIPZLM3017634 | 4      | Cont. 100' |       |       |       |                 |                 |       |       |       | X                |                  |     |        |        |        |       | X                          |   |
|                         | ZeroLiner 2000D*                | ZIPZLM3016410 | 3      | Cont. 63'  |       |       | X     | X               | O               |       | X     | O     |                  |                  |     |        | X      |        | O     |                            |   |
|                         | ZeroLiner 2000D*                | ZIPZLM3017704 | 2      | Cont. 63'  |       | X     | O     | O               | O               | X     | O     | O     |                  |                  |     |        | X      | O      | O     |                            |   |

\*Requires linerless roller

\*Requires 0.5" core adapter when using with ZQ500 series printers. 2Please note: Maximum print width for the ZQ510 is 2.83".

x Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.

o Media compatible with your mobile printer, but the printer can support a larger outer diameter.

## Mobile Printers

### Z-Essentials 500D

Direct thermal, Uncoated paper label with permanent acrylic adhesive. Cost-effective paper barcode labels tailored for high-volume mass-market applications

0.75" ID, 2.6" OD

| Size |   |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|---|----------|-------|-----------------|------------------|------------------|
| W    | x | L |          |       |                 |                  |                  |
| 4    | x | 6 | 10041912 | X     | 115             | 36               | 25 lbs.          |

### Z-Perform 1000D

Refer to Mobile Media Reference Guide for printer compatibility

A standard, direct thermal, bright white, uncoated paper label with a permanent acrylic adhesive. Ideal for direct thermal applications that require limited durability.

0.75" ID, 2" OD

| Size |   |      | Part #    | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|-----------|-------|-----------------|------------------|------------------|
| W    | x | L    |           |       |                 |                  |                  |
| 2    | x | 1    | LD-R7MU5P |       | 350             | 36               | 7 lbs.           |
| 2    | x | 1.25 | LD-R2AL5B |       | 280             | 36               | 7 lbs.           |
| 2    | x | 2    | LD-R7AO5B |       | 185             | 36               | 7 lbs.           |
| 2    | x | 3    | LD-R7AM5R |       | 125             | 36               | 8 lbs.           |

0.75" ID, 2.25" OD

| Size |   |      | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|----------|-------|-----------------|------------------|------------------|
| W    | x | L    |          |       |                 |                  |                  |
| 3    | x | 1    | 10026369 | X     | 430             | 36               | 16 lbs.          |
| 3    | x | 1.75 | 10026371 | X     | 260             | 36               | 16 lbs.          |
| 3    | x | 5    | 10026370 | X     | 95              | 36               | 18 lbs.          |
| 4    | x | 2    | 10026372 | X     | 230             | 36               | 18 lbs.          |
| 4    | x | 3    | 10026373 | X     | 155             | 36               | 18 lbs.          |
| 4    | x | 4    | 10026374 | X     | 120             | 36               | 18 lbs.          |
| 4    | x | 6    | 10023377 | X     | 75              | 36               | 20 lbs.          |

0.75" ID, 2.5" OD

| Size |   |   | Part #    | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|---|-----------|-------|-----------------|------------------|------------------|
| W    | x | L |           |       |                 |                  |                  |
| 2.9  | x | 1 | LD-R3TU5B |       | 575             | 36               | 14 lbs.          |
| 4    | x | 2 | LD-R2AQ5J | X     | 300             | 36               | 23 lbs.          |
| 4    | x | 3 | LD-R6AO5B | X     | 200             | 36               | 23 lbs.          |
| 4    | x | 4 | LD-R3AK5B | X     | 160             | 36               | 24 lbs.          |
| 4    | x | 6 | LD-R4AW5B | X     | 105             | 36               | 24 lbs.          |

Labels are equipped with black mark sensing.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

### 0.75" ID, 1.5" OD

| W        | Size |      | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|----------|------|------|------------|-------|-----------------|------------------|------------------|
|          | x    | L    |            |       |                 |                  |                  |
| 2.09375  | x    | 1    | 10034526 * | X     | 145             | 36               | 8 lbs.           |
| 2.09375  | x    | 3    | 10034528   | X     | 50              | 36               | 8 lbs.           |
| 2.953125 | x    | 1    | 10034815   | X     | 150             | 36               | 8 lbs.           |
| 2.953125 | x    | 1.75 | 10034816   | X     | 90              | 36               | 8 lbs.           |

MTO

### Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -40°F.

### 0.75" ID, 2.5" OD

| W    | Size |      | Part #        | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|------|------|---------------|-------|-----------------|------------------|------------------|
|      | x    | L    |               |       |                 |                  |                  |
| 2.94 | x    | 4.94 | LD-<br>R6AD5W |       | 130             | 36               | 18 lbs.          |
| 3    | x    | 1.75 | LD-<br>R3AT5F | X     | 350             | 36               | 18 lbs.          |

Labels equipped with black mark sensing.

### IQ Color 2000D

A coated direct thermal paper label with a permanent acrylic adhesive which allows the ability to print vibrant color on-demand in pre-defined zones to be used as a visual cue.

### 0.75" ID, 2.2" OD

| W | Size |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|---|----------|-------|-----------------|------------------|------------------|
|   | x    | L |          |       |                 |                  |                  |
| 2 | x    | 1 | 10020397 | X     | 450             | 36               | 18 lbs.          |

Red color zone runs along the left edge of the label and measures 0.25" wide x 1" long. Black mark sensing.

### Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20° F.

### 0.75" ID, 2.2" OD

| W | Size |     | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|-----|----------|-------|-----------------|------------------|------------------|
|   | x    | L   |          |       |                 |                  |                  |
| 2 | x    | 1.5 | 10015767 | X     | 284             | 36               | 10 lbs.          |
| 3 | x    | 2   | 10001962 | X     | 210             | 36               | 18 lbs.          |

### 1" ID, 2" OD

|      |   |      |            |   |     |    |        |
|------|---|------|------------|---|-----|----|--------|
| 2.25 | x | 1.25 | 800322-125 | X | 260 | 12 | 2 lbs. |
| 4    | x | 3    | 800340-305 | X | 110 | 12 | 4 lbs. |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 8000D Lab

A premium, direct thermal, bright white, coated, paper label with a high-tack permanent acrylic-based adhesive specifically designed to adhere to small, curved surfaces. Survives at temperatures as low as -75°F.

0.75" ID, 2.2" OD

| Size |   |      | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight | MTO |
|------|---|------|------------|-------|-----------------|------------------|------------------|-----|
| W    | x | L    |            |       |                 |                  |                  |     |
| 2    | x | 1    | 10025486 * | X     | 428             | 12               | 3 lbs.           |     |
| 2    | x | 1.25 | 10015772   | X     | 330             | 12               | 3 lbs.           |     |
| 2    | x | 1.5  | 10015773   | X     | 280             | 12               | 3 lbs.           |     |
| 2    | x | 1.25 | 10017573   | X     | 330             | 12               | 3 lbs.           |     |

\*PN's 10025486 & 10017573 equipped with black mark sensing

0.75" ID, 2.2" OD

| Size |   |        | Part #     | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight | MTO |
|------|---|--------|------------|-------|-----------------|------------------|------------------|-----|
| W    | x | L      |            |       |                 |                  |                  |     |
| 2    | x | 2.1875 | 10015780 * | X     | 200             | 12               | 3 lbs.           |     |

Slits through face stock create three labels: (1) 2" x 1.25" label and (2) 1" x 0.9375" labels.

0.75" ID, 2.2" OD

| Size |   |        | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|--------|----------|-------|-----------------|------------------|------------------|
| W    | x | L      |          |       |                 |                  |                  |
| 2    | x | 2.1875 | 10015775 | X     | 200             | 12               | 5 lbs.           |

Slits through face stock create three labels: (2) 1" x 0.9375" labels and (1) 2" x 1.25" labels. Black mark sensing.

0.75" ID, 2.2" OD

| Size |   |        | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|--------|----------|-------|-----------------|------------------|------------------|
| W    | x | L      |          |       |                 |                  |                  |
| 2    | x | 2.1875 | 10024049 | X     | 200             | 36               | 15 lbs.          |

Slits through face stock create three labels: (1) 2x1 label and (2) 1" x 1.1875 labels. Black mark sensing.

## Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

### 0.75" ID, 2.6" OD

| Size |   |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|---|----------|-------|-----------------|------------------|------------------|
| W    | x | L |          |       |                 |                  |                  |
| 4    | x | 6 | 10008549 |       | 110             | 16               | 17 lbs.          |

Labels are equipped with black mark sensing.

### PolyPro 4000D

A white matte direct thermal polypropylene label with a high-performance acrylic adhesive. Offers some flexibility for labeling curved surfaces. Resistant to scratching and smearing and temperatures up to 131°F.

### 0.75" ID, 2" OD

| Size |   |      | Part #    | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|-----------|-------|-----------------|------------------|------------------|
| W    | x | L    |           |       |                 |                  |                  |
| 2    | x | 1    | LD-R7BL5B |       | 350             | 36               | 7 lbs.           |
| 2    | x | 1.25 | LD-R2BF5W |       | 280             | 36               | 8 lbs.           |

Labels are equipped with black mark sensing.

### 0.75" ID, 2.2" OD

| Size |   |      | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|----------|-------|-----------------|------------------|------------------|
| W    | x | L    |          |       |                 |                  |                  |
| 2    | x | 1.25 | 10015778 | X     | 380             | 12               | 3 lbs.           |
| 2    | x | 1.25 | 10017577 | X     | 380             | 12               | 3 lbs.           |
| 2    | x | 2    | 10015779 | X     | 245             | 12               | 3 lbs.           |
| 2    | x | 2    | 10017578 | X     | 245             | 12               | 3 lbs.           |

PN's 10017577 & 10017578: labels equipped with black mark sensing and overprotective varnish

### Z-Ultimate 4100T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

### 0.75" ID, 2.6" OD

| Size |   |      | Part #         | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|------|----------------|-----------------|------------------|------------------|
| W    | x | L    |                |                 |                  |                  |
| 3    | x | 3    | ZIPZUM10044030 | 230             | 12               | 16 lbs.          |
| 2    | x | 1.25 | ZIPZUM10044031 | 520             | 12               | 12 lbs.          |

Labels are equipped with black mark sensing.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## PolyPro 4000T

A white thermal transfer Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

0.75" ID, 2.6" OD

| Size |   |   | Part #   | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|---|----------|-------|-----------------|------------------|------------------|
| W    | x | L |          |       |                 |                  |                  |
| 4    | x | 6 | 10008424 |       | 80              | 36               | 36 lbs.          |

1" ID, 2" OD

| Size |   |   | Part # | Perf. | Labels/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|---|--------|-------|-----------------|------------------|------------------|
| W    | x | L |        |       |                 |                  |                  |
| 2    | x | 1 | 82414  |       | 260             | 12               | 3 lbs.           |
| 3    | x | 3 | 82413  |       | 90              | 12               | 5 lbs.           |

## Z-Perform 1000D 2.4 mil Receipt (10-year achivability)

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

Refer to *Mobile Reference Guide* for printer compatibility

| Inner<br>Diameter | Outer<br>Diameter | Size   |   |       | Part #   | Perf. | Length | Rolls/<br>carton | Carton<br>Weight |
|-------------------|-------------------|--------|---|-------|----------|-------|--------|------------------|------------------|
|                   |                   | W      | x | L     |          |       |        |                  |                  |
| 0.5               | 1.8               | 2      | x | cont. | 10011041 |       | 80'    | 36               | 9 lbs.           |
| 0.5               | 1.2               | 2.25   | x | cont. | 10021203 |       | 26'    | 50               | 9 lbs.           |
| 0.5               | 1.57              | 2.2812 | x | cont. | 10021233 |       | 50'    | 50               | 10 lbs.          |
| 0.5               | 1.8               | 3      | x | cont. | 10011042 |       | 80'    | 36               | 13 lbs.          |
| 0.5               | 1.57              | 3.14   | x | cont. | 10021232 |       | 50'    | 50               | 13 lbs.          |
| 0.75              | 2                 | 3      | x | cont. | 10023348 |       | 80'    | 36               | 9 lbs.           |
| 0.75              | 2.2               | 4.105  | x | cont. | 10008657 |       | 100'   | 36               | 15 lbs.          |
| 0.75              | 2.25              | 4      | x | cont. | 10006224 |       | 100'   | 36               | 13 lbs.          |
| 0.75              | 2.25              | 4.375  | x | cont. | 10031411 |       | 100'   | 36               | 15 lbs.          |
| 0.75              | 2.6               | 3      | x | cont. | 10021769 |       | 150'   | 36               | 15 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

### Z-Select 4000D 3.2 mil Receipt (25-year archivability)

A premium, direct thermal, bright white, coated, 3.2 mil receipt paper that provides an ideal solution for applications requiring limited durability.

Refer to Mobile Reference Guide for printer compatibility

| Inner Diameter | Outer Diameter | Size |   |       | Part #    | Perf. | Length | Rolls/ carton | Carton Weight |
|----------------|----------------|------|---|-------|-----------|-------|--------|---------------|---------------|
|                |                | W    | x | L     |           |       |        |               |               |
| 0.5            | 1.57           | 2.25 | x | cont. | 10008899  |       | 40'    | 36            | 9 lbs.        |
| 0.5            | 1.8            | 2    | x | cont. | 10011043  |       | 55'    | 36            | 9 lbs.        |
| 0.5            | 1.8            | 3    | x | cont. | 10011044  |       | 55'    | 36            | 13 lbs.       |
| 0.5            | 1.57           | 3.14 | x | cont. | 10021236  |       | 40'    | 50            | 13 lbs.       |
| 0.75           | 2              | 3    | x | cont. | 10023347  |       | 64'    | 36            | 9 lbs.        |
| 0.75           | 2.25           | 2    | x | cont. | LD-R2KH5B |       | 81.25' | 36            | 9 lbs.        |
| 0.75           | 2.25           | 3    | x | cont. | LD-R3KX5B |       | 81.25' | 36            | 13 lbs.       |
| 0.75           | 2.25           | 4    | x | cont. | LD-R4KN5B |       | 81.25' | 36            | 13 lbs.       |

### 8000D 3.2 mil High-Temp Receipt (20-year archivability)

A direct thermal, white, coated, 3.2 mil receipt paper that provides temperature resistance up to 194°F; offers superior durability under fluorescent bulbs and partial UV exposure (through a window).

0.75" ID, 2.25" OD

| W | Size |       | Part #   | Perf. | Labels/ roll | Rolls/ carton | Carton Weight |
|---|------|-------|----------|-------|--------------|---------------|---------------|
|   | x    | L     |          |       |              |               |               |
| 4 | x    | cont. | 10001965 |       | 74'          | 36            | 7 lbs.        |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## ZeroLiner Linerless Media

(Requires linerless roller)

A premium, direct thermal, white linerless label featuring a permanent adhesive. Features a specially formulated silicone coating for easy release.

Refer to Mobile Reference Guide for printer compatibility.

| Inner Diameter | Outer Diameter | Size |   |      | Part #        | Perf. | Length | Rolls/ carton | Carton Weight |
|----------------|----------------|------|---|------|---------------|-------|--------|---------------|---------------|
|                |                | W    | x | L    |               |       |        |               |               |
| 0.75           | 2.6            | 4    | x | 100' | ZIPZLM3017634 |       | 100'   | 20            | 8 lbs.        |
| 0.75           | 2.0            | 3    | x | 63'  | ZIPZLM3016410 |       | 63'    | 20            | 6 lbs.        |
| 0.75           | 2.0            | 2    | x | 63'  | ZIPZLM3017704 |       | 63'    | 20            | 5.3 lbs.      |
| 0.5            | 1.57           | 2.28 | x | 33'  | ZIPZLM3013255 |       | 33'    | 60            | 9 lbs.        |
| 0.5            | 1.57           | 3.15 | x | 33'  | ZIPZLM3013254 |       | 33'    | 50            | 10 lbs.       |

## EnduraGuard 4000D

Direct thermal label that offers a durable labeling solution for outdoor use, featuring a synthetic material and patent-pending coating. Compatible with direct thermal mobile printers, it resists UV, chemicals, and harsh conditions, ensuring reliability and accuracy in workflows.

0.75" ID, 2.2" OD

| Size |   |   | Part #         | Perf. | Labels/ roll | Rolls/ carton | Carton Weight |
|------|---|---|----------------|-------|--------------|---------------|---------------|
| W    | x | L |                |       |              |               |               |
| 4    | x | 2 | ZIPEGM10045248 | x     | 225          | 36            | 25 lbs.       |
| 4    | x | 6 | ZIPEGM10045247 | x     | 78           | 36            | 24 lbs.       |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Wristband Media – Industrial Printers

### Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

3" ID, 8" OD

| Size |   |    | Color  | Part #     | Bands/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|----|--------|------------|----------------|------------------|------------------|
| W    | x | L  |        |            |                |                  |                  |
| 1    | x | 11 | White  | 10005007   | 450            | 6                | 9 lbs.           |
| 1    | x | 11 | Red    | 10003854-1 | 450            | 6                | 9 lbs.           |
| 1    | x | 11 | Yellow | 10003854-2 | 450            | 6                | 9 lbs.           |
| 1    | x | 11 | Blue   | 10003854-3 | 450            | 6                | 9 lbs.           |
| 1    | x | 11 | Green  | 10003854-4 | 450            | 6                | 9 lbs.           |
| 1    | x | 11 | Pink   | 10003854-5 | 450            | 6                | 9 lbs.           |
| 1    | x | 11 | Orange | 10003854-6 | 450            | 6                | 9 lbs.           |

All wristband part numbers are perforated. M = Made to order (2 carton minimum)

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Band Fusion

See datasheet on [zebra.com](http://zebra.com) for more information

Self-laminating direct thermal polypropylene wristband with adhesive-closure and a wristband extender to fit a wide range of wrist sizes. Scannable up to 60 days.

3" ID, 8" OD

| Wristband Length | Image Area |   |       | Part #              | Sheet Width | Color | Bands/roll | Rolls/carton | Case Weight |
|------------------|------------|---|-------|---------------------|-------------|-------|------------|--------------|-------------|
|                  | W          | x | L     |                     |             |       |            |              |             |
| 9.25             | 2.75       | x | 0.875 | FID-ADULT-L3-3-500T | 3           | White | 500        | 2            | 7 lbs.      |

All wristband part numbers are perforated

## Z-Band Fusion Infant ID Tags

Zebra's self-laminating Z-Band Fusion direct thermal polypropylene infant tags are perfect for use in the NICU where the average infant stay exceeds 14 days. They can be used in conjunction with the ComfyCuff foam wristband, SwaddleBand and Vinyl Infant Wristband Solution. Latex-free.

3" ID, 8" OD

| Sheet Length | Image Area |   |       | Part #          | Sheet Width | Color | Bands/roll | Rolls/carton | Case Weight |
|--------------|------------|---|-------|-----------------|-------------|-------|------------|--------------|-------------|
|              | W          | x | L     |                 |             |       |            |              |             |
| 2.875        | 2.5        | x | 0.875 | FID-BABY-T-3-1M | 2.5         | White | 1,000      | 1            | 7 lbs.      |

All wristband part numbers are perforated

## Z-Band 4000 Wristband Kit

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

3" ID, 8" OD

| Size |   |    | Color | Part # | Bands/roll | Rolls/kit | Carton Weight |
|------|---|----|-------|--------|------------|-----------|---------------|
| W    | x | L  |       |        |            |           |               |
| 1    | x | 11 | White | ZBAND1 | 530        | 3         | 6 lbs.        |

Kit contains 3 rolls of perforated wristbands and 1 roll of Zebra's 5095 resin ribbon.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement. Color clips also available.

3" ID, 8" OD

| Size   |   |    | Part # | Bands/ roll | Rolls/ kit | Carton Weight |
|--------|---|----|--------|-------------|------------|---------------|
| W      | x | L  |        |             |            |               |
| 1.1875 | x | 11 | 97890K | 550         | 6          | 11 lbs.       |

Includes 6 rolls of perforated wristbands and 3,480 white clips. Color clips sold separately.

## Color Clips for use with QuickClip Wristbands

| Part #       | Color  | Clips/ pack |
|--------------|--------|-------------|
| 97032-Blue   | Blue   | 275         |
| 97032-Green  | Green  | 275         |
| 97032-Pink   | Pink   | 275         |
| 97032-Purple | Purple | 275         |
| 97032-Red    | Red    | 275         |
| 97032-Yellow | Yellow | 275         |

## Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

3" ID, 8" OD

| Size |   |    | Color  | Part #     | Bands/ roll | Rolls/ carton | Carton Weight |
|------|---|----|--------|------------|-------------|---------------|---------------|
| W    | x | L  |        |            |             |               |               |
| 1    | x | 10 | Red    | 10012714-1 | 800         | 4             | 7 lbs.        |
| 1    | x | 10 | Yellow | 10012714-2 | 800         | 4             | 7 lbs.        |
| 1    | x | 10 | Blue   | 10012714-3 | 800         | 4             | 7 lbs.        |
| 1    | x | 10 | Green  | 10012714-4 | 800         | 4             | 7 lbs.        |
| 1    | x | 10 | Pink   | 10012714-5 | 800         | 4             | 7 lbs.        |
| 1    | x | 10 | Orange | 10012714-6 | 800         | 4             | 7 lbs.        |
| 1    | x | 10 | Purple | 10012714-7 | 800         | 4             | 7 lbs.        |

All wristband part numbers are perforated; M = Made to Order  
(Minimum order = 4 rolls)

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts, and cruise lines. It features a durable, water-resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

3" ID, 8" OD

| Size |   |    | Color  | Part #     | Bands/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|----|--------|------------|----------------|------------------|------------------|
| W    | x | L  |        |            |                |                  |                  |
| 1    | x | 10 | Red    | 10012719-1 | 800            | 4                | 7 lbs.           |
| 1    | x | 10 | Yellow | 10012719-2 | 800            | 4                | 7 lbs.           |
| 1    | x | 10 | Blue   | 10012719-3 | 800            | 4                | 7 lbs.           |
| 1    | x | 10 | Green  | 10012719-4 | 800            | 4                | 7 lbs.           |
| 1    | x | 10 | Pink   | 10012719-5 | 800            | 4                | 7 lbs.           |
| 1    | x | 10 | Orange | 10012719-6 | 800            | 4                | 7 lbs.           |
| 1    | x | 10 | Purple | 10012719-7 | 800            | 4                | 7 lbs.           |

All wristband part numbers are perforated; M= Made to order (Minimum order = 4 rolls)

## Wristband Media – Desktop Printers

### Z-Band UltraSoft

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with an adhesive tamper-evident tab for securement.

1" ID, 5" OD

| Size |   |    | Color | Part #   | Bands/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|----|-------|----------|----------------|------------------|------------------|
| W    | x | L  |       |          |                |                  |                  |
| 0.75 | x | 11 | White | 10018855 | 175            | 6                | 6 lbs.           |
| 1    | x | 6  | White | 10019015 | 300            | 6                | 6 lbs.           |
| 1    | x | 7  | White | 10018857 | 250            | 6                | 6 lbs.           |
| 1    | x | 11 | White | 10018856 | 175            | 6                | 6 lbs.           |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

1" ID, 5" OD

| W    | Size |    | Color  | Part #     | Bands/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|------|----|--------|------------|----------------|------------------|------------------|
|      | x    | L  |        |            |                |                  |                  |
| 0.75 | x    | 11 | White  | 10004448   | 200            | 6                | 4.8 lbs.         |
| 1    | x    | 11 | White  | 10005008   | 200            | 6                | 4.8 lbs.         |
| 1    | x    | 11 | Red    | 10004443-1 | 200            | 6                | 4.8 lbs.         |
| 1    | x    | 11 | Yellow | 10004443-2 | 200            | 6                | 4.8 lbs.         |
| 1    | x    | 11 | Blue   | 10004443-3 | 200            | 6                | 4.8 lbs.         |
| 1    | x    | 11 | Green  | 10004443-4 | 200            | 6                | 4.8 lbs.         |
| 1    | x    | 11 | Pink   | 10004443-5 | 200            | 6                | 4.8 lbs.         |
| 1    | x    | 11 | Orange | 10004443-6 | 200            | 6                | 4.8 lbs.         |
| 1.25 | x    | 11 | White  | 10006647   | 200            | 6                | 4.8 lbs.         |
| 1    | x    | 6  | White  | 10003853   | 350            | 6                | 4.8 lbs.         |
| 1    | x    | 7  | White  | 10003852   | 300            | 6                | 4.8 lbs.         |

All wristband part numbers are perforated.

## Z-Band Direct Lite (White)

A lightweight, direct thermal polypropylene wristband with a tamper-evident adhesive closure. Latex-free.

| W | Size |    | Color | Part #   | Bands/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|----|-------|----------|----------------|------------------|------------------|
|   | x    | L  |       |          |                |                  |                  |
| 1 | x    | 11 | White | 10037679 | 200            | 6                | 4.8 lbs.         |

## Soft Infant Z-Band Wristband

A direct thermal white polypropylene wristband with soft nylon lining and a permanent acrylic adhesive for securement.

1" ID, 5" OD

| W | Size |   | Color | Part #   | Bands/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|---|-------|----------|----------------|------------------|------------------|
|   | x    | L |       |          |                |                  |                  |
| 2 | x    | 7 | White | 10007909 | 275            | 6                | 6 lbs.           |

All wristband part numbers are perforated.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Band Fusion

See datasheet on [zebra.com](http://zebra.com) for more information

A self-laminating direct thermal polypropylene wristband with adhesive-closure and a wristband extender to fit a wide range of wrist sizes. Scannable up to 60 days.

1" ID, 5" OD

| Wristband Length | Image Area |   |       | Part #              | Sheet Width | Color | Bands/roll | Rolls/carton | Case Weight |
|------------------|------------|---|-------|---------------------|-------------|-------|------------|--------------|-------------|
|                  | W          | x | L     |                     |             |       |            |              |             |
| 5.75             |            | x | 0.75  | FID-BABY-L3-1-200T  | 3           | White | 200        | 5            | 8 lbs.      |
| 7.375            |            | x | 0.875 | FID-PED-L3-1-200T   | 3           | White | 200        | 5            | 8 lbs.      |
| 9.25             |            | x | 0.875 | FID-ADULT-L3-1-200T | 3           | White | 200        | 5            | 7 lbs.      |

## Z-Band Fusion Infant Tags

See datasheet on [zebra.com](http://zebra.com) for more information

Zebra's self-laminating Z-Band Fusion direct thermal polypropylene infant tags are perfect for use in the NICU where the average infant stay exceeds 14 days. They can be used in conjunction with the ComfyCuff foam wristband, SwaddleBand and Vinyl Infant Wristband Solution. Latex-free.

1" ID, 5" OD

| Wristband Length | Image Area |   |       | Part #               | Sheet Width | Color | Bands/roll | Rolls/carton | Case Weight |
|------------------|------------|---|-------|----------------------|-------------|-------|------------|--------------|-------------|
|                  | W          | x | L     |                      |             |       |            |              |             |
| 2.875            | 2.5        | x | 0.875 | 875 FID-BABY-T-1-500 | 2.5         | White | 500        | 2            | 7 lbs.      |

All wristband part numbers are perforated.

## Z-Band 4000

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

1" ID, 5" OD

| Wristband Length | Size |    |       | Color | Part # | Bands/roll | Rolls/carton | Carton Weight |
|------------------|------|----|-------|-------|--------|------------|--------------|---------------|
|                  | W    | x  | L     |       |        |            |              |               |
| 1                | x    | 11 | White | 17158 | 300    | 4          | 2 lbs.       |               |

All wristband part numbers are perforated.

## Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

1" ID, 5" OD

| Wristband Length | Size |    |       | Color     | Part # | Bands/roll | Rolls/carton | Carton Weight |
|------------------|------|----|-------|-----------|--------|------------|--------------|---------------|
|                  | W    | x  | L     |           |        |            |              |               |
| 1.1875           | x    | 11 | White | 10027728K | 240    | 6          | 11 lbs.      |               |

Includes 6 rolls of perforated wristbands and 1,740 white clips. Color clips sold separately.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Color Clips for use with QuickClip Wristbands

| Part #       | Color  | Clips/ pack |
|--------------|--------|-------------|
| 97032-Blue   | Blue   | 275         |
| 97032-Green  | Green  | 275         |
| 97032-Pink   | Pink   | 275         |
| 97032-Purple | Purple | 275         |
| 97032-Red    | Red    | 275         |
| 97032-Yellow | Yellow | 275         |

## Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

1" ID, 5" OD

| W | Size |    | Color  | Part #     | Bands/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|----|--------|------------|----------------|------------------|------------------|
|   | x    | L  |        |            |                |                  |                  |
| 1 | x    | 10 | Red    | 10012712-1 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Yellow | 10012712-2 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Blue   | 10012712-3 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Green  | 10012712-4 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Orange | 10012712-6 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Pink   | 10012712-5 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Purple | 10012712-7 | 350            | 4                | 4 lbs.           |

All wristband part numbers are perforated. M = Made to order (Minimum order = 4 rolls)

## Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts, and cruise lines. It features a durable, water-resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

1" ID, 5" OD

| W | Size |    | Color  | Part #     | Bands/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|---|------|----|--------|------------|----------------|------------------|------------------|
|   | x    | L  |        |            |                |                  |                  |
| 1 | x    | 10 | Red    | 10012718-1 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Yellow | 10012718-2 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Blue   | 10012718-3 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Green  | 10012718-4 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Pink   | 10012718-5 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Orange | 10012718-6 | 350            | 4                | 4 lbs.           |
| 1 | x    | 10 | Purple | 10012718-7 | 350            | 4                | 4 lbs.           |

All wristband part numbers are perforated. M = Made to order (Minimum order = 4 rolls)

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Band Direct Lite

A lightweight, direct thermal polypropylene wristband with a tamper-evident adhesive closure. Latex-free.

| Size |   |    | Color | Part #   | Bands/<br>roll | Rolls/<br>carton | Carton<br>Weight |
|------|---|----|-------|----------|----------------|------------------|------------------|
| W    | x | L  |       |          |                |                  |                  |
| 1    | x | 11 | White | 10037679 | 200            | 6                | 4.8 lbs.         |

## Wristband Cartridges

### Z-Band UltraSoft Kit

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with an adhesive tamper-evident tab for securement.

| Size |   |    | Color | Part #      | Bands/<br>roll | Rolls/<br>kit | Carton<br>Weight |
|------|---|----|-------|-------------|----------------|---------------|------------------|
| W    | x | L  |       |             |                |               |                  |
| 0.75 | x | 11 | White | 10015356K   | 175            | 6             | 6 lbs.           |
| 1    | x | 11 | White | 10015355K   | 175            | 6             | 6 lbs.           |
| 1    | x | 11 | White | 10043009K   | 175            | 6             | 6 lbs.           |
| 1    | x | 7  | White | 10015357K   | 250            | 6             | 6 lbs.           |
| 1    | x | 6  | White | 10015358K   | 300            | 6             | 6 lbs.           |
| 1    | x | 11 | Blue  | 10015355-2K | 175            | 6             | 6 lbs.           |
| 1    | x | 11 | Green | 10015355-3K | 175            | 6             | 6 lbs.           |
| 1    | x | 11 | Pink  | 10015355-5K | 175            | 6             | 6 lbs.           |

All wristband part numbers are perforated

### Z-Band UltraSoft Kit - Bracelet Design

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with a tamper-evident adhesive closure and bracelet design. Latex-free.

| Size |   |       | Color  | Part #      | Bands/<br>roll | Rolls/<br>kit | Carton<br>Weight |
|------|---|-------|--------|-------------|----------------|---------------|------------------|
| W    | x | L     |        |             |                |               |                  |
| 1    | x | 7     | White  | 10026691K   | 275            | 6             | 6 lbs.           |
| 1    | x | 7     | Pink   | 10026692K   | 275            | 6             | 6 lbs.           |
| 1    | x | 10.75 | White  | 10033832K   | 175            | 6             | 6 lbs.           |
| 1    | x | 10.75 | Red    | 10033832-1K | 175            | 6             | 6 lbs.           |
| 1    | x | 10.75 | Blue   | 10033832-2K | 175            | 6             | 6 lbs.           |
| 1    | x | 10.75 | Green  | 10033832-3K | 175            | 6             | 6 lbs.           |
| 1    | x | 10.75 | Yellow | 10033832-4K | 175            | 6             | 6 lbs.           |
| 1    | x | 10.75 | Pink   | 10033832-5K | 175            | 6             | 6 lbs.           |

All wristband part numbers are perforated

With the gutter, wristband sizes are 1.1875"x7.25" and 1.1875"x11"

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Band Direct Wristband Cartridges

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

| Size   |      | Color  | Part #      | Bands/<br>roll | Rolls/<br>kit | Carton<br>Weight |
|--------|------|--------|-------------|----------------|---------------|------------------|
| W      | x L  |        |             |                |               |                  |
| 0.75   | x 11 | White  | 10006997K   | 200            | 6             | 6 lbs.           |
| 1      | x 11 | White  | 10006995K   | 200            | 6             | 6 lbs.           |
| 1      | x 11 | Red    | 10006995-1K | 200            | 6             | 6 lbs.           |
| 1      | x 11 | Blue   | 10006995-2K | 200            | 6             | 6 lbs.           |
| 1      | x 11 | Green  | 10006995-3K | 200            | 6             | 6 lbs.           |
| 1      | x 11 | Purple | 10006995-4K | 200            | 6             | 6 lbs.           |
| 1      | x 11 | Pink   | 10006995-5K | 200            | 6             | 6 lbs.           |
| 1      | x 11 | Orange | 10006995-6K | 200            | 6             | 6 lbs.           |
| 1      | x 11 | Yellow | 10006995-7K | 200            | 6             | 6 lbs.           |
| 1.1875 | x 11 | White  | 10006996K   | 200            | 6             | 6 lbs.           |
| 1      | x 6  | White  | 10006998K   | 350            | 6             | 6 lbs.           |
| 1      | x 7  | White  | 10006999K   | 300            | 6             | 6 lbs.           |

All wristband part numbers are perforated

## Z-Band Comfort Wristband Cartridges

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

| Size |      | Color  | Part #      | Bands/<br>roll | Rolls/<br>kit | Carton<br>Weight |
|------|------|--------|-------------|----------------|---------------|------------------|
| W    | x L  |        |             |                |               |                  |
| 1    | x 11 | White  | 10010951K   | 300            | 6             | 6 lbs.           |
| 1    | x 11 | Red    | 10010951-1K | 300            | 6             | 6 lbs.           |
| 1    | x 11 | Blue   | 10010951-2K | 300            | 6             | 6 lbs.           |
| 1    | x 11 | Yellow | 10010951-7K | 300            | 6             | 6 lbs.           |
| 1    | x 6  | White  | 10011953K   | 600            | 6             | 6 lbs.           |
| 1    | x 7  | White  | 10011954K   | 500            | 6             | 6 lbs.           |

All wristband part numbers are perforated

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

### Z-Band Newborn Soft Kit

A direct thermal, white, soft, flexible polypropylene wristband with a soft nylon backing and a permanent acrylic adhesive paper tab for securement.

| Size |   |        | Color | Part #    | Bands/<br>roll | Rolls/<br>kit | Carton<br>Weight |
|------|---|--------|-------|-----------|----------------|---------------|------------------|
| W    | x | L      |       |           |                |               |                  |
| 0.75 | x | 7.6875 | White | 10031289K | 260            | 6             | 5 lbs.           |

Wristband size is 1x7.9375 before tearing from gutter. All wristband part numbers are perforated.

Must be ordered in carton quantities. Each part number represents 1 carton.

### Z-Band Newborn Kit

A direct thermal, white, soft, flexible polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

| Size |   |        | Color | Part #    | Bands/<br>roll | Rolls/<br>kit | Carton<br>Weight |
|------|---|--------|-------|-----------|----------------|---------------|------------------|
| W    | x | L      |       |           |                |               |                  |
| 0.75 | x | 7.6875 | White | 10035439K | 260            | 6             | 5 lbs.           |

### Z-Band UltraSoft Maternity ID Solution

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with a tamper-evident adhesive closure and maternity ID set design. Latex-free

| Size |   |    | Color | Part #       | Bands/<br>roll | Rolls/ kit | Carton<br>Weight |
|------|---|----|-------|--------------|----------------|------------|------------------|
| W    | x | L  |       |              |                |            |                  |
| 1    | x | 17 | White | 10035358-M1K | 115            | 6          | 6 lbs.           |

\*115 sets of wristbands per cartridge: 1 adult wristband (1x11") + 1 infant wristband (1x6") per set. 230 Total wristbands per cartridge.

### Z-Band Quickclip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

| Size   |   |    | Color | Part #    | Bands/<br>roll | Rolls/<br>kit | Carton<br>Weight |
|--------|---|----|-------|-----------|----------------|---------------|------------------|
| W      | x | L  |       |           |                |               |                  |
| 1      | x | 7  | White | 10027729K | 380            | 3             | 6 lbs.           |
| 1.1875 | x | 11 | White | 10027730K | 240            | 4             | 6 lbs.           |

QuickClip - must be ordered in carton quantities

\*PN 10027729K: (1x7) Includes 3 wristband cartridges and 1,450 white clips. Color clips sold separately.

\*\*PN 10027730K: (1.1875x11) Includes 4 wristband cartridges and 1,160 white clips. Color clips sold separately.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Color Clips for use with QuickClip Wristbands

| Part #       | Color  | Clips/ pack |
|--------------|--------|-------------|
| 97032-Blue   | Blue   | 275         |
| 97032-Green  | Green  | 275         |
| 97032-Pink   | Pink   | 275         |
| 97032-Purple | Purple | 275         |
| 97032-Red    | Red    | 275         |
| 97032-Yellow | Yellow | 275         |

## Z-Band Fun Wristband Cartridges

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

| W | Size |    | Color      | Part #      | Bands/<br>roll | Rolls/<br>kit | Carton<br>Weight |
|---|------|----|------------|-------------|----------------|---------------|------------------|
|   | x    | L  |            |             |                |               |                  |
| 1 | x    | 10 | Red        | 10012713-1K | 350            | 6             | 6 lbs.           |
| 1 | x    | 10 | Yellow     | 10012713-2K | 350            | 6             | 6 lbs.           |
| 1 | x    | 10 | Blue       | 10012713-3K | 350            | 6             | 6 lbs.           |
| 1 | x    | 10 | Green      | 10012713-4K | 350            | 6             | 6 lbs.           |
| 1 | x    | 10 | Pink       | 10012713-5K | 350            | 6             | 6 lbs.           |
| 1 | x    | 10 | Orange     | 10012713-6K | 350            | 6             | 6 lbs.           |
| 1 | x    | 10 | Purple     | 10012713-7K | 350            | 6             | 6 lbs.           |
| 1 | x    | 10 | All Colors | 10012713-WK | 350            | 7             | 7 lbs.           |

All wristband part numbers are perforated

\*Week of Fun kit contains 1 cartridge of each color - Red, Yellow, Blue, Green, Pink, Orange, Purple

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Z-Band Splash Wristband Cartridges

A direct thermal wristband for multiple day use at waterparks, resorts, and cruise lines. It features a durable, water-resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

| Size |   |    | Color  | Part #      | Bands/<br>roll | Rolls/<br>kit | Carton<br>Weight |
|------|---|----|--------|-------------|----------------|---------------|------------------|
| W    | x | L  |        |             |                |               |                  |
| 1    | x | 10 | Red    | 10012717-1K | 350            | 6             | 6 lbs.           |
| 1    | x | 10 | Yellow | 10012717-2K | 350            | 6             | 6 lbs.           |
| 1    | x | 10 | Blue   | 10012717-3K | 350            | 6             | 6 lbs.           |
| 1    | x | 10 | Green  | 10012717-4K | 350            | 6             | 6 lbs.           |
| 1    | x | 10 | Pink   | 10012717-5K | 350            | 6             | 6 lbs.           |
| 1    | x | 10 | Orange | 10012717-6K | 350            | 6             | 6 lbs.           |
| 1    | x | 10 | Purple | 10012717-7K | 350            | 6             | 6 lbs.           |

All wristband part numbers are perforated

## Wristband Media – Non-Printable

[Alert Solutions](#) – follow the link for more information

### Spot Alert Labels

Spot-alert color-coded can be adhered to any wristband and feature a strong adhesive that causes the label to tear if tampered with. They are available in standard color and designation combinations to support the most critical patient conditions.

| Alert<br>Description | Size |   |     | Color  | Part #                    | Lab<br>els/<br>for<br>m | Forms/Case | Case<br>Weight |
|----------------------|------|---|-----|--------|---------------------------|-------------------------|------------|----------------|
|                      | W    | x | L   |        |                           |                         |            |                |
| ALL                  | 2.5  | x | 3.5 | All    | LB-ALERT-AZ               | 12                      | 1,000      | 3 lbs.         |
| ALLERGY              | 2.5  | x | 3.5 | Red    | LB-ALERT-ALLERGY          | 12                      | 1,000      | 3 lbs.         |
| FALL RISK            | 2.5  | x | 3.5 | Yellow | LB-ALERT-FALLRISK         | 12                      | 1,000      | 3 lbs.         |
| DNR                  | 2.5  | x | 3.5 | Purple | LB-ALERT-DNR-PUR          | 12                      | 1,000      | 3 lbs.         |
| LATEX<br>ALLERGY     | 2.5  | x | 3.5 | Green  | LB-ALERT-<br>LATEXALLERGY | 12                      | 1,000      | 3 lbs.         |
| LIMB ALERT           | 2.5  | x | 3.5 | Pink   | LB-ALERT-LIMBALERT        | 12                      | 1,000      | 3 lbs.         |

Sheet contains (6) 1.3125" x 0.375" labels and (6) 0.75" x 0.25" labels.

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Slim Alert Wristbands

These color-coded vinyl clip-closure alert wristbands are pre-printed with patient conditions.

| Alert Description | Size  |   |    | Color  | Part #              | Labels/form | Case Weight |
|-------------------|-------|---|----|--------|---------------------|-------------|-------------|
|                   | W     | x | L  |        |                     |             |             |
| ALLERGY           | 0.625 | x | 10 | Red    | PS-ALLERGY-RED      | 500         | 3 lbs.      |
| FALL RISK         | 0.625 | x | 10 | Yellow | PS-FALLRISK-YEL     | 500         | 3 lbs.      |
| DNR               | 0.625 | x | 10 | Purple | PS-DNR-PUR          | 500         | 3 lbs.      |
| BLANK             | 0.625 | x | 10 | Purple | PS-BLANK-PUR        | 500         | 3 lbs.      |
| LIMB ALERT        | 0.625 | x | 10 | Pink   | PS-LIMBALERT-PNK    | 500         | 3 lbs.      |
| LATEX ALLERGY     | 0.625 | x | 10 | Green  | PS-LATEXALLERGY-GRE | 500         | 3 lbs.      |

## Tyvek® Alert Wristbands

These color-coded Tyvek adhesive closure wristbands are pre-printed with patient conditions.

| Alert Description | Size |   |    | Color  | Part #         | Labels/form | Case Weight |
|-------------------|------|---|----|--------|----------------|-------------|-------------|
|                   | W    | x | L  |        |                |             |             |
| ALLERGY           | 1    | x | 10 | Red    | TY-ALLERGY     | 1000        | 2 lbs.      |
| FALL RISK         | 1    | x | 10 | Yellow | TY-FALLRISK    | 1000        | 2 lbs.      |
| NO NEEDLES/NO BP  | 1    | x | 10 | Pink   | TY-NOSTICKNOBP | 1000        | 2 lbs.      |
| BLANK             | 1    | x | 10 | Silver | TY-BLANK-SIL   | 1000        | 2 lbs.      |
| OSA RISK          | 1    | x | 10 | Blue   | TY-OSARISK     | 1000        | 2 lbs.      |
| ISOLATION         | 1    | x | 10 | Green  | TY-ISOLATION   | 1000        | 2 lbs.      |
| DNR               | 1    | x | 10 | Purple | TY-DNR-PUR     | 1000        | 2 lbs.      |
| LIMB ALERT        | 1    | x | 10 | Pink   | TY-LIMBALERT   | 1000        | 2 lbs.      |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## STATBand – follow the link for more information

Enables responders to identify quickly and accurately, record and track people and their personal items at the scene of an emergency with a customizable StatBand. Zebra’s durable moisture and abrasion resistant identification tags feature a patented fastening system for quick securement. They are also compatible with emergency response and disaster management software for easy implementation.

## Triage Band

This all-in-one wristband and triage tag with uniquely numbered barcode labels enables responders to identify, record and track the injured at the scene of an emergency quickly and accurately.

| W | Size |      | Part #    | Labels/band | Bands/case | Case Weight |
|---|------|------|-----------|-------------|------------|-------------|
|   | x    | L    |           |             |            |             |
| 3 | x    | 17.5 | SB-TRIAGE | 15          | 500        | 6 lbs.      |

## EMS Band

The EMS Statband enables responders to identify, record and track the injured at the scene of an emergency quickly and accurately. The flexible design allows it to be used to triage, accident/casualty scenes or everyday emergencies by removing the color-coded identifiers.

| W    | Size |      | Part # | Labels/band | Bands/case | Case Weight |
|------|------|------|--------|-------------|------------|-------------|
|      | x    | L    |        |             |            |             |
| 1.25 | x    | 19.5 | SB-EMS | 11          | 250        | 2 lbs.      |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## OmniBand – Follow the link for more information

Healthcare providers currently printing barcode labels can quickly implement barcode wristbands by placing a laser or thermal barcode label on Zebra's self-laminating OmniBand wristband, without the need for IT support.

| Wristband Length | Max Label Size |   |      | Part #            | Extender Length | Color  | Case Weight |
|------------------|----------------|---|------|-------------------|-----------------|--------|-------------|
|                  | W              | x | L    |                   |                 |        |             |
| 10               | 3.25           | x | 1    | LB2-ADULT-WL3     | 3.25            | White  | 10 lbs.     |
| 10               | 3.25           | x | 1    | LB2-ADULT-WL3-BLU | 3.25            | Blue   | 10 lbs.     |
| 10               | 3.25           | x | 1    | LB2-ADULT-WL3-ORA | 3.25            | Orange | 10 lbs.     |
| 8                | 2.25           | x | 0.75 | LB2-PED-WL3       | 2.625           | White  | 7 lbs.      |

Sheet measures 4.25" x 11". 500 sheets per case containing (2) wristbands and (2) wristband extenders each.

## Vinyl Infant Wristband Solutions

See datasheet on [zebra.com](http://zebra.com) for more information

These soft, flexible vinyl wristbands for use with Z-Band Fusion Infant ID Tags. The narrow width allows some models of "Abduction Prevention Systems" to be attached. Available in clip or self-locking closure. Self-Locking closure can be adjusted with a gentle tug as the infant loses mass around the wrists and ankles within the first 24 hours of birth. Latex-free.

| Closure Style | Max Label Size |   |      | Color | Part #        | Bands /case | Case Weight |
|---------------|----------------|---|------|-------|---------------|-------------|-------------|
|               | W              | x | L    |       |               |             |             |
| Clip          | 0.39           | x | 6.25 | White | PS-BABY       | 250         | 1 lb.       |
| Self-Locking  | 0.39           | x | 8.5  | White | PS-INFANT-ADJ | 250         | 1 lb.       |

## ComfyCuff

See datasheet on [zebra.com](http://zebra.com) for more information

ComfyCuff is a soft foam cuff featuring an adjustable Velcro® closure ensuring infant comfort. Can be used in conjunction with Z-Band Fusion Infant ID Tags, ComfyCuff Infant Swaddle Band and ComfyCuff Security Seal.

| W     | Size |     | Color | Part #     | Bands/case | Case Weight |
|-------|------|-----|-------|------------|------------|-------------|
|       | x    | L   |       |            |            |             |
| 1.375 | x    | 5.5 | White | LB2-BABY-P | 100        | 1 lbs.      |

## ComfyCuff Infant Swaddle Band

See datasheet on [zebra.com](http://zebra.com) for more information

ComfyCuff Infant SwaddleBand makes identifying a swaddled baby quick and easy. The SwaddleBand creates an extension between the ComfyCuff and Z-Band Fusion Infant ID Tags or wristband allowing the tag to be easily accessible.

Available in Tyvek® (LB2-BABYT-SWB9) or polypropylene (LB2-BABY-SWB). Latex-free.

| W    | Size |   | Color | Part #        | Bands/case | Case Weight |
|------|------|---|-------|---------------|------------|-------------|
|      | x    | L |       |               |            |             |
| 0.41 | x    | 9 | White | LB2-BABY-SWB9 | 500        | 1 lb.       |
| 0.25 | x    | 6 |       | LB2-BABY-SWB  | 250        | 1 lb.       |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## ComfyCuff Security Seal

See datasheet on [zebra.com](http://zebra.com) for more information

This security label is designed to securely adhere to the ComfyCuff material and self-destruct to indicate wristband tampering. Latex-free.

| Size  |   |        | Color | Part #       | Bands/case | Case Weight |
|-------|---|--------|-------|--------------|------------|-------------|
| W     | x | L      |       |              |            |             |
| 2.875 | x | 0.4375 | White | LB2-BABY-CCS | 1000       | 1 lbs.      |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Zebra ZipShip Ribbons

---

Zebra has the right thermal transfer ribbon for your application. For standard printing on paper labels, Zebra's wax ribbons are unsurpassed for performance and value. When better image durability is required, Zebra's wax/resin ribbons will meet your requirements. For the ultimate in chemical and heat resistance, Zebra's resin ribbons can handle the harshest environments. You can be assured that when used together, our ribbons and labels will provide optimal performance with your Zebra printer and extend the life of your printhead.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered ribbons. Our policy is to ship orders within the next working business day. There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. For custom sizes, please contact your Zebra Supplies Specialist.

| Zebra Ribbon Spec Sheets |                       |                       |
|--------------------------|-----------------------|-----------------------|
| Wax                      | Wax/Resin             | Resin                 |
| 1600 Standard            | 6100 Standard         | 6200 Standard         |
| 6000 Standard            | 5555 Standard         | 5095 High-Performance |
| 2000 High-Performance    | 3200 High-Performance | 5100 Premium          |
| 2100 High-Performance    | 5586 Premium          | Image Lock            |
| 5319 Performance         |                       | ChemResist            |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

| Ribbon                | Material Compatibility                     | Darkness Setting |      | Print Speed |      | Darkness Setting |      | Print Speed |      |
|-----------------------|--|------------------|------|-------------|------|------------------|------|-------------|------|
|                       |  | Low              | High | Low         | High | Low              | High | Low         | High |
| 1600 Standard         | Coated Paper/Certain Uncoated Applications |                  |      |             |      |                  |      |             |      |
| 6000 Standard         | Coated paper                               |                  |      |             |      |                  |      |             |      |
| 2000 High-Performance | Coated paper                               |                  |      |             |      |                  |      |             |      |
| 2100 High-Performance | Coated paper                               |                  |      |             |      |                  |      |             |      |
| 5319 Performance      | Uncoated paper/Coated paper                |                  |      |             |      |                  |      |             |      |
| 6100 Standard         | Coated Paper/Matte Synthetics              |                  |      |             |      |                  |      |             |      |
| 5555 Standard         | Coated Paper/Matte Synthetics              |                  |      |             |      |                  |      |             |      |
| 3200 High-Performance | Coated Paper/Matte Synthetics              |                  |      |             |      |                  |      |             |      |
| 5586 Premium          | Matte Synthetics                           |                  |      |             |      |                  |      |             |      |
| 6200 Standard         | Matte/Gloss Synthetics                     |                  |      |             |      |                  |      |             |      |
| 5095 High-Performance | Matte/Gloss Synthetics                     |                  |      |             |      |                  |      |             |      |
| 5100 Premium          | Gloss Synthetics                           |                  |      |             |      |                  |      |             |      |
| Image Lock            | Z-Xtreme 5000T and 8000T Image Lock        |                  |      |             |      |                  |      |             |      |

|                                |                                 | Ribbon                   |              |            |        |           |        |
|--------------------------------|---------------------------------|--------------------------|--------------|------------|--------|-----------|--------|
|                                | Printer                         | Core Size                |              | Max Length |        | Max Width |        |
|                                |                                 | Standar                  | Metric       | US         | Metric | US        | Metric |
| Tabletop/Industrial            | ZT111                           | 1 in                     | 25 mm        | 1476 ft    | 450 m  | 4.33 in   | 110 mm |
|                                | ZT231                           | 1 in                     | 25 mm        | 1476 ft    | 450 m  | 4.33 in   | 110 mm |
|                                | ZT411                           | 1 in                     | 25 mm        | 1476 ft    | 450 m  | 4.33 in   | 110 mm |
|                                | ZT421                           | 1 in                     | 25 mm        | 1476 ft    | 450 m  | 6.85 in   | 174 mm |
|                                | ZT510                           | 1 in                     | 25 mm        | 1476 ft    | 450 m  | 4.33 in   | 110 mm |
|                                | ZT610 / ZT610R                  | 1 in                     | 25 mm        | 1476 ft    | 450 m  | 4.33 in   | 110 mm |
|                                | ZT620 / ZT620R                  | 1 in                     | 25 mm        | 1476 ft    | 450 m  | 6.85 in   | 174 mm |
|                                | 220xi4                          | 1 in                     | 25 mm        | 1476 ft    | 450 m  | 8.60 in   | 220 mm |
| Desktop                        | ZD220D (Direct Thermal)         | N/A                      | N/A          | N/A        | N/A    | N/A       | N/A    |
|                                | ZD220T (Thermal Transfer-Roll)  | 0.5"/1.0"                | 12.7/25.4 mm | 984 ft     | 300m   | 4.33"     | 110mm  |
|                                | ZD230D (Direct Thermal)         | N/A                      | N/A          | N/A        | N/A    | N/A       | N/A    |
|                                | ZD230T (Thermal Transfer-Roll)  | 0.5"/1.0"                | 12.7/25.4 mm | 984 ft     | 300m   | 4.33"     | 110mm  |
|                                | ZD230DA (Direct Thermal)        | N/A                      | N/A          | N/A        | N/A    | N/A       | N/A    |
|                                | ZD230TA (Thermal Transfer-Roll) | 0.5"/1.0"                | 12.7/25.4 mm | 984 ft     | 300m   | 4.33"     | 110mm  |
|                                | ZD888D (Direct Thermal)         | N/A                      | N/A          | N/A        | N/A    | N/A       | N/A    |
|                                | ZD888T (Thermal Transfer-Roll)  | 0.5"/1.0"                | 12.7/25.4 mm | 984 ft     | 300m   | 4.33"     | 110mm  |
|                                | ZD888DA (Direct Thermal)        | N/A                      | N/A          | N/A        | N/A    | N/A       | N/A    |
|                                | ZD888TA (Thermal Transfer-Roll) | 0.5"/1.0"                | 12.7/25.4 mm | 984 ft     | 300m   | 4.33"     | 110mm  |
|                                | ZD411D (Direct Thermal)         | N/A                      | N/A          | N/A        | N/A    | N/A       | N/A    |
|                                | ZD411T (Thermal Transfer-Roll)  | 0.5"                     | 12.7 mm      | 39"        | 991 mm | 2.36"     | 60 mm  |
|                                | ZD611D (Direct Thermal)         | N/A                      | N/A          | N/A        | N/A    | N/A       | N/A    |
|                                | ZD611T (Thermal Transfer-Roll)  | 0.5"                     | 12.7 mm      | 39"        | 991 mm | 2.36"     | 60 mm  |
|                                | ZD421D (Direct Thermal)         | N/A                      | N/A          | N/A        | N/A    | N/A       | N/A    |
|                                | ZD421C (Ribbon Cartridge)       | N/A                      | N/A          | N/A        | N/A    | N/A       | N/A    |
| ZD421T (Thermal Transfer-Roll) | 0.5"/1.0"                       | 12.7/25.4 mm             | 39"          | 991 mm     | 4.41"  | 112 mm    |        |
| ZD621D (Direct Thermal)        | N/A                             | N/A                      | N/A          | N/A        | N/A    | N/A       |        |
| ZD621T (Thermal Transfer-Roll) | 0.5"/1.0"                       | 12.7/25.4 mm             | 39"          | 991 mm     | 4.41"  | 112 mm    |        |
| ZD621R (Thermal Transfer-Roll) | 0.5"/1.0"                       | 12.7/25.4 mm             | 39"          | 991 mm     | 4.41"  | 112 mm    |        |
| Mobile                         | QLn Series                      | Direct Thermal           |              | N/A        | N/A    | N/A       | N/A    |
|                                | ZQ Series                       | Direct Thermal           |              | N/A        | N/A    | N/A       | N/A    |
|                                | iMZ220 / iMZ320                 | Direct Thermal           |              | N/A        | N/A    | N/A       | N/A    |
|                                | W Series / RW 420 Prt Station   | Direct Thermal           |              | N/A        | N/A    | N/A       | N/A    |
|                                | P4T / RP4T                      | Snap-In Ribbon Cartridge |              | 98.4'      | 30m    | 4.3       | 110mm  |
| Print Engine                   | ZE511 / ZE511R                  | 1 in                     | 25 mm        | 1968 ft    | 600 m  | 4.20 in   | 107 mm |
|                                | ZE521 / ZE521R                  | 1 in                     | 25 mm        | 1968 ft    | 600 m  | 7.10 in   | 180 mm |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Industrial Wax Ribbons

### 1600

A standard wax ribbon for printing high-quality, durable barcodes on coated paper and synthetic label stock. Can print at speeds up to 10 inches per second.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 3.27"  | 83mm  | 1476'  | 450m | 01600BK08345 | 18           | 18        | 15 lbs.          |
| 4.33"  | 110mm | 1476'  | 450m | 01600BK11045 | 18           | 18        | 20 lbs.          |
| 6.14"  | 156mm | 1476'  | 450m | 01600BK15645 | 18           | 18        | 28 lbs.          |

### 6000

A high-performance thermal transfer wax formulation that provides excellent print quality for normal and rotated barcodes on coated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 2.36"  | 60mm  | 1476'  | 450m | 06000BK06045 | 24           | 24        | 24 lbs.          |
| 3.27"  | 83mm  | 1476'  | 450m | 06000BK08345 | 24           | 24        | 25 lbs.          |
| 4.02"  | 102mm | 1476'  | 450m | 06000BK10245 | 24           | 24        | 26 lbs.          |
| 4.33"  | 110mm | 1476'  | 450m | 06000BK11045 | 24           | 24        | 33 lbs.          |
| 5.16"  | 131mm | 1476'  | 450m | 06000BK13145 | 24           | 24        | 36 lbs.          |
| 6.16"  | 156mm | 1476'  | 450m | 06000BK15645 | 12           | 12        | 24 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 2000

A standard thermal transfer wax ink formulation for printing high-quality, durable barcodes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 1476'  | 450m | 02000BK04045 | 24           | 24        | 12 lbs.          |
| 2.36"  | 60mm  | 984'   | 300m | 02000BK06030 | 24           | 24        | 13 lbs.          |
| 2.36"  | 60mm  | 1476'  | 450m | 02000BK06045 | 24           | 24        | 18 lbs.          |
| 3.27"  | 83mm  | 984'   | 300m | 02000BK08330 | 24           | 24        | 16 lbs.          |
| 3.27"  | 83mm  | 1476'  | 450m | 02000BK08345 | 24           | 24        | 24 lbs.          |
| 3.50"  | 89mm  | 1476'  | 450m | 02000BK08945 | 24           | 24        | 26 lbs.          |
| 4.02"  | 102mm | 1476'  | 450m | 02000BK10245 | 24           | 24        | 29 lbs.          |
| 4.16"  | 106mm | 1476'  | 450m | 02000BK10645 | 24           | 24        | 32 lbs.          |
| 4.33"  | 110mm | 984'   | 300m | 02000BK11030 | 24           | 24        | 20 lbs.          |
| 4.33"  | 110mm | 1476'  | 450m | 02000BK11045 | 24           | 24        | 36 lbs.          |
| 5.16"  | 131mm | 1476'  | 450m | 02000BK13145 | 24           | 24        | 39 lbs.          |
| 6.16"  | 156mm | 1476'  | 450m | 02000BK15645 | 12           | 12        | 22 lbs.          |
| 6.85"  | 174mm | 1476'  | 450m | 02000BK17445 | 12           | 12        | 24 lbs.          |
| 8.66"  | 220mm | 1476'  | 450m | 02000BK22045 | 12           | 12        | 31 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 2100

High-performance thermal transfer formulation that provides excellent print quality for normal and rotated barcodes on coated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 1476'  | 450m | 02100BK04045 | 12           | 12        | 7 lbs.           |
| 2.36"  | 60mm  | 1476'  | 450m | 02100BK06045 | 12           | 12        | 9 lbs.           |
| 3.15"  | 80mm  | 1476'  | 450m | 02100BK08045 | 12           | 12        | 10 lbs.          |
| 3.50"  | 89mm  | 1476'  | 450m | 02100BK08945 | 12           | 12        | 13 lbs.          |
| 4.02"  | 102mm | 1476'  | 450m | 02100BK10245 | 12           | 12        | 15 lbs.          |
| 4.16"  | 106mm | 1476'  | 450m | 02100BK10645 | 12           | 12        | 15 lbs.          |
| 4.33"  | 110mm | 1476'  | 450m | 02100BK11045 | 12           | 12        | 16 lbs.          |
| 5.16"  | 131mm | 1476'  | 450m | 02100BK13145 | 12           | 12        | 16 lbs.          |
| 6.16"  | 156mm | 1476'  | 450m | 02100BK15645 | 12           | 12        | 24 lbs.          |
| 6.85"  | 174mm | 1476'  | 450m | 02100BK17445 | 12           | 12        | 25 lbs.          |
| 8.66"  | 220mm | 1476'  | 450m | 02100BK22045 | 12           | 12        | 30 lbs.          |

## 5319

A performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper face stocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek®. Prints at speeds up to 8 inches per second.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 1476'  | 450m | 05319BK04045 | 6            | 24        | 5 lbs.           |
| 2.36"  | 60mm  | 1476'  | 450m | 05319BK06045 | 6            | 24        | 6 lbs.           |
| 3.27"  | 83mm  | 1476'  | 450m | 05319BK08345 | 6            | 24        | 6 lbs.           |
| 3.50"  | 89mm  | 1476'  | 450m | 05319BK08945 | 6            | 24        | 8 lbs.           |
| 4.02"  | 102mm | 1476'  | 450m | 05319BK10245 | 6            | 24        | 8 lbs.           |
| 4.33"  | 110mm | 1476'  | 450m | 05319BK11045 | 6            | 24        | 8 lbs.           |
| 5.16"  | 131mm | 1476'  | 450m | 05319BK13145 | 6            | 24        | 9 lbs.           |
| 6.06"  | 154mm | 1476'  | 450m | 05319BK15445 | 6            | 12        | 13 lbs.          |
| 6.85"  | 174mm | 1476'  | 450m | 05319BK17445 | 6            | 12        | 14 lbs.          |
| 8.66"  | 220mm | 1476'  | 450m | 05319BK22045 | 6            | 12        | 15 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Industrial Wax/Resin Ribbons

### 6100

A standard wax/resin formulation for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL recognized when used in conjunction with selected Zebra materials.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 2.36"  | 60mm  | 1476'  | 450m | 06100BK06045 | 6            | 6         | 6 lbs.           |
| 3.15"  | 80mm  | 1476'  | 450m | 06100BK08045 | 6            | 6         | 7 lbs.           |
| 4.33"  | 110mm | 1476'  | 450m | 06100BK11045 | 6            | 6         | 7 lbs.           |
| 5.16"  | 131mm | 1476'  | 450m | 06100BK13145 | 6            | 6         | 9 lbs.           |

### 5555

A standard thermal transfer wax/resin formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 1476'  | 450m | 05555BK04045 | 6            | 24        | 5 lbs.           |
| 2.36"  | 60mm  | 1476'  | 450m | 05555BK06045 | 6            | 24        | 6 lbs.           |
| 3.27"  | 83mm  | 1476'  | 450m | 05555BK08345 | 6            | 24        | 6 lbs.           |
| 3.50"  | 89mm  | 1476'  | 450m | 05555BK08945 | 6            | 24        | 7 lbs.           |
| 4.33"  | 110mm | 1476'  | 450m | 05555BK11045 | 6            | 24        | 7 lbs.           |
| 5.16"  | 131mm | 1476'  | 450m | 05555BK13145 | 6            | 24        | 9 lbs.           |
| 6.06"  | 154mm | 1476'  | 450m | 05555BK15445 | 6            | 12        | 13 lbs.          |
| 6.85"  | 174mm | 1476'  | 450m | 05555BK17445 | 6            | 12        | 14 lbs.          |
| 8.66"  | 220mm | 1476'  | 450m | 05555BK22045 | 6            | 12        | 15 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 3200

A high-performance wax/resin ribbon for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 1476'  | 450m | 03200BK04045 | 6            | 24        | 3 lbs.           |
| 2.36"  | 60mm  | 984'   | 300m | 03200BK06030 | 6            | 24        | 4 lbs.           |
| 2.36"  | 60mm  | 1476'  | 450m | 03200BK06045 | 6            | 24        | 5 lbs.           |
| 3.15"  | 80mm  | 1476'  | 450m | 03200BK08045 | 6            | 24        | 7 lbs.           |
| 3.27"  | 83mm  | 984'   | 300m | 03200BK08330 | 6            | 24        | 4 lbs.           |
| 3.50"  | 89mm  | 1476'  | 450m | 03200BK08945 | 6            | 24        | 8 lbs.           |
| 4.02"  | 102mm | 1476'  | 450m | 03200BK10245 | 6            | 24        | 8 lbs.           |
| 4.33"  | 110mm | 984'   | 300m | 03200BK11030 | 6            | 24        | 6 lbs.           |
| 4.33"  | 110mm | 1476'  | 450m | 03200BK11045 | 6            | 24        | 8 lbs.           |
| 5.16"  | 131mm | 1476'  | 450m | 03200BK13145 | 6            | 24        | 9 lbs.           |
| 6.16"  | 156mm | 1476'  | 450m | 03200BK15645 | 6            | 12        | 12 lbs.          |
| 6.85"  | 174mm | 1476'  | 450m | 03200BK17445 | 6            | 12        | 13 lbs.          |
| 8.66"  | 220mm | 1476'  | 450m | 03200BK22045 | 6            | 12        | 15 lbs.          |

## 5586

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper and many Zebra synthetic materials.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 1476'  | 450m | 05586BK04045 | 6            | 24        | 5 lbs.           |
| 2.36"  | 60mm  | 1476'  | 450m | 05586BK06045 | 6            | 24        | 4 lbs.           |
| 3.27"  | 83mm  | 1476'  | 450m | 05586BK08345 | 6            | 24        | 6 lbs.           |
| 3.50"  | 89mm  | 1476'  | 450m | 05586BK08945 | 6            | 24        | 6 lbs.           |
| 4.02"  | 102mm | 1476'  | 450m | 05586BK10245 | 6            | 24        | 8 lbs.           |
| 4.33"  | 110mm | 1476'  | 450m | 05586BK11045 | 6            | 24        | 7 lbs.           |
| 5.16"  | 131mm | 1476'  | 450m | 05586BK13145 | 6            | 24        | 9 lbs.           |
| 6.06"  | 154mm | 1476'  | 450m | 05586BK15445 | 6            | 12        | 13 lbs.          |
| 6.85"  | 174mm | 1476'  | 450m | 05586BK17445 | 6            | 12        | 14 lbs.          |
| 8.66"  | 220mm | 1476'  | 450m | 05586BK22045 | 6            | 12        | 15 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Industrial Resin Ribbons

### 6200

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used in conjunction with selected Zebra materials.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 1476'  | 450m | 06200BK04045 | 6            | 6         | 4 lbs.           |
| 2.36"  | 60mm  | 1476'  | 450m | 06200BK06045 | 6            | 6         | 6 lbs.           |
| 3.27"  | 83mm  | 1476'  | 450m | 06200BK08345 | 6            | 6         | 7 lbs.           |
| 4.33"  | 110mm | 1476'  | 450m | 06200BK11045 | 6            | 6         | 7 lbs.           |
| 5.16"  | 131mm | 1476'  | 450m | 06200BK13145 | 6            | 6         | 9 lbs.           |

### 5095

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 1476'  | 450m | 05095BK04045 | 6            | 24        | 3 lbs.           |
| 2.36"  | 60mm  | 984'   | 300m | 05095BK06030 | 6            | 24        | 6 lbs.           |
| 2.36"  | 60mm  | 1476'  | 450m | 05095BK06045 | 6            | 24        | 5 lbs.           |
| 3.27"  | 83mm  | 984'   | 300m | 05095BK08330 | 6            | 24        | 13 lbs.          |
| 3.27"  | 83mm  | 1476'  | 450m | 05095BK08345 | 6            | 24        | 5 lbs.           |
| 3.50"  | 89mm  | 1476'  | 450m | 05095BK08945 | 6            | 24        | 7 lbs.           |
| 4.33"  | 110mm | 984'   | 300m | 05095BK11030 | 6            | 24        | 1 lbs.           |
| 4.33"  | 110mm | 1476'  | 450m | 05095BK11045 | 6            | 24        | 7 lbs.           |
| 5.16"  | 131mm | 1476'  | 450m | 05095BK13145 | 6            | 24        | 9 lbs.           |
| 6.06"  | 154mm | 1476'  | 450m | 05095BK15445 | 6            | 12        | 10 lbs.          |
| 6.85"  | 174mm | 1476'  | 450m | 05095BK17445 | 6            | 12        | 13 lbs.          |
| 8.66"  | 220mm | 1476'  | 450m | 05095BK22045 | 6            | 12        | 14 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 5100

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized when used with Zebra approved labels.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 1476'  | 450m | 05100BK04045 | 6            | 24        | 5 lbs.           |
| 2.36"  | 60mm  | 1476'  | 450m | 05100BK06045 | 6            | 24        | 4 lbs.           |
| 3.27"  | 83mm  | 1476'  | 450m | 05100BK08345 | 6            | 24        | 6 lbs.           |
| 3.50"  | 89mm  | 1476'  | 450m | 05100BK08945 | 6            | 24        | 7 lbs.           |
| 4.33"  | 110mm | 1476'  | 450m | 05100BK11045 | 6            | 24        | 7 lbs.           |
| 5.16"  | 131mm | 1476'  | 450m | 05100BK13145 | 6            | 24        | 9 lbs.           |
| 6.06"  | 154mm | 1476'  | 450m | 05100BK15445 | 6            | 12        | 10 lbs.          |
| 6.85"  | 174mm | 1476'  | 450m | 05100BK17445 | 6            | 12        | 13 lbs.          |
| 8.66"  | 220mm | 1476'  | 450m | 05100BK22045 | 6            | 12        | 13 lbs.          |

## Image Lock Resin Ribbon

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Core: 1" ID

| Width  |       | Length |      | Part # | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |        | Carton       | Outer Box |                  |
| 1.57"  | 40mm  | 984'   | 300m | 74775  | 6            | 6         | 1 lbs.           |
| 2.36"  | 60mm  | 984'   | 300m | 74776  | 6            | 6         | 3 lbs.           |
| 3.15"  | 80mm  | 984'   | 300m | 74777  | 6            | 6         | 4 lbs.           |
| 3.94"  | 100mm | 984'   | 300m | 74778  | 6            | 6         | 1 lbs.           |

Note: Minimum Order - 6 Rolls; M = Made to order (MTO); MTO lead time = 3 weeks

## ChemResist

To be used with Z-Xtreme 5000T

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. Provides exceptional resistance to outdoor elements and chemical solvents.

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 1476'  | 450m | 08000CR11030 | 6            | 6         | 4.8 lbs.         |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Industrial Color Wax Ribbons

### 5319

A performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper face stocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek®. Prints at speeds up to 8 inches per second. UL recognized when used with Zebra approved labels.

Core: 1" ID

| Width  |       | Length |      | Part #       | Color/PMS  | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              |            | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 1,476' | 450m | 05319BL11045 | Blue 2728C | 6            | 24        | 8 lbs.           |
| 4.33"  | 110mm | 1,476' | 450m | 05319RD11045 | Red 185C   | 6            | 24        | 8 lbs.           |
| 4.33"  | 110mm | 1,476' | 450m | 05319GN11045 | Green 334C | 6            | 24        | 8 lbs.           |

M = Made to order (Delivery in 2 weeks)

### Red Resin

A premium red resin ribbon that produces images resistant to most harsh environments: smearing, moisture, abrasion, extreme temperatures, and chemicals when printed on Zebra's synthetic label and tag materials.

Core: 1" ID

| Width  |       | Length |      | Part # | Color/PMS | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------|-----------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |        |           | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 984'   | 300m | 74801  | Red 187   | 24           | 24        | 3 lbs.           |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Desktop Ribbons

### For use with all 4" desktop printers

#### 6000 Wax Ribbons

A high-performance thermal transfer wax formulation that provides excellent print quality for normal and rotated barcodes on coated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Core: 0.5" ID

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 2.52   | 64mm  | 243'   | 74m | 06000GS06407 | 48           | 48        | 9 lbs.           |
| 3.31"  | 84mm  | 243'   | 74m | 06000GS08407 | 48           | 48        | 10 lbs.          |
| 4.33"  | 110mm | 243'   | 74m | 06000GS11007 | 48           | 48        | 12 lbs.          |

#### 5319 Wax Ribbons

A performance wax ribbon for printing high-quality, durable barcodes. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. UL recognized when used with Zebra approved labels.

Core: 0.5"

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 3.31"  | 84mm  | 243'   | 74m | 05319GS08407 | 12           | 48        | 5 lbs.           |
| 4.30"  | 110mm | 243'   | 74m | 05319GS11007 | 12           | 48        | 2 lbs.           |

#### 6100 Wax/Resin Ribbons

A standard wax/resin formulation for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL recognized when used in conjunction with selected Zebra materials.

Core: 0.5" ID

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 2.52"  | 64mm  | 243'   | 74m | 06100GS06407 | 48           | 48        | 9 lbs.           |
| 3.31"  | 84mm  | 243'   | 74m | 06100GS08407 | 48           | 48        | 10 lbs.          |
| 4.33"  | 110mm | 243'   | 74m | 06100GS11007 | 48           | 48        | 12 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 5555 Wax/Resin Ribbons

A standard thermal transfer wax/resin ink formulation for printing barcodes on Zebra coated paper. Provides a clear image under harsh conditions.

Core: 0.5" ID

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 2.52"  | 64mm  | 243'   | 74m | 05555GS06407 | 12           | 48        | 2 lbs.           |
| 3.31"  | 84mm  | 243'   | 74m | 05555GS08407 | 12           | 48        | 3 lbs.           |
| 4.30"  | 110mm | 243'   | 74m | 05555GS11007 | 12           | 48        | 4 lbs.           |

## 3200 Wax/Resin Ribbons

A high-performance wax/resin ribbon for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized when used with Zebra approved labels.

Core: 0.5" ID

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 2.52"  | 64mm  | 243'   | 74m | 03200GS06407 | 12           | 12        | 1 lbs.           |
| 3.31"  | 84mm  | 243'   | 74m | 03200GS08407 | 12           | 12        | 2 lbs.           |
| 4.30"  | 110mm | 243'   | 74m | 03200GS11007 | 12           | 12        | 2 lbs.           |

## 5586 Wax/Resin Ribbons

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper and many Zebra synthetic materials.

Core: 0.5" ID

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 2.52"  | 64mm  | 243'   | 74m | 05586GS06407 | 12           | 48        | 4 lbs.           |
| 3.31"  | 84mm  | 243'   | 74m | 05586GS08407 | 12           | 48        | 5 lbs.           |
| 4.30"  | 110mm | 243'   | 74m | 05586GS11007 | 12           | 48        | 6 lbs.           |

## 6200 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used in conjunction with selected Zebra materials.

Core: 0.5" ID

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 2.52"  | 64mm  | 243'   | 74m | 06200GS06407 | 48           | 48        | 9 lbs.           |
| 3.31"  | 84mm  | 243'   | 74m | 06200GS08407 | 48           | 48        | 10 lbs.          |
| 4.33"  | 110mm | 243'   | 74m | 06200GS11007 | 48           | 48        | 12 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Core: 0.5"

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 2.52"  | 64mm  | 243'   | 74m | 05095GS06407 | 12           | 48        | 4 lbs.           |
| 3.31"  | 84mm  | 243'   | 74m | 05095GS08407 | 12           | 48        | 5 lbs.           |
| 4.33"  | 110mm | 243'   | 74m | 05095GS11007 | 12           | 48        | 6 lbs.           |

## 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized when used with Zebra approved labels.

Core: 0.5"

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 1.30"  | 33mm  | 243'   | 74m | 05100GS03307 | 12           | 48        | 10 lbs.          |
| 2.52"  | 64mm  | 243'   | 74m | 05100GS06407 | 12           | 48        | 4 lbs.           |
| 3.31"  | 84mm  | 243'   | 74m | 05100GS08407 | 12           | 48        | 5 lbs.           |
| 4.30"  | 110mm | 243'   | 74m | 05100GS11007 | 12           | 48        | 6 lbs.           |

## Image Lock Resin Ribbon

To be used with 8000T Image Lock or Z-Xtreme 5000T Media

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Core: 0.5" ID

| Width  |       | Length |     | Part # | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |        | Carton       | Outer Box |                  |
| 2.52"  | 64mm  | 243'   | 74m | 74941  | 12           | 48        | 8 lbs.           |
| 3.31"  | 84mm  | 243'   | 74m | 74942  | 12           | 48        | 10 lbs.          |
| 4.33"  | 110mm | 243'   | 74m | 74943  | 12           | 48        | 12 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## ChemResist

To be used with Z-Xtreme 5000T

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. Provides exceptional resistance to outdoor elements and chemical solvents.

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 243'   | 74m | 08000CR11007 | 12           | 12        | 2.2 lbs.         |

## For use with the ZD411t and ZD611t 2" printers

### 1600

A standard wax ribbon for printing high-quality, durable barcodes on coated paper and synthetic label stock. Can print at speeds up to 10 inches per second.

| Width  |      | Length |     | Part #          | Quantity per |           | Outer Box Weight |
|--------|------|--------|-----|-----------------|--------------|-----------|------------------|
| inches | mm   | feet   | m   |                 | Carton       | Outer Box |                  |
| 2.25"  | 57mm | 243'   | 74m | 01600ZD25707 ** | 24           | 24        | 7 lbs.           |

\*\* Note: 12mm (0.5in) core, 2.25 inch core length

### 5319 Wax Ribbons

A performance wax ribbon for printing high-quality, durable barcodes. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. UL recognized when used with Zebra approved labels.

| Width  |      | Length |     | Part #          | Quantity per |           | Outer Box Weight |
|--------|------|--------|-----|-----------------|--------------|-----------|------------------|
| inches | mm   | feet   | m   |                 | Carton       | Outer Box |                  |
| 2.25"  | 57mm | 243'   | 74m | 05319ZD25707 ** | 48           | 48        | 8 lbs.           |

\*\* Note: , 12mm (0.5in) core, 2.25 inch core length

### 6100 Wax/Resin Ribbons

A standard wax/resin formulation for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL recognized when used in conjunction with selected Zebra materials.

| Width  |      | Length |     | Part #          | Quantity per |           | Outer Box Weight |
|--------|------|--------|-----|-----------------|--------------|-----------|------------------|
| inches | mm   | feet   | m   |                 | Carton       | Outer Box |                  |
| 2.25"  | 57mm | 243'   | 74m | 06100ZD25707 ** | 48           | 48        | 7 lbs.           |

\*\* Note: 12mm (0.5in) core, 2.25 inch core length

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 3200 Wax/Resin Ribbons

A high-performance wax/resin ribbon for use with Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized when used with Zebra approved labels.

| Width  |      | Length |     | Part #          | Quantity per |           | Outer Box Weight |
|--------|------|--------|-----|-----------------|--------------|-----------|------------------|
| inches | mm   | feet   | m   |                 | Carton       | Outer Box |                  |
| 2.25"  | 57mm | 243'   | 74m | 03200ZD25707 ** | 12           | 24        | 6 lbs.           |

\*\* Note: , 12mm (0.5in) core, 2.25 inch core length

## 5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

| Width  |      | Length |     | Part #          | Quantity per |           | Outer Box Weight |
|--------|------|--------|-----|-----------------|--------------|-----------|------------------|
| inches | mm   | feet   | m   |                 | Carton       | Outer Box |                  |
| 2.25"  | 57mm | 243'   | 74m | 05095ZD25707 ** | 12           | 48        | 8 lbs.           |
| 1.30"  | 33mm | 243'   | 74m | 05095ZD23307 ** | 48           | 48        | 8 lbs.           |

\*\* Note: 12mm (0.5in) core, 2.25 inch core length

## For use with the ZD420c (ribbon cartridge)

\*ZD420c has now been replaced by ZD421c and the ribbon works with both models

## 2000 Wax Ribbon

Ribbon cartridge for use with the ZD420 printer

A standard thermal transfer wax ink formulation for printing high-quality, durable barcodes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 243'   | 74m | 02000CT11007 | 6            | 6         | 3 lbs.           |

## 5555 Wax/Resin Ribbon

Ribbon cartridge for use with the ZD420 printer

A standard thermal transfer wax/resin formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 243'   | 74m | 05555CT11007 | 6            | 6         | 3 lbs.           |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 5095 Resin Ribbon

Ribbon cartridge for use with the ZD420 printer

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 243'   | 74m | 05095CT11007 | 6            | 6         | 2 lbs.           |

## Image Lock Resin Ribbon

Ribbon cartridge for use with the ZD420 printer

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

| Width  |       | Length |     | Part # | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |        | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 243'   | 74m | 74783  | 6            | 6         | 2 lbs.           |

**For use with TLP 2824 printer only**

## 5319 Wax Ribbon

A performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper face stocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek®. Prints at speeds up to 8 inches per second. UL recognized when used with Zebra approved labels.

Core: 0.5" ID

| Width  |      | Length |     | Part #     | Quantity per |           | Outer Box Weight |
|--------|------|--------|-----|------------|--------------|-----------|------------------|
| inches | mm   | feet   | m   |            | Carton       | Outer Box |                  |
| 1.30"  | 33mm | 243'   | 74m | 800132-001 | 12           | 48        | 6 lbs.           |
| 2.24"  | 57mm | 243'   | 74m | 800132-002 | 12           | 48        | 7 lbs.           |

## 3200 Wax/Resin Ribbons

A high-performance wax/resin ribbon for Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear and scratch resistant, this ribbon offers excellent power and durability in harsh environments. UL recognized when used with Zebra approved labels.

Core: 0.5" ID

| Width  |      | Length |     | Part #     | Quantity per |           | Outer Box Weight |
|--------|------|--------|-----|------------|--------------|-----------|------------------|
| inches | mm   | feet   | m   |            | Carton       | Outer Box |                  |
| 1.30"  | 33mm | 243'   | 74m | 800132-101 | 12           | 12        | 3 lbs.           |
| 2.24"  | 57mm | 243'   | 74m | 800132-102 | 12           | 12        | 3 lbs.           |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Core: 0.5" ID

| Width  |      | Length |     | Part #     | Quantity per |           | Outer Box Weight |
|--------|------|--------|-----|------------|--------------|-----------|------------------|
| inches | mm   | feet   | m   |            | Carton       | Outer Box |                  |
| 1.30"  | 33mm | 243'   | 74m | 800132-201 | 12           | 48        | 2 lbs.           |
| 2.24"  | 57mm | 243'   | 74m | 800132-202 | 12           | 48        | 6 lbs.           |

## 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized when used with Zebra approved labels.

Core: 0.5" ID

| Width  |      | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm   | feet   | m   |              | Carton       | Outer Box |                  |
| 1.30"  | 33mm | 243'   | 74m | 05100NT03307 | 12           | 12        | 3 lbs.           |
| 2.24"  | 57mm | 243'   | 74m | 05100NT05707 | 12           | 12        | 3 lbs.           |

NT: No Reflective Trailer

**For use with ZD230t, ZD420t, ZD620t, & GT800**

## 1600 Wax Ribbons

Standard wax ribbon for printing high-quality, durable barcodes on coated paper and synthetic label stock. Can print at speeds up to 10 inches per second.

Core: 1" ID

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 2.52"  | 64mm  | 984'   | 300m | 01600GT06430 | 24           | 24        | 13 lbs.          |
| 3.31"  | 84mm  | 984'   | 300m | 01600GT08430 | 24           | 24        | 16 lbs.          |
| 4.33"  | 110mm | 984'   | 300m | 01600GT11030 | 24           | 24        | 21 lbs.          |

## 2000 Wax Ribbons

A standard thermal transfer wax ink formulation for printing high-quality, durable barcodes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Core: 1" ID

| Width  |        | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|--------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm     | feet   | m    |              | Carton       | Outer Box |                  |
| 2.52"  | 64 mm  | 984'   | 300m | 02000GT06430 | 24           | 24        | 13 lbs.          |
| 3.31"  | 84 mm  | 984'   | 300m | 02000GT08430 | 24           | 24        | 17 lbs.          |
| 4.33"  | 110 mm | 984'   | 300m | 02000GT11030 | 24           | 24        | 20 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## 5555 Wax/Resin Ribbons

A standard thermal transfer wax/resin formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Core: 1" ID

| Width  |        | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|--------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm     | feet   | m    |              | Carton       | Outer Box |                  |
| 2.52"  | 64 mm  | 984'   | 300m | 05555GT06430 | 24           | 24        | 13 lbs.          |
| 3.31"  | 84 mm  | 984'   | 300m | 05555GT08430 | 24           | 24        | 16 lbs.          |
| 4.33"  | 110 mm | 984'   | 300m | 05555GT11030 | 24           | 24        | 16 lbs.          |

## 5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

Core: 1" ID

| Width  |        | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|--------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm     | feet   | m    |              | Carton       | Outer Box |                  |
| 2.52"  | 64 mm  | 984'   | 300m | 05095GT06430 | 24           | 24        | 10 lbs.          |
| 3.31"  | 84 mm  | 984'   | 300m | 05095GT08430 | 24           | 24        | 13 lbs.          |
| 4.33"  | 110 mm | 984'   | 300m | 05095GT11030 | 24           | 24        | 16 lbs.          |

## For use with G-Series, ZD420t, and ZD620t printers

### 1600 Wax Ribbons

For use with G-Series, ZD420t and ZD620t printers

Standard wax ribbon for printing high-quality, durable barcodes on coated paper and synthetic label stock. Can print at speeds up to 10 inches per second.

Core: 0.5" ID

| Width  |       | Length |     | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |              | Carton       | Outer Box |                  |
| 2.52"  | 64mm  | 243'   | 74m | 01600GS06407 | 24           | 24        | 8 lbs.           |
| 3.31"  | 84mm  | 234'   | 74m | 01600GS08407 | 24           | 24        | 10 lbs.          |
| 4.33"  | 110mm | 243'   | 74m | 01600GS11007 | 24           | 24        | 12 lbs.          |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Mobile Ribbons

---

### For use with the P4T and RP4T printers

#### 5555 Wax/Resin Ribbon

For use with the P4T and RP4T printers

A standard thermal transfer wax/resin ink formulation for printing barcodes on Zebra coated paper. Provides a clear image under harsh conditions.

| Width  |       | Length |     | Part #      | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|-------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |             | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 98'    | 30m | 05555BK110D | 10           | 10        | 2 lbs.           |

#### 5095 Resin Ribbon

For use with the P4T and RP4T printers

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability, and chemical resistance. UL recognized when used with Zebra approved labels.

| Width  |       | Length |     | Part #      | Quantity per |           | Outer Box Weight |
|--------|-------|--------|-----|-------------|--------------|-----------|------------------|
| inches | mm    | feet   | m   |             | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 98'    | 30m | 05095BK110D | 10           | 10        | 2 lbs.           |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.

## Specialty Printer Ribbons

### For use with Zebra Print Engines

#### 6000 Wax Ribbon

A high-performance wax ribbon that provides excellent print quality for normal and rotated barcodes on coated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 1968'  | 600m | 06000BK11060 | 12           | 12        | 6 lbs.           |

#### 2100 Wax Ribbon

A high-performance wax ribbon that provides excellent print quality for normal and rotated barcodes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches.

| Width  |       | Length |      | Part #       | Quantity per |           | Outer Box Weight |
|--------|-------|--------|------|--------------|--------------|-----------|------------------|
| inches | mm    | feet   | m    |              | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 2,955' | 900m | 02100BK11090 | 6            | 6         | 8 lbs.           |
| 5.16"  | 131mm | 2,955' | 900m | 02100BK13190 | 6            | 6         | 8 lbs.           |
| 6.16"  | 156mm | 2,955' | 900m | 02100BK15690 | 6            | 6         | 25 lbs.          |
| 6.85"  | 174mm | 2,955' | 900m | 02100BK17490 | 6            | 6         | 45 lbs.          |

## Industrial Ribbon Cores

#### Replacement Core Kit

For use with ZT220 Series printers

Replacement take-up cores for use with ZT200 series laptop printers. Cores are packaged in 12 units per kit.

| Width  |       | Part #   | Quantity per |           | Outer Box Weight |
|--------|-------|----------|--------------|-----------|------------------|
| inches | mm    |          | Carton       | Outer Box |                  |
| 4.33"  | 110mm | 10015353 | 12           | 12        | 3 lbs.           |

Stock - ships within 1-3 business days.

\* Made to order (MTO) – Lead time varies, please reach out to your sales rep for a lead time.



## NORTH AMERICA AND LATIN AMERICA

### **Zebra Supplies Sample Program**

Zebra's Sample Program enables you to order sample rolls of Zebra media and ribbons. On average, samples ship in one to two working days. Orders are limited to 4 items. This sample program is not designed for order fulfillment.



## 3" Core Media

### Paper

| Part #                 | Material Description                                      | Size   |          | Labels/<br>Roll |
|------------------------|---|--------|----------|-----------------|
|                        |   | Width  | Length   |                 |
| <b>Paper</b>           |   |        |          |                 |
| SAM05733               | 8000T Lab   | 2"     | x 1.25"  | 100             |
| SAM66153               | 8000T High-Gloss  | 3"     | x 3"     | 100             |
| SAM5443                | 8000T High-Tack   | 3"     | x 3"     | 100             |
| SAM65171               | 8000T Multi-Removable                                     | 3"     | x 3"     | 100             |
| SAM5286                | 8000T Piggyback   | 2.015" | x 1.015" | 130             |
| SAM5279                | 8000T Semi-Gloss  | 3"     | x 3"     | 100             |
| SAM5292                | 8000T Ultra-Removable                                     | 3"     | x 3"     | 100             |
| SAM5145                | 8000T Void Matte  | 3"     | x 3"     | 100             |
| SAM68300               | IQ Color 2000D, Paper, DT, Coated                         | 4"     | x 6"     | 50              |
| SAM68300-1             | IQ Color 2000D (with a blue box, red box, and red stripe) | 4"     | x 2"     | 50              |
| SAM65832               | Z-Perform 1000D   | 4"     | x 6"     | 50              |
| SAM5242                | Z-Perform 1000T 9.5 mil Tag                               | 3"     | x 4"     | 80              |
| SAM10017767            | Z-Perform 1500T   | 4"     | x 6"     | 50              |
| SAM65791               | Z-Perform 2000D   | 4"     | x 6"     | 50              |
| SAM66105               | Z-Perform 2000T   | 4"     | x 6"     | 50              |
| SAM10026043            | Z-Perform 2000T All Temp                                  | 4"     | x 6"     | 50              |
| SAM5074                | Z-Select 4000D 5.3 mil Tag                                | 3"     | x 4"     | 50              |
| SAM5847                | Z-Select 4000D 7.5 mil Tag                                | 3"     | x 4"     | 80              |
| SAM5396                | Z-Select 4000T 5.0 mil Tag                                | 3"     | x 4"     | 75              |
| SAM5382                | Z-Select 4000T All-Temp                                   | 4"     | x 6"     | 50              |
| SAM10026917            | Z-Select 4000T 10.0 mil Tag                               | 4"     | x 6"     | 50              |
| SAM5176                | Z-Select 4000D  | 4"     | x 6"     | 50              |
| SAM5210                | Z-Select 4000T  | 4"     | x 6"     | 50              |
| SAM10026905            | Z-Essentials 540D   | 4"     | x 6"     | 50              |
| SAM10040738            | Z-Essentials 500D   | 4"     | x 6"     | 50              |
| SAM10040740            | Z-Essentials 1500D  | 4"     | x 6"     | 50              |
| <b>NEW</b> SAM10026906 | Z-Essentials 540T   | 4"     | x 6"     | 50              |

\* 3" core sample rolls will work with desktop and industrial printers



## 3" Core Media

### Synthetic

| Part #   | Material Description             | Size   |          | Labels/<br>Roll |
|----------|----------------------------------|--------|----------|-----------------|
|          |                                  | Width  | Length   |                 |
| SAM5061  | Z-Ultimate 4000T Clear           | 3"     | x 3"     | 100             |
| SAM65300 | Z-Ultimate 4000T White High Tack | 2"     | x 1"     | 50              |
| SAM66680 | 8000T CryoCool                   | 3"     | x 3"     | 100             |
| SAM5076  | 8000T ESD Gloss                  | 1.625" | x 0.25"  | 100             |
| SAM5662  | 8000T Checkerboard Gloss         | 1.5"   | x 0.5"   | 50              |
| SAM5066  | 8000T Light-Weight 8.0 mil Tag   | 2.5"   | x 3"     | 110             |
| SAM5973  | 8000T Low-Temp Gloss White       | 1.5"   | x 0.625" | 150             |
| SAM5227  | 8000T Low-Temp Matte             | 1.5"   | x 0.625" | 150             |
| SAM5325  | 8000T Piggyback Clear Matte      | 2.125" | x 1.125" | 120             |
| SAM5224  | 8000T Retroskan                  | 2.75"  | x 8.5"   | 30              |
| SAM5384  | 8000T Ultra High-Tack Matte      | 3"     | x 3"     | 100             |
| SAM5021  | 8000T Ultra-Tuff 9.5 mil Tag     | 3"     | x 6"     | 80              |
| SAM5395  | 8000T Vinyl Clear                | 3"     | x 3"     | 100             |
| SAM5456  | 8000T Z-Destruct                 | 3"     | x 3"     | 100             |
| SAM65330 | PolyPro 3000T                    | 3"     | x 3"     | 100             |
| SAM65310 | PolyPro 3000T High-Tack          | 3"     | x 3"     | 100             |
| SAM65843 | PolyPro 4000D                    | 3"     | x 3"     | 100             |
| SAM5178  | PolyPro 4000T                    | 3"     | x 3"     | 100             |
| SAM5127  | PolyPro 4000T 8.5 mil Tag        | 3"     | x 4"     | 80              |
| SAM5032  | PolyPro 4000T Removable          | 3"     | x 3"     | 100             |
| SAM5139  | PolyO 4000T High Performance     | 3"     | x 3"     | 100             |
| SAM5827  | Z-Endure 4000T                   | 3"     | x 3"     | 50              |
| SAM65945 | Z-Select 4000D Removable         | 3"     | x 3"     | 100             |
| SAM5233  | Z-Select 4000T Removable         | 3"     | x 3"     | 100             |
| SAM66685 | Z-Supreme 4000T Yellow           | 1.625" | x 0.25"  | 200             |

\* 3" core sample rolls will work with desktop and industrial printers

## 3" Core Media

### Synthetic

| Part #         | Material Description              | Size   |   |        | Labels/<br>Roll |
|----------------|-----------------------------------|--------|---|--------|-----------------|
|                |                                   | Width  |   | Length |                 |
| SAMZST10044170 | Z-Supreme 2100T White             | 1.625" | x | 0.25"  | 270             |
| SAM65080       | Z-Supreme 3000T White             | 1.625" | x | 0.25"  | 200             |
| SAM65929       | Z-Supreme 4000T White             | 1.625" | x | 0.25"  | 200             |
| SAM68130       | Z-Ultimate 2000T White            | 3"     | x | 3"     | 100             |
| SAM5272        | Z-Ultimate 3000T Silver           | 3"     | x | 3"     | 100             |
| SAM5612        | Z-Ultimate 3000T White            | 3"     | x | 3"     | 100             |
| SAM5470        | Z-Ultimate 4000T 8.0 mil Tag      | 3"     | x | 4"     | 80              |
| SAM66447       | Z-Ultimate 4000T High-Tack Silver | 3"     | x | 2"     | 100             |
| SAM5040        | Z-Ultimate 4000T Removable        | 3"     | x | 3"     | 100             |
| SAM10035970    | Z-Ultimate 4100T ; TT, . Coated   | 3"     | x | 3"     | 100             |
| SAM5061        | Z-Ultimate 4000T Clear            | 3"     | x | 3"     | 100             |
| SAM5571        | Z-Ultimate 4000T Silver           | 3"     | x | 3"     | 100             |
| SAM10035970    | Z-Ultimate 4100T White            | 3"     | x | 3"     | 100             |
| SAM66748       | Z-Xtreme 2000T White              | 3"     | x | 3"     | 100             |
| SAM5382        | Z-Xtreme 4000T White High-Tack    | 3"     | x | 3"     | 100             |
| SAM5385        | Z-Xtreme 4000T Silver             | 3"     | x | 3"     | 100             |
| SAM5381        | Z-Xtreme 4000T White              | 3"     | x | 3"     | 100             |
| SAM5386        | Z-Xtreme 4000T Silver High-Tack   | 3"     | x | 3"     | 100             |
| SAMZXT10043600 | Z-Xtreme 5000T                    | 2.5"   | x | 2.5"   | 100             |
| SAM10026938    | PolyPro 2000T Gloss               | 3"     | x | 3"     | 100             |
| SAM10040734    | 8100T ImageLock                   | 3"     | x | 3"     | 100             |

\* 3" core sample rolls will work with desktop and industrial printers

## 0.75" and 1" Core Media

| Part #                 | Material Description   | Size  |        |         | Labels/<br>Roll |
|------------------------|--|-------|--------|---------|-----------------|
|                        |  | Width | Height | Length  |                 |
| 17154                  | PolyPro 3000T 1" core  | 2"    | x      | 1"      | 2100            |
| 10032211               | PolyPro 3000T Gloss Removable 1" core                            | 2"    | x      | 1.25"   | 1410            |
| LD-R7BL5B              | PolyPro 4000D .75" core  | 2"    | x      | 1"      | 350             |
| 10028821               | PolyPro 4000D (with protective overvarnish) 1" core              | 2"    | x      | 1.25"   | 2189            |
| 10023377               | Z-Perform 1000D .75" core  | 4"    | x      | 6"      | 75              |
| LD-R7MU5P              | Z-Perform 1000D .75" core  | 2"    | x      | 1"      | 350             |
| 10006224               | Z-Perform 1000D 2.4 mil Receipt (10 year archiv                  | 4"    | x      | 100ft   | 100ft           |
| 10010034               | Z-Perform 2000D 1" core  | 4"    | x      | 6"      | 430             |
| 10005853               | Z-Perform 2000T 1" core  | 4"    | x      | 6"      | 460             |
| 10015341               | Z-Select 4000D 1" core   | 2.25" | x      | 1.25"   | 2100            |
| LD-R4KN5B              | Z-Select 4000D 3.2 mil Receipt (25 year archivability) .75" core | 4"    | x      | 81.25ft | 81.25ft         |
| 10010053               | Z-Select 4000D 7 mil Tag 1" core                                 | 1.25" | x      | 2.25"   | 980             |
| 800272-125             | Z-Select 4000T 1" core   | 2.25" | x      | 1.25"   | 2100            |
| 10002629               | Z-Ultimate 4000T 1" core   | 2"    | x      | 1"      | 2530            |
| <b>NEW</b> SAM10043704 | EnduraGuard 4000D .75" core                                      | 4"    | x      | 2"      | 50              |

## Wristbands

| Part #    | Material Description   | Size    |        |        | Wristbands/<br>Roll-Cartridge |
|-----------|--|---------|--------|--------|-------------------------------|
|           |  | Width   | Height | Length |                               |
| 10006995K | ZD510-HC Cartridge - Wristband, Polypropylene, 1x11in (25.4x279.4mm); Direct thermal, Z-Band Direct, Adhesive closure                                | 1"      | x      | 11"    | 200                           |
| 10006996K | ZD510-HC Cartridge - Wristband, Polypropylene, 1.1875x11in (30.2x279.4mm); DT, Z-Band Direct, Coated, Permanent Adhesive,                            | 1.1875" | x      | 11"    | 200                           |
| 10006997K | ZD510-HC Wristband Cartridge - Wristband, Polypropylene, 0.75x11in (19.1x279.4mm); Direct Thermal, Z-Band Direct, Adhesive closure                   | 0.75"   | x      | 11"    | 200                           |
| 10005008  | Wristband, Synthetic, 1x11in (25.4x279.4mm); DT, Z-Band, Coated, 1in (25.4mm) core   | 1"      | x      | 11"    | 200                           |
| 10018856  | Wristband, Synthetic, 1x11in (25.4x279.4mm); DT, Z-Band Ultra Soft Lam, Coated, Permanent Adhesive, 1in (25.4mm) core                                | 1"      | x      | 11"    | 175                           |
| 10010951K | ZD510-HC Wristband Cartridge - Wristband, Polypropylene, 1x11in (25.4x279.4mm); DT, Z-Band Comfort, Coated, Permanent Adhesive, 1in (25.4mm) core    | 1"      | x      | 11"    | 300                           |
| 10015355K | ZD510-HC Wristband Cartridge - Wristband, Synthetic, 1x11in (25.4x279.4mm); DT, Z-Band Ultra Soft Lam, Coated, Permanent Adhesive, 1in (25.4mm) core | 1"      | x      | 11"    | 175                           |
| 10027730K | ZD510-HC Wristband Cartridge - Wristband, Synthetic, 1.1875x11in (30.2x279.4mm); DT, Z-Band QuickClip, Coated, 1in (25.4mm) core                     | 1.1875" | x      | 11"    | 240                           |

## 1" Core Ribbons

|            | Part #          | Material Description  | Size  |   |        |
|------------|-----------------|---|-------|---|--------|
|            |                 |   | Width |   | Length |
|            | 01600BK11005    | Sample Wax Ribbon, 1600, 110mmx50m, Standard; 25mm (1in) core, 4 inch core length | 4.33" | x | 164ft  |
| <b>NEW</b> | SAM06000BK10245 | Sample Wax Ribbon, 6000 102mm x 450m (1in) core, 4 inch core length               | 4.02" | x | 1476'  |
|            | 02000BK08305    | Sample Wax Ribbon BLK 2000 High Performance 83MM 50M, 4 inch core length          | 3.27" | x | 164ft  |
|            | 02100BK08005    | Sample Wax Ribbon BLK 2100 High Performance 80MM 50M, 4 inch core length          | 3.15" | x | 164ft  |
|            | 03200BK08005    | Sample Wax/Resin Ribbon BLK 3200 High Performance 80MM 50M, 4 inch core length    | 3.15" | x | 164ft  |
| <b>NEW</b> | SAM06100BK11045 | Sample Wax/Resin 6100 standard 110mm x 450m (1in) core, 4 inch core length        | 4.02" | x | 1476'  |
|            | 05095BK08305    | Sample Resin Ribbon BLK 5095 High Performance 83mm x 50M, 4 inch core length      | 3.27" | x | 164ft  |
| <b>NEW</b> | SAM06200BK11045 | Sample Resin 6200 110mm x 450m (1in) core, 4 inch core length                     | 4.02" | x | 1476'  |
| <b>NEW</b> | 74918           | Sample Image Lock Ribbon 83mm x 50M, 4 inch core length                           | 3.27" | x | 164ft  |
| <b>NEW</b> | 05095BK08305    | Sample Ribbon BLK 83MM 50M, 4 inch core length                                    | 3.27" | x | 164ft  |
| <b>NEW</b> | 05319RD08305    | Sample TT RIBBON RED 083MM 050M, 4 inch core length                               | 3.27" | x | 164ft  |
| <b>NEW</b> | 02100BK11005    | Sample Ribbon Black 110MM 50M, 4 inch core length                                 | 4.33" | x | 164ft  |
| <b>NEW</b> | 02000BK08305    | Sample Ribbon BLK 83MM 50M, 4 inch core length                                    | 3.27" | x | 164ft  |
| <b>NEW</b> | 03200BK08005    | Sample Ribbon W/R BLK 80MM 50M, 4 inch core length                                | 3.15" | x | 164ft  |
| <b>NEW</b> | 05586BK08305    | Sample Ribbon BLK 83MM 50M, 4 inch core length                                    | 3.27" | x | 164ft  |
| <b>NEW</b> | 02100BK08005    | Sample Ribbon BLK 80MM 50M, 4 inch core length                                    | 3.15" | x | 164ft  |
| <b>NEW</b> | 05319BK08305    | Sample Ribbon BLK 83MM 50M, 4 inch core length                                    | 3.27" | x | 164ft  |
|            | 05100BK08305    | Sample Resin Ribbon BLK 5100 Premium 83mm 50m, 4 inch core length                 | 3.27" | x | 164ft  |

## RFID Mobile Rolls

| Part #      | Material Description  | Size  |   |        | Labels/ |         |         |
|-------------|---|-------|---|--------|---------|---------|---------|
|             |   | Width |   | Length | Roll    | Inlay   | IC      |
| SAM10039674 | RFID, Label, Polypropylene, 1.75x0.75in (44.5x19.1mm); DT, PolyPro 4000D, High Performance Coated, All-Temp Adhesive, 0.75in (19.1mm) core, Plain | 1.75  | x | 0.75   | 400     | EOS-241 | M730    |
| SAM10039019 | RFID, Label, Paper, 4x2in (101.6x50.8mm); DT, Z-Perform 2000D, Value Coated, All-Temp Adhesive, 0.75in (19.1mm) core, Plain                       | 4     | x | 2      | 180     | ZBR2100 | UCODE 9 |
| SAM10039022 | RFID, Label, Polypropylene, 4x2in (101.6x50.8mm); DT, PolyPro 4000D, High Performance Coated, All-Temp Adhesive, 0.75in (19.1mm) core, Plain      | 4     | x | 2      | 190     | ZBR4100 | UCODE 9 |

## RFID Desktop / Industrial Rolls

| Part #      | Material Description  | Size  |   |        | Labels/ |         |         |
|-------------|---|-------|---|--------|---------|---------|---------|
|             |   | Width |   | Length | Roll    | Inlay   | IC      |
| SAM10036992 | RFID, Label, Polypropylene, 1.75x0.75in (44.5x19.1mm); TT, PolyPro 3000T, Coated, Permanent A, 3in (76.2mm) core, Plain | 1.75  | x | 0.75   | 1000    | BT781   | UCODE 8 |
| SAM10038231 | RFID, Label, Paper, 2.375x1.75in (60.3x44.5mm); TT, Z-Perform 1500T, Coated, Permanent A, 3in (76.2mm) core, Plain      | 2.38  | x | 1.75   | 750     | BT793   | UCODE 9 |
| SAM10039015 | RFID, Label, Paper, 3x1in (76.2x25.4mm); TT, Z-Perform 1500T, Coated, Permanent Adhesive, 3in (76.2mm) core, Plain      | 3     | x | 1      | 1000    | BT0573  | UCODE 9 |
| SAM10039003 | RFID, Label, Paper, 4x2in (101.6x50.8mm); TT, Z-Perform 1500T, Coated, Permanent Adhesive, 3in (76.2mm) core, Plain     | 4     | x | 2      | 500     | ZBR2100 | UCODE 9 |
| SAM10039017 | RFID, Label, Paper, 4x2in (101.6x50.8mm); TT, Z-Perform 1500T, Coated, Permanent Adhesive, 3in (76.2mm) core, Plain     | 4     | x | 2      | 200     | ZBR4100 | UCODE 9 |



## RFID Desktop / Industrial Rolls

|            | Part #          | Material Description  | Size     |   |          | Labels/ |         | IC      |
|------------|-----------------|---|----------|---|----------|---------|---------|---------|
|            |                 |   | Width    |   | Length   | Roll    | Inlay   |         |
| <b>NEW</b> | SAMZIPR10044780 | RFID, Label, Paper, 4x2in (101.6x50.8mm); TT, Z-Perform 1500T, Coated, Permanent Adhesive, 3in (76.2mm) core, Plain                   | 4        | x | 2        | 600     | ZBR2200 | M830    |
| <b>NEW</b> | SAMZIPR10044781 | RFID, Label, Paper, 4x2in (101.6x50.8mm); DT, Z-Perform 2000D, Value Coated, All-Temp Adhesive, 3in (76.2mm) core, Plain              | 4        | x | 2        | 550     | ZBR2200 | M830    |
| <b>NEW</b> | SAMZIPR10044782 | RFID, Label, Paper, 3x1in (76.2x25.4mm); TT, Z-Perform 1500T, Coated, Permanent Adhesive, 3in (76.2mm) core, Plain                    | 3        | x | 1        | 1000    | ZBR2200 | M830    |
| <b>NEW</b> | SAM10041943     | RFID, Label, Polypropylene, 0.9375x0.5625in (23.8x14.3mm); TT, PolyPro 3000T, Coated, Permanent Adhesive, 3in (76.2mm) core, Plain    | 0.9375in | x | 0.5625in | 1500    | EOS-200 | UCODE 9 |
| <b>NEW</b> | SAM10041946     | RFID, Label, Polypropylene, 1.75x0.75in (44.5x19.1mm); TT, PolyPro 3000T, Coated, Permanent Adhesive, 3in (76.2mm) core, Plain        | 1.75in   | x | 0.75in   | 1000    | BT 0781 | UCODE 9 |
| <b>NEW</b> | SAMZIPR10044784 | RFID, Label, Paper, 4x2in (101.6x50.8mm); DT, Z-Perform 2000D, Value Coated, All-Temp Adhesive, 0.75in (19.1mm) core, Plain           | 4        | x | 2        | 170     | ZBR2200 | M830    |
| <b>NEW</b> | SAMZIPR10044785 | RFID, Label, Paper, 3x1in (76.2x25.4mm); DT, Z-Perform 2000D, Value Coated, All-Temp Ad, 0.75in (19.1mm) core, 270/roll, 1/box, Plain | 3        | x | 1        | 270     | ZBR2200 | M830    |